



OUR T.R.I.E.D. VALUES

Team Work: We will offer opportunities for our employees to grow and

develop; we expect interaction in decision-making and

ownership and demand the cooperation we in turn would like

to receive.

Responsibility: We take responsibility for our actions and believe actions

determine consequences. We will insist and accept personal

and corporate accountability.

Integrity: All of our relations will be treated with the highest level of

openness and honesty. Integrity in all of our associations will

be the passionate strength of our business.

Engagement: We are absolutely committed to carrying out all of our

obligations in everything we do.

Diversification: With open minds we will strive to continuously improve our

company, our products, and our service.

MISSION STATEMENT

Our purpose is to provide high quality custom cabinetry at competitive prices while maintaining outstanding credibility, unmatched customer service, and a basis for a comfortable living for those who help contribute to our success.

ENVIRONMENTAL STATEMENT

Here at Brighton Cabinetry we are firmly committed to protecting our environment by educating our associates and our partners of our preference to purchase and manufacture products which are environmentally considerate and are from sustainable sources.

We realize the importance of replenishing the natural resources used in our industry. Also, we recognize the importance of treating our environment with respect while manufacturing our products.

It is our preference to use environmentally compatible and recycled or renewable materials whenever possible to limit our footprint on the environment.



Introduction Contents

WARRANTY	2 - 2A	Hillsbrad (Level 1)	22B
TERMS & CONDITIONS	3 - 4	Homeland (Level 1)	23
QUOTE PROCESS	4A	Lakeland (Level 2)	24
IN PLANT LEAD TIME	4B - 4C	LaPorte (Level 1)	24
WOOD CHARACTERISTICS	4D - 4F	LaSalle (Level 2+)	24A
FINISH AGREEMENTS	5 - 6A	Lincoln (Level 2)	24B
GENERAL INFORMATION	6B - 7	Luna (Level 1)	25
STANDARD FRAME CONFIGURATIONS	8-8A	Madrid (Level 1)	25
INSET DOOR SPECIFICATIONS	8B	Marquis (Level 2+)	26
PRICING PROCEDURES	8C - 8D	Meadowview (Level 1)	26A
FINISH OPTIONS	8D - 12	Monroe (Level 1)	26C
CUSTOM COLOR REQUEST	12A	Neoga Ridge Arched (Level 1)	27
FINISH PROCESS / INFORMATION	12B-12D	Neoga Ridge (Level 1)	28
DOOR/DRAWER FRONT EDGE PROFILES	14	Newport (Level 1)	28A
DOOR/DRAWER FRONT FRAMING BEAD	14A	Plainfield (Level 1)	28A
DOOR/DRAWER FRONT PANEL RAISES	14A	Plainfield MDF (Level 1)	28B
CUSTOM DOOR REQUEST	14B-15	Prairie (Level 1)	28B
DOOR STYLE DETAILS		Ramsey (Level 2)	29
Ordering	14A	Rodera (Level 1)	29
Doors for glass / mullion options	39 - 42	Sardinia (Level 1)	30
DOOR STYLES		Saxony (Level 2+)	30
Amesbury (Level 1)	16	Shaker (Level 1)	30A
Aspen (Level 1)	16	Shaker MDF (Level 1)	30A
Bella (Level 1)	16A	Shaker Medium (Level 1)	30B
Bryant (Level 1)	16A	Sheldon (Level 2)	30B
Café (Level 2+)	16B	Summit (Level 1)	31
Cascade (Level 1)	16B	Summit MDF (Level 1)	32
Churchill (Level 2+)	17	Sunrise (Level 1)	32A
Cottage (Level 1)	18	Sunrise MDF (Level 1)	32B
Craftsman (Level 2)	18	Thompson (Level 1)	32B
Cumberland (Level 2)	18A	Valletta (Level 1)	32C
Eclipse (Level 1)	18B	Verona (Level 2)	32C
Fairfield (Level 1)	19	Wabash (Level 2)	32D
Fairhaven (Level 1)	19	Wide Rail Shaker (Level 1)	32D
Glendale (Level 2)	20	Woodridge (Level 1)	33
Hamilton (Level 2)	20A	Zenith (Level 2+)	33
Hampton (Level 1)	20B	VENEER FLAT PANEL DOORS	34A-J
Hanover (Level 2)	20C	OPTIONAL DRAWER	
Heartland (Level 1)	21	FRONT UPGRADES	35-37
Heartland MDF (Level 1)	22	ORDER FORM	43-44
Heritage (Level 1)	22	CABINET CARE	45
Highland (Level 1)	22A		



LIFETIME LIMITED WARRANTY

Brighton Cabinetry, Inc. warrants to the original purchaser *that our products are free from defects in material and workmanship. The warranty period starts on the original date of purchase from an authorized dealer and is non-transferable†. This Warranty covers replacement and/or repair only at Brighton's discretion. All issues may be subject to inspection by Brighton Cabinetry or its authorized representative. This offer is based on normal residential usage and does not cover misuse, abuse, improper storage, or neglect (see Cabinet Care instructional sheet). Also, it does not include any expense involved in removing, reinstalling, disposal of, or shipping any cabinets or components.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND SHALL NOT BE EXTENDED, ALTERED OR VARIED EXCEPT BY A WRITTEN INSTRUMENT SIGNED BY BRIGHTON CABINETRY, INC. AND ORIGINAL PURCHASER.

Brighton Cabinetry reserves the right to change design, specification, and materials as conditions require or improvements are developed. Replacement parts are subject to availability. In the event a part or product becomes obsolete or is discontinued it will be replaced with a similar part or product. Replacement is limited to supplying the part only and does not include installation of the part or any expense incurred as a result of replacement.

All door hinges and drawer glides carry a lifetime guarantee from manufacturers. The part will be replaced if failure occurs. Replacement parts are subject to availability from our suppliers. In the event a part or product becomes obsolete or is discontinued it will be replaced with a similar part or product. Replacement is limited to supplying the part only and does not include installation of the part or any expense incurred as a result of replacement.

Wood, by its nature, has natural variations in color or texture. Softer areas will absorb more finish than harder areas, which may cast an uneven appearance. The end grains of the wood, such as those on the tops and bottoms of center panels in cabinet doors, will absorb a significantly greater amount of stain & topcoat than the rest of the lumber, and will often be darker in color. Variations in wood color will be more noticeable in lighter finishes. All wood species exhibit variations such as lighter streaks, darker streaks, burls, knots, gum pockets, pin holes, and raised grain (See Wood Characteristics page in the product catalog). These are not considered defects and are not covered under our warranty.

Satisfaction with a selection of wood species is the customer's responsibility. If you are unsure of the characteristics of a particular wood, please ask or do some research on your own. Some crown moldings as well as embellishments, on lays, bead board and corbels are not available in all wood species. Every attempt is made to match these items as close as possible, but some may not be an exact match, although it has been our experience that this does not create an undesirable look.

^{*} The original purchaser is defined as the original homeowner who purchased the cabinetry for his or her own use.

[†] For new construction, the limited warranty may only be transferred from the builder or dealer to the original homeowner; otherwise the limited warranty is non-transferable. An original receipt or other proof of purchase may be necessary when filing a warranty claim.



Cabinet finishes may change color over time depending on wood, finish and exposure to light. This is a natural occurrence. When cabinetry or components are added or replaced at a later date, they will normally be lighter in color. Because the quantity and intensity of natural and artificial light will vary from home to home, and will thus age cabinetry in each home at different rates, these natural occurrences are not considered defects and Brighton Cabinetry, Inc. is not responsible for color differences that will naturally exist between aged cabinetry and recent additions.

All finishes will tend to yellow over time, some more than others. While Brighton Cabinetry has taken great care in developing our selection of painted finishes, we do not warrant Buttercream, Cashmere, Dover, Downy, Hingham, Iceberg, Tranquil, White, or any other standard or custom painted finish against slightly yellowing over time. These changes can be very subtle especially if viewed every day and are the result of different environmental factors including natural light, indoor lighting, heat and other conditions.

All woods are subject to temperature & humidity changes, in that they will expand & contract with changes in weather conditions. Joints in the face frames, doors and in certain accessories have a tendency to open up or form fine cracks due to the natural expansion and contraction in wood items. Brighton Cabinetry, Inc does not warrant its products against this. This tendency is more noticeable in painted finishes than in stained finishes. For this reason, we offer touch up kits that provide the installer/homeowner on-site touch up. While touching up opened seams and other areas may improve the cabinets' appearance, the color, texture, and sheen of the material used may be inconsistent with those of the paint. Neither Brighton Cabinetry Inc, nor any of its dealers are responsible for this inconsistency. (See the Finish Agreement page and Effects of Temperature and Humidity page in the product catalog).

This warranty is effective for all orders purchased on or after July 1, 2007.

BRIGHTON

WOOD CHARACTERISTICS

We at Brighton Cabinetry find it necessary to explain the differences between natural and light stained wood as opposed to medium to heavy stained wood. These variances are detailed within the Brighton Cabinetry Finish Agreement. It is also the salesperson's responsibility to thoroughly explain to the customer the variations that exist within a specie. These variations can be more apparent in the lighter colors that we offer. Standard grade door orders may reflect all or some of each species' natural wood characteristics. These characteristics can include mineral streaks or deposits, sap marks, small knots, pin holes and worm holes. If the customer wishes to minimize the appearances of the natural characteristics, we strongly recommend ordering premium doors. This will not eliminate these imperfections but will only reduce their appearances. Customer satisfaction, no misunderstandings, and a referral from every job are a few of our goals at Brighton Cabinetry.

Brighton Cabinetry, Inc. will not be held responsible for misunderstanding of natural, and light stained finish or the variations that occur naturally within a particular wood specie. We would like to suggest that the dealer, for your own protection, should obtain a disclaimer signed by your customer.

CHERRY: Cherry ranges in color from white to deep brown. Exposure to light in your home will deepen these colors, turning the wood to a dark, reddish brown in the darker areas, while the light areas will deepen to shades from yellow to brown. These changes are natural, and should be expected. Cherry may contain areas of gum pockets, mineral streaks, sap marks, and pin knots. These characteristics are common and to be expected as a natural part of the wood. If these characteristics are not appealing we recommend that the Premium wood upgrade is selected to minimize these traits.

<u>CLEAR ALDER:</u> Also known as Alder or Premium Alder is pale yellow or tan to light reddish-brown color. The color is somewhat uniform throughout with random pin knots to be expected as a natural part of the wood. It has a straight, fine grain with an even texture.

HICKORY: Hickory is a strong and varied grain wood. In a light finish, you will see that its color ranges widely, from white to dark chocolate brown. This extreme variation can be seen within a single panel and is considered desirable. This wide variation is especially prevalent when ordering large veneered panels such as PCZ's and will not be considered a defect for replacement under warranty. Random knots and worm holes add even more character to hickory's natural beauty.

MAPLE: Maple is a smooth, close-grain wood that is primarily off-white in color. While maple is very uniform, you will notice random rays of wood grain outlined with small, darker lines. Small black dots, known as bird's eyes, and black mineral traces are another touch of nature in solid maple doors. These characteristics are common and to be expected as a natural part of the wood. If these characteristics are not appealing we recommend that the Premium wood upgrade is selected to minimize these traits. Maple will also begin to take on a golden hue as it ages.

QUARTER SAWN WHITE OAK: As a result of the style of cut known as quarter sawn, this straight-grain wood displays a dramatic pattern sometimes called "ribbon and flake". It varies in color from white to light tan, medium brown, or a pale yellow-brown with a pinkish tinge. It has a medium to coarse texture with small knots, mineral deposits, or worm holes occasionally present.

RED OAK: Red oak is very strong, open grained wood with color ranging from salmon to white. The accents of green, yellow, or black that run through the surface are signs of mineral deposits absorbed during the tree's growth. Worm holes, knots, and wild grain patterns all serve as nature's fingerprints on solid oak doors.

BRIGHTON

WOOD CHARACTERISTICS

We at Brighton Cabinetry find it necessary to explain the differences between natural and light stained wood as opposed to medium to heavy stained wood. These variances are detailed within the Brighton Cabinetry Finish Agreement. It is also the salesperson's responsibility to thoroughly explain to the customer the variations that exist within a specie. These variations can be more apparent in the lighter colors that we offer. Standard grade door orders may reflect all or some of each species' natural wood characteristics. These characteristics can include mineral streaks or deposits, sap marks, small knots, pin holes and worm holes. If the customer wishes to minimize the appearances of the natural characteristics, we strongly recommend ordering premium doors. This will not eliminate these imperfections but will only reduce their appearances. Customer satisfaction, no misunderstandings, and a referral from every job are a few of our goals at Brighton Cabinetry.

Brighton Cabinetry, Inc. will not be held responsible for misunderstanding of natural, and light stained finish or the variations that occur naturally within a particular wood specie. We would like to suggest that the dealer, for your own protection, should obtain a disclaimer signed by your customer.

RED BIRCH: Red Birch comes from the heartwood of the birch tree and is a tight, close-grain wood. The pattern can range from a plain, indistinct growth to a figured or curly grain. Streaky colors are common with contrasting shades of red and brown that can also be present as pink or even as a purplish tone.

RUSTIC ALDER: Also known as Knotty Alder, is pale yellow or tan to light reddish-brown color. The color is somewhat uniform throughout with sound whole knots and cut knots giving this specie a very rustic appearance. It is fine grained with moderate variation. If the larger knot characteristics of Rustic Alder are not appealing we recommend that Clear Alder is selected to minimize these traits.

RUSTIC HICKORY: This specie displays the same characteristics as standard grade Hickory with the presence of sound whole knots and cut knots giving it a very rustic appearance. It is also called Knotty Hickory and has a strong and varied grain ranging in color, from white to dark chocolate brown. This extreme variation can be seen within a single panel and is considered desirable. If the larger knot characteristics of Rustic Hickory are not appealing we recommend that standard grade Hickory is selected instead to minimize these traits.

<u>WALNUT:</u> Walnut is beautiful wood stained or natural. The natural characteristics common for this specie result in a blend of off-white to gray to medium brown tones throughout. It shows a curly grain pattern with occasional mineral or pin knots. Standard grade Walnut can have up to 35% of light sapwood present in the center panels of doors.

PAINTED CABINETS: Our painted cabinets combine the beauty of wood with the clean look of a painted finish. Over time, the wood will naturally expand and contract and the painted finish may develop hairline cracks, most noticeable in the joint areas. This is a result of the genuine hardwoods used in the manufacture of our products. These changes can be expected with the beauty of our painted cabinets. To minimize the uneven look of the wood's natural changes in center panels most wood framed doors will be made with center panels that are MDF when the finish is painted. Most veneered doors or veneered center panel doors will be made without the veneer when the finish is painted and will be MDF instead.



WEATHERED GRAIN QSWO

The rough-hewn texturing of our weathered grain technique adds a rustic charm to the already dramatic pattern of Quarter Sawn White Oak.

LIMITATIONS

Due to machining limitations there are only a select number of options available with this wood / finish selection. Please adhere to the guidelines on this page. Any items not available MUST be quoted in advance of placing an order. Custom requests for changes in specie and/or finish MUST have custom samples made and approved by the customer in advance of placing an order. Due to machining processes some edges may not have the weather grain detail. The Weathered Grain Collection is not available for Quick Ship. Cabinet heights limited to 96". Panels only available 3/4" thick and are limited to 48" wide maximum x 96" long maximum. The modification Matching Wood Interior, MMWI, is **not** available with weathered grain texturing.

DOOR STYLES

Only the door styles listed here are available. <u>All</u> weathered grain doors and drawer fronts will have an L-034 outside edge with the exception of Inset doors. Inset doors will have an L-686 edge with a 5 degree back bevel. The only modification to the door styles are the door framing widths up to 4" wide if specified in Job Notes on the order. Raised center panels are not available. Outside and inside edge profiles cannot be changed.

	Cascade
	Heritage
L-034	Plainfield (N/A Inset)
	Shaker
	Shaker-Medium
	Wide Rail Shaker
I -686	

OVERLAYS

Standard frame Inset is available. Beaded frame Inset is <u>not</u> available. All other standard door overlays are available except for SOLK-Lipped (3/8" inset).

FINISH / SPECIE OPTIONS

4 Low Sheen finishes on Weathered Grain Quarter Sawn White Oak. Any change to finish or specie requires a Custom Color Request form is submitted. Premium wood grade is not available with Weathered Grain Quarter Sawn White Oak.

Barnwood Hearth Parched Whitewash

FINISHED END OPTIONS

Only the finished end options listed here are available. Finished end options, MWFEL, MBFEL, MTFEL, are not available.

Flush finished end Furniture finished end Beadboard end False door end

Furniture false door end

Wainscot end*

Furniture wainscot end*

ACCESSORIES

Only available for the matching finish molding and accessory items listed here.

FS (frame stock), no routed profiles PCZ34 only: 48" W max X 96"H max ABATTEN1, 2 ASCRIBE1, 2 ABM-OGEE (no other base moldings) ARISER (riser for molding)
ACROWNSHKR(Plain)
ASHC (hollow column)
ASQPC (pilaster column)
ASQFT (square foot)

SQL (square leg)

WFSHELF (floating shelf)*

^{*} Due to manufacturing restrictions, weathered wainscot panels are no longer available for Inset style cabinetry

^{*} Weathering only on exposed face and side edges



PAINTED FINISH FACTS ~ CUSTOMER AGREEMENT ~

Congratulations on your selection of Brighton cabinetry. Because of the unique characteristics of wood, it is important to realize that the beauty of wood cabinetry really comes from the natural qualities of the wood itself. Your satisfaction is important to us, and we want you to fully understand the characteristics that make our painted finishes so distinctive and different from the non-painted finishes. The painted finish categories are classified as Paints, Paints w/ Glazes, and Special Finishes.

Our painted cabinets combine the beauty of wood with the clean look of a painted finish. The textures of some natural grain patterns often remain visible with a painted finish and should be accepted as inherent characteristics when selecting painted cabinetry. In addition, as the wood naturally expands and contracts with varying environmental conditions, slight joint separations may occur; these may become visible as small cracks in the painted finish, particularly in joint areas. The hairline cracks could also be seen when individual adjacent staves in the center panel expand and contract. Joint fissures can become more obvious over time and during various season changes. To reduce some of these occurrences in painted finishes, we prefer to use center panels that are made of MDF when available.

Mitered door styles are purposely constructed to allow a slight gap at the interior frame joint because of the typical expansion and contraction that occurs. Mitered doors are not sanded after they are assembled in the same manner as mortise and tenon doors. This may allow joints to be uneven or not flush and gaps may show more prominently. For this reason, we do not recommend painted finishes on miter designs. These traits are not as apparent on stained or natural finishes. The Woodridge door design is not available in a painted finish.

Most of our five piece doors have framing beads designed with a slight back bevel to allow the finish materials to penetrate beneath the frame bead. The paint coatings have a high percentage of solids and are susceptible to bridging between the center panel and frame bead. Bridging occurs when the finish material joins the two separate surfaces together. Natural expansion and contraction of the wood may fracture this bridging. This is a result of the genuine hardwoods used in the manufacture of our products.

All of the preceding are common conditions and are not considered cause for defect. If these characteristics are not appealing, consider purchasing one of our 1-piece MDF door styles which will not have the joints that allow the separation. 1-piece MDF options are available in limited designs only.



Image of miter door standard construction, showing frame joint with gap

PAINTED FINISH FACTS ~ CUSTOMER AGREEMENT ~ CONTINUED ON NEXT PAGE



PAINTED FINISH FACTS ~ CUSTOMER AGREEMENT ~

PAGE 2 OF 2





Above: Photo of joint separation at door edge

Left: Photo of mortise and tenon door joint separation

The machining of wood end grain or MDF on certain profiles may result in those surfaces being somewhat porous and the finish on those areas may not result in as full a finish as on the flat surfaces. The presence of minor defects such as this, in small amounts, will be considered acceptable. Also, over time there may be a slight color shift in the painted finish due to continued exposure to natural and artificial light sources, chemicals or exposure to other contaminates.

All of the traits described can be expected with the beauty of our painted cabinets and are not considered defects.

I have read and understand the statements above. I agree that the characteristics of painted finishes from Brighton Cabinetry are acceptable and that neither Brighton Cabinetry nor the dealer of Brighton Cabinetry is to be held responsible if at a later time any of these traits are found to be less desirable.

CUSTOMER SIGNATURE AND DATE	SALESPERSON SIGNATURE AND DATE
CUSTOMER PRINTED NAME	SALESPERSON PRINTED NAME

^{*} If a copy of this form is not included with the original order, Brighton Cabinetry will assume that you are accepting responsibility for any and all of the items listed above.



Brighton Cabinetry Finish Agreement

Dear Brighton Customer:

Congratulations on your selection of Brighton cabinetry. Because of the unique characteristics of wood, it is important to realize that the beauty of wood cabinetry really comes from the natural qualities of the wood itself. Your satisfaction is important to us, and we want you to fully understand the characteristics that make our finishes so distinctive.

Brighton utilizes only select solid hardwoods and hardwood veneers. The beauty of these genuine woods lies in the variation of the grain. Natural and light stains show the natural beauty of wood. Wood differs in color, density, graining and texture from tree to tree within the same species (this is even true within the same tree.) Color samples can only represent an overall general guide to the appearance of the finished product.

Small displays and wood samples may sometimes be deceiving and possibly not a true representation of a complete kitchen. Two doors side by side may contrast in appearance; this is to be expected. The wood used within the same door may also have a contrasting appearance within the panel area or even from rail to rail.

Glazed, Wear Sanding, and Special finishes cannot be guaranteed that all components of a job will be an exact match to a sample. Due to the application process of the special and glazed finishes, the build up of glaze will vary from one piece to another on the same order. These variations can be dramatic. The beauty and uniqueness associated with these finishes is due to the broad variations. Considering the artistic quality of these finishes, the variations discussed above will not be considered defects and will not be cause for replacement.

The textures of some natural grain patterns often remain visible with a painted finish and should be accepted as inherent characteristics when selecting painted cabinetry. In addition, as the wood naturally expands and contracts with varying conditions, slight joint separations may occur; these may become visible as small cracks in the painted finish, particularly in joint areas. Also, over time, there may be a slight color shift in the painted finish due to continued exposure to natural and artificial light sources.

All custom finishes must be signed off on and dated before any of the job will be processed in production. Brighton will generate a sample of the custom color requested, but approval form must be returned, signed and dated.

I have read the above statements and have clearly explained all of the items listed above to my customer. I will not hold Brighton Cabinetry responsible for the variety of wood characteristics or any of the above that are later found to be less desirable than I expected.

CUSTOMER SIGNATURE AND DATE	SALESPERSON SIGNATURE AND DATE
CUSTOMER PRINTED NAME	SALESPERSON PRINTED NAME

^{*} If a copy of this form is not included with the original order, Brighton Cabinetry will assume that you are accepting responsibility for any and all of the items listed above.

BRIGHTON

GENERAL INFORMATION

CABINET CONSTRUCTION SPECIFICATIONS

It is essential that all Brighton cabinets are properly secured to wall or floor studs. The cabinet must be mounted using four or more course-thread screws at least 2 1/2" in length.

The load capacity of hanging cabinets is dependent on the quality of the installation screws used and whether the screws are properly secured into studs. If the cabinetry is not installed using high quality, course-thread screws secured into two or more wall studs then the cabinet may not support the weight desired.

Cabinets installed at the floor must be secured into studs to prevent tipping. Standard or custom quoted cabinets are not designed to be free standing units at any time.

Brighton cannot and will not be responsible for failure caused by insufficient installation materials or techniques.

SPECIES:

Available in Cherry, Clear Alder, Hickory, Maple, Quarter Sawn White Oak, Red Birch, Red Oak, Rustic Alder, Rustic Hickory, and Walnut. Many other species available with pre-submitted quote. Contact customer service or submit a quote request for availability and pricing of non-standard species.

FRAMES:

Overlay cabinet front frames are 3/4" solid hardwoods with 1 1/2" wide stiles and rails using glued and screwed joinery. Inset cabinet face frames are built with a haunch joint. Inset Wall and Tall cabinets are built with 2 1/2" top rail while overlay cabinets will have 1 1/2" top frame rails. Standard base height cabinet face frames are 30" high with a 4 1/2" toe space creating an overall height of 34 1/2". Cabinets less than 9" wide will have reduced face frame stile widths. Center stiles on 2-door cabinets 39" and wider are the standard. (See Plainfield door style for exceptions.)

CASE CONSTRUCTION AND INTERIORS:

1/2" plywood is standard and interiors will be UV Birch veneer. Matching wood interior is offered as a modification. Cabinets are available at standard sizes with customization of dimensions allowed to 1/16". Any case dimension change, whether increase or decrease, is subject to manufacturing limitations. Please contact customer service for any required dimensions that fall outside the span of our standard offered sizes.

BACK:

Cabinet backs are (1/4" panel with UV Birch veneer) dadoed into the sides. 1/2" plywood hanging rails, mounted externally, are standard on most cabinets. The grain on interior backs will be horizontal on cabinets larger than 48" wide.

TOE SPACE:

Toe space is 4 1/2" high and 3 1/2" deep covered with a 1/2" sub toe board. Finished toe board matching specie and finish of cabinets is available as an accessory. Toe space platforms will be shipped loose on super susan bases, diagonal corner bases, and tall cabinets over 84" high as a standard.

SHELVES AND SUPPORTS:

Adjustable shelves are 3/4" UV Birch veneer plywood, front edge banded. 24" deep tall cabinets have a 22 1/4" deep shelf. 24" deep base cabinets have a 17 1/4" deep shelf. Wall cabinets have an 11 1/4" deep shelf. The shelf supports are nickel-plated steel peg in 5mm hole, adjustable in 32mm (approx 1 1/4") increments. Typical minimum frame opening height for adjustable shelf = 18".

BRIGHTON

GENERAL INFORMATION

CABINET CONSTRUCTION SPECIFICATIONS continued

DRAWERS:

Drawers are 5/8" solid maple sides, dovetailed front and back with a 1/4" maple veneer panel captured bottom. Walnut specie drawer boxes are available for an upcharge. Standard drawer box heights are available in 1" increments from 2" through 10". The actual drawer box height will be determined by the frame opening height. For example, a 5" frame opening will have a 4" high drawer box. Contact customer service for other drawer height availability. Full width drawer boxes in cabinets 39" wide and over will have additional bottom support.

GLIDES:

Blumotion drawer glides are standard with 100 lb. weight capacity. Blumotion is an undermount, full extension, concealed glide that closes silently and smoothly with only a light touch by user. If the frame openings for the drawer boxes are under 6" wide, solo glides will be used due to constraints in the Blumotion hardware. Rollout shelf glides are also Blumotion glides. Glide hardware may not be available for cabinets less than 12" deep. Contact customer service for availability and options.

DOORS:

Most are made from select kiln dried hardwoods using 3/4" thick frames and 1/2" solid wood center panels. Most doors designs have 2 1/4" or 2 5/16" wide stiles and rails. See specific door styles for exceptions.

As a standard, most wood framed doors will be made with center panels that are MDF when the finish is painted. Most veneered doors or veneered center panel doors will be made without the veneer when the finish is painted and will be MDF instead.

Doors over 24" wide will be made with two center panels, side to side. Doors over 48" tall will be made with two center panels, top to bottom. Use of a single horizontal panel opening in doors measuring over 24" wide will not be covered under warranty. Use of a single vertical panel opening in doors measuring over 48" tall will not be covered under warranty. Single panels doors exceeding the maximum width or height listed above will not be covered under warranty for bow, warp, or twist of the door framing, center panel, or mullions of glass doors.


HINGING:

Door hinging is available in semi-overlay concealed, semi-overlay knife, semi-overlay knife-lip door (3/8" inset). Full inset door available with barrel hinge or concealed hinge options. Framed full-access and full-overlay concealed hinges are available as an upgrade. Inset doors have a 3/32" margin on all sides of single doors and drawer fronts and 1/8" between butt-door pairs. Overlay doors have 1/8" margin between butt-door pairs. A soft close feature is standard for concealed hinges when available. Soft close is not available on inset with barrel hinges or knife hinged doors. Soft close is not recommended for use on pie cut doors.

DOOR REVEALS	HINGE TYPE	REVEALS *		Typical	
*(for most standard applications)		TOP	BOTTOM	SIDES	Overlay
FRAMED FULL-ACCESS (WALL CABINETS)	CONCEALED	1/8" (1 3/8" overlay)	1/8" (1 3/8" overlay)	1/16"	13/16"
FRAMED FULL-ACCESS (BASE CABINETS)	CONCEALED	1/4" (1 1/4" overlay)	1/8" (1 3/8" overlay)	1/16"	13/16"
FULL-OVERLAY (WALL CABINETS)	CONCEALED	1"	1/4"	1/4"	1 1/4" (1/2" @ top)
FULL-OVERLAY (BASE CABINETS)	CONCEALED	1/4"	1/4"	1/4"	1 1/4"
SEMI-OVERLAY	CONCEALED & KNIFE	1"	1"	1"	1/2"
SEMI-OVERLAY LIPPED (3/8" INSET)	KNIFE	1 7/32" (9/32" overlay)	1 7/32" (9/32" overlay)	1 5/16"	3/16"



STANDARD FRAME CONFIGURATIONS



Standard Frame Configurations


frame change modification. Standard construction and hinge reveal information is listed within the Introductory section of the catalog Standard frame configurations are shown on this page and the following page. Custom frame configurations are available for most cabinets using MFC, the

the template to use that will define the frame's configuration. Tall oven cabinets and other cabinets designed for use with appliances have frames custom built to the appliance's specifications; see the specific cabinet for

Mini bases with overlay doors do not have the same size top drawer front as standard bases or vanities. Inset mini bases do have the same size top drawer fronts as standard inset bases and vanities. Please see the chart on the next page for standard drawer front heights. *Standard top opening heights are shown in the chart on the next page Tall cabinets have the lower opening heights set for standards as noted in the drawings. The upper opening varies based off the overall cabinet height.




STANDARD FRAME CONFIGURATIONS



Standard Top Drawer Front Heights				
	SOL-C / SOL-K	SOL-K Lipped	FOL-C	Inset
Mini Base	5"	4 7/16"	5 3/4"	5 1/16"
Base and Vanity	5 7/8"	5 7/16"	6 3/4"	5 1/16"

	Standard Tall Cabinet Upper Frame Opening Heights				
Overall Cabinet Height	TUC / TCGS / TAC	T3DUC	VTUC	VTUC-BH	TBU
84"	18"	47 1/2"	51"	47 1/2"	44 1/2"
90"	24"	53 1/2"	57"	53 1/2"	50 1/2"
93"	27"	56 1/2"	60"	56 1/2"	53 1/2"
96"	30"	59 1/2"	63"	59 1/2"	56 1/2"





INSET HINGE \ DOOR SPECIFICATIONS

Inset style cabinets are available from Brighton Cabinetry, Inc. For each order placed as inset, the following information must accompany your order: framing option (beaded vs. non-beaded) and choice of hinge. Non-beaded (standard frame) apply upcharge of 18%, beaded frame apply upcharge of 21%.

****Quick Ship lead times are not available for inset door cabinets****

The following door options are available with an L-253 outside edge profile	
only. This is a Machine front edge with a slight back bevel. Other outside	
profiles are not available as a standard offering with inset style doors.	L-253

The Inset availability applies to named door styles listed below and the offered VFP equivalents. For other door styles, please contact customer service for availability. MDF doors are <u>not</u> available.

Aspen	Fairfield*	Neoga Ridge	Sunrise*
Amesbury	Fairhaven	Neoga Ridge Arched*	Thompson*
Bryant*	Hampton MT*	Newport	Verona
Café	Heartland	Rodera*	Wabash
Cascade*	Heritage*	Shaker	Wide Rail Shaker*
Churchill*	Homeland	Shaker Medium*	
Cottage	Meadowview*	Sheldon*	
Eclipse*	Monroe*	Summit*	

^{*}Arched rail and wide framing design doors may have reduced width stiles for narrower door sizes.

Available barrel hinge finishes include Black, Polished Brass, Nickel (ball finial), Sterling Nickel (minaret finial), Oil Rubbed Bronze, Wrought Iron, and Antique English. Concealed inset hinging is also available.

Concealed inset hinges may require inward extended frame stiles with some cabinet modifications such as wainscot end panels and bead board ends. The inward extended stile will be added to the cabinet by the factory when necessary at no upcharge.

Soft close door feature is available on inset style cabinets with concealed hinges only. The soft close feature is not available when using inset barrel hinges.

Inset Wall and Tall cabinets are built with 2 1/2" top frame rail. Case frames are available with the option of standard machine inside edge (STD FR) or beaded inside edge (BDD FR). Beaded Inset cabinet face frames are built with a haunch joint.

Door magnet catch in the closest coordinating finish available, chosen at Brighton's discretion, installed when barrel hinges are selected.

Applied false door option is <u>not</u> available with inset style cabinets, please choose the wainscot option. If false door is selected, the cabinet will be made with a wainscot panel in place of the false door. Pricing will also reflect wainscot panel applied.



FINISH OPTIONS

Finish Colors: Please indicate the finish name on the order form. Stain application method designated by T (toner), W (wipe), or T/W (toner and wipe combination). Some finishes may not be available on all door designs; see your specific door design for more information.

MAPLE

STAIN (40 Sheen) (No upcharge applies for finish)

Autumn Haze (T/W)

Barley (T) ★

Butterscotch (T) ★ Chocolate (T/W)

★ These finishes are not available on Cottage or Newport door styles.

Cider (T) ★

Coal (T)

Frost (W)

Ginger (T/W) ★

Harvest (T/W)

Hazelnut (T/W)

Merlot (T/W) ★

Peppercorn (T/W)

Russet (T/W)

Sable (T/W)

Truffle (T/W)

Wilshire (T/W)

Zinc (T/W)

Unfinished

Natural (40 Sheen)

STAIN WITH GLAZE (40 Sheen)

(+8% finish upcharge)

Autumn Haze/Brown (T/W)

Barley/Brown (T/W)

Hazelnut/Brown (T/W)

Hazelnut/Ebony (T/W)

Natural /Ebony (T/W)

STAIN WITH WEAR SANDING (8 Sheen)

Silhouette (T)

Wear sanded options are offered as "Low" sheen. "Standard" sheen will be considered a custom color♦ and a sample color block must be pre-approved. Wear sanded finishes are not available on veneered MDF door designs.

The finish choices shown in this column are available on Maple and MDF only with the exception of the Harbor Collection and Distressed Special Finish which are available on Maple only. Any other specie or any change to sheen must have a custom color match approved prior to placing an order for any products. (White paint available as a standard finish on Red Oak also.)

PAINT **(20 Sheen, unless noted)

Black Legend Buttercream Nautical Cadet Putty

Cashmere Serene (45 Sheen)

Comfort Shade

Dover Spacious Gray Downy Spalding Hingham (10 Sheen) Tranquil Iceberg Urban Bronze Lace White (40 Sheen)

------Primed Only

PAINT WITH GLAZE **

(40 Sheen)

(+14% upcharge)

White/Gray Glaze

White/Wheat Glaze -----

HARBOUR COLLECTION **

(8 Sheen)

Heather Lighthouse Oyster Sandalwood

SPECIAL FINISH ** (+14% upcharge)

Canvas (8 Sheen) Landmark (8 Sheen)

Masterpiece (8 Sheen) Misty (40 Sheen)

Oatmeal (40 Sheen) Parchment (40 Sheen)

Slate (40 Sheen)

DISTRESSED FINISH **

(8 Sheen)

Antiquity

The Harbor Collection and Distressed Finish are offered as "Low Sheen". "Standard" sheen will be considered a custom color and a sample color block must be pre-approved. This collection is not available on MDF or veneered MDF door designs.

- ** Note: Change of sheen to Paints, Paints w/ Glazes, Special Finishes, Distressed Finish and the Harbor Collection as presented on our standard maple color blocks will be considered a custom color+ and a sample color block must be pre-approved.
- ♦ See Finish page with Custom Color definition for more details.

Finishes continued....



FINISH OPTIONS

Finish Colors: Please indicate the finish name on the order form. Stain application method designated by T (toner), W (wipe), or T/W (toner and wipe combination). Some finishes may not be available on all door designs; see your specific door design for more information.

CHERRY	HICKORY / RUSTIC HICKORY
	STAIN (40 Sheen)
STAIN (40 Sheen)	
(No upcharge applies for finish)	(No upcharge applies for finish)
Autumn Haze (W)	Coal (T)
Barley (W)	Flagstone (W) (8 Sheen)
Bliss (T/W)	Gunpowder (W) (8 Sheen)
Bourbon (T/W)	Hazelnut (T/W)
Chocolate (T/W)	Mesquite (W)
Flagstone (W) (8 Sheen)	New Carmel (W)
Gunpowder (W) (8 Sheen)	Truffle (T/W)
Hazelnut (T/W)	
Mattoon (W)	Unfinished
Merlot (T/W)	Natural (40 Sheen)
New Carmel (W)	
Peppercorn (W)	STAIN WITH WEAR SANDING (8 Sheen)
Russet (T/W)	simil wanted to enterly
Sable (T/W)	Silhouette (T)
Sorrel (T/W)	
Truffle (T/W)	Wear sanded options are offered as "Low" sheen. "Standard" sheen will be considered a custom color◆ and a sample color block must be
Wilshire (W)	pre-approved. Wear sanded finishes are not available on veneered
wishie (w)	MDF door designs.
Unfinished	
Natural (40 Sheen)	
Transition (40 one en)	
STAIN WITH GLAZE (40 Sheen)	QUARTER SAWN WHITE OAK
(+8% finish upcharge)	CTADL (40 C1)
	STAIN (40 Sheen)
Autumn Haze/Brown (W)	(No upcharge applies for finish)
Hazelnut/Brown (T/W)	Flagstone (W) (8 Sheen)
Hazelnut/Ebony (T/W)	Gunpowder (W) (8 Sheen)
Mattoon/Brown (W)	Mesquite (W)
	New Carmel (W)
<u>CLEAR ALDER</u>	Peppercorn (W)
	Zinc (T) (8 Sheen)
STAIN (40 Sheen)	
(No upcharge applies for finish)	
Hazelnut (T/W)	Unfinished
	Natural (40 Sheen)
Unfinished	
Natural (40 Sheen)	
STAIN WITH GLAZE (40 Sheen)	
(+8% finish upcharge)	♦ See Finish page with Custom Color definition for more details.
Barley / Brown (W)	
Hazelnut / Brown (T/W)	
Natural / Brown	T: 1 4 1

Finishes continued....



FINISH OPTIONS

Finish Colors: Please indicate the finish name on the order form. Stain application method designated by T (toner), W (wipe), or T/W (toner and wipe combination). Some finishes may not be available on all door designs; see your specific door design for more information.

RED BIRCH	RUSTIC ALDER
STAIN (40 Sheen) (No upcharge applies for finish)	STAIN (40 Sheen) (No upcharge applies for finish)
Autumn Haze (W)	Hazelnut (T/W)
Unfinished Natural (40 Sheen)	Unfinished Natural (40 Sheen)
	STAIN WITH GLAZE (40 Sheen) (+8% finish upcharge)
RED OAK	Barley / Brown (W) Hazelnut / Brown (T/W) Natural / Brown
STAIN (40 Sheen)	
(No upcharge applies for finish)	
Autumn Haze (W)	
Hazelnut (T/W) Mesquite (W) Navy Cormol (W)	<u>WALNUT</u>
New Carmel (W) Peppercorn (W)	STAIN (40 Sheen)
	(No upcharge applies for finish)
	Autumn Haze (W)
Unfinished)	Bourbon (T/W)
Natural (40 Sheen)	Flagstone (W) (8 Sheen)
	Gunpowder (W) (8 Sheen)
<u>PAINT</u> **(40 Sheen)	Russet (T/W)
	Terrain (W)
White	
** Note: Change of sheen to the paint as presented on our standard Red Oak color block will be considered a custom color and a sample color block must be pre-approved.	Unfinished
1 11	Natural (40 Sheen)

WEATHERED GRAIN QSWO*

WEATHERED GRAIN COLLECTION (8 Sheen)

Barnwood Hearth Parched Whitewash *Note: This finish technique is available on Quarter Sawn White Oak <u>only</u> and is limited to only the door styles, exposed end options, and accessories noted on page 14F. Any change to specie or finish requires that a Custom Color Request form is submitted for a custom color block to be produced and approved by the customer before an order for product is submitted.

Finishes continued....

BRIGHTON

FINISHING PROCESS INFORMATION

Brighton Cabinetry Inc. offers a variety of finishes. It is important to understand the application process when applying different finish materials. Problems related to color and adhesion can occur when the correct application methods are not followed. The correct applications for materials are as follows:

Toners—Toners are extremely low in solid content, evaporate quickly and should not be hard wiped. Toners are often the 1st coat or base color for multiple finishes. However, toners can be applied as the only coat such as Butterscotch and Hazelnut. This type of material should be applied with the HVLP spray gun technology.

Stain—Stains can be the only or 2nd color coat applied. These materials are generally hand wiped and can be applied over toners for color generation. Brighton Cabinetry, Inc. recommends using HVLP gun technology when applying, however most stains can be applied and wiped by hand with a lint free towel.

Sealers—Sealers are used to harden the fibers in wood products for sanding purposes. This application is generally performed after toning and staining. They also provide a protective layer of coating which helps minimize the possibility of moisture and other elements related to commercial and residential environments. Sealers are to be applied using HVLP gun technologies and should not be applied by hand. Catalyst is typically added to aid in the curing process.

Glazes—Glazes are applied as a final color step. They are used to accent the color and appearance and are applied after sealer is cured. Glaze hang-up is generally left in profiled areas to further compliment the final appearance. Brighton Cabinetry, Inc. recommends using HVLP gun technology to apply glaze. However, hand application can be used. Wiping is to be done with a lint free towel.

Top Coats—Top Coats and Pigmented Conversion varnish are applied for the final finishing process. They are used as a final curing step and also provide a protective layer of coating to minimize defects attributed to the elements of commercial and industrial environments. Top Coats are also used to determine sheen or gloss. They are to be applied using HVLP gun technologies and should not be applied by hand. Catalyst is typically added to aid in curing.

Due to the complexity of wood finishing, it is recommended that customers use Brighton Cabinetry Inc. for all of its finishing needs. However, in situations where this is not preferable we recommend applying all chemical coatings with HVLP spray gun technology. Proper safety precautions are encouraged. When spraying coatings, respiratory equipment is highly recommended. Brighton Cabinetry, Inc. is not responsible for any product damaged in the application of this process outside of our manufacturing facility.



FIELD APPLICATION OF FINISHES

There are a few important things to know before beginning the finish application process.

The wood needs to be prepared by lightly sanding with 180 or less course grit sandpaper.

Thoroughly stir or agitate the contents of each container before using.

Always use a lint free cloth for all wiping applications.

Always practice on something of the same species of wood, other than the finished product to achieve the desired color.

Always wear a respirator when applying any finishing materials.

Always provide proper ventilation in the area when applying any finishing materials.

Be sure each step is completely dry before sanding or continuing on to the next step.

Be sure to clean all of your spray equipment with thinner after each use. The catalyzed sealers and topcoats will set up if left in the equipment.

Your materials may include one or more of the following components and must be applied in the order they are listed below. However, not all finishes will contain all of the materials listed below. Each material will be marked accordingly.

<u>Spray Toner</u>: Toners must be sprayed evenly on the prepared wood substrate. Do not attempt to wipe toner materials on to or off of a wood surface. Toners may be the only color coat or may be accompanied with a wiping stain to achieve the desired appearance. Occasionally multiple passes are necessary to achieve the desired result. Adequate Dry time to handle is 5 to 10 minutes per piece.

<u>Wiping Stain</u>: Stains may be the only color coat or may follow a toner application to achieve the desired appearance. Stains may be applied by spraying on and wiping off, or by simply wiping the stain onto the prepared wood surface. In most cases immediately after applying the stain all excess stain needs to be wiped off of the surfaces. (Leaving the stain on longer can allow the stain to penetrate more resulting in a darker appearance.) Adequate Dry time to handle is 1 hour.

Continued on next page.



Continued from previous page.

<u>Catalyzed Sealer</u>: Sealer may be clear, or white for painted colors. The sealer is a two part mixture which consists of finishing material and a hardener or catalyst. After the desired color is achieved and when you are ready to use the sealer, both parts (sealer and catalyst) are to be combined and thoroughly mixed together. This mixture must be used within 24 hours or it will harden and become useless. Apply the sealer only by spraying it evenly across the wood surface. Adequate Dry time to handle is 1 hour. However, 8 hours is recommended before sanding and moving on to the next step. Lightly sand the sealed surface with 180 or less abrasive grit sandpaper.

Glaze: Only apply the glazing by spraying the glaze evenly onto the surface of the sealed wood. Wipe the glaze from the surfaces of the wood leaving some glaze in the profiles of the piece you are finishing. This is an artistic technique which may take some time to achieve the desired result. Mineral spirits may be used to wipe excess glaze from the surfaces if it tends to dry too fast. It is recommended to allow 8 hours for the glaze to dry before applying topcoat. Be careful handling the piece you are finishing after the glaze has dried as the glaze will not harden and needs the topcoat to harden and protect it.

<u>Catalyzed Topcoat</u>: Topcoat may be clear, or of color for the painted colors. The topcoat is also a two part mixture which consists of finishing material and a hardener or catalyst. When you are ready to use the topcoat, both parts (sealer and catalyst) are to be combined and thoroughly mixed together. This mixture must be used within 24 hours or it will harden and become useless. Only apply topcoat by spraying evenly over the piece you are finishing. Topcoat is usually the final step in finishing any part but after it is dry it can be sanded and sprayed over again if necessary. Adequate Dry time to handle is 1 hour. However, 24 hours is recommended before working with the finished piece.



Effects of Temperature and Humidity

Wood is a hygroscopic material, meaning that it will absorb or release moisture until it is in equilibrium with the moisture in the air. This is true of all wood, whether it is raw or finished. Finishing will tend to slow down this process, but will not eliminate it. When wood is exposed to a constant humidity, it will achieve a constant moisture content (MC). This MC numerical value is called the equilibrium moisture content (EMC). Wood will increase in width and thickness as it increases in MC, and will decrease in width and thickness as it decreases MC. Brighton Cabinetry manufactures its products in a controlled environment to maintain a stable moisture content of the materials.

Products supplied by Brighton Cabinetry should only be stored / installed in an environment that has stable temperature and moisture conditions. This is especially important in regards to multi-piece items such as doors and drawer fronts. Effects of moisture (addition to / loss of) may include panel expansion, panel contraction, overlapping or excessive gaps of butt-doors, splitting of wood, joint expansion or opening (especially on miter doors), finish cracking or peeling, stile bowing, stile / rail expansion, and stave to stave lines becoming visible in panels. Contraction of finished panels may also produce an effect called white line, in which a narrow strip of unfinished wood becomes visible at the point where the panel inserts into the framing. Brighton has specifications on most of these conditions. For details on what is considered acceptable, refer to the following information.

- Cabinetry installed in new construction prior to climate control being activated will result in absorption of moisture from other building materials. These materials can include paints, dry wall compound, cement, stucco and wood framing material with high moisture content. Each of these construction materials releases high amounts of moisture into the home during the drying / curing process that can be absorbed by your Brighton products.
- Wood products installed in non-air conditioned homes, regardless of location, are very susceptible to expansion due to moisture and may not be warranted. All products, especially miter doors, need low, stable moisture conditions in order for the joints to remain tight.
- To minimize moisture expansion of wood products, winter and vacation homes should maintain some form of climate control, even in off season. Brighton will not warranty products stored / installed in uncontrolled environments.

Tips for Avoiding Moisture-related Problems:


All species, especially maple, tend to expand when exposed to moisture. Failure to allow the interior home environment to reach stable conditions prior to storage/installation of Brighton's products will invite warpage and other related problems. Please refer to the following tips to avoid potential moisture related issues.

- Brighton recommends a level of approximately 50% humidity in the home environment to maintain proper moisture
 content of the wood. You should install your Brighton products only after the proper humidity levels have been
 achieved and maintained.
- Door expansion experienced prior to installation on the cabinet box will usually recede once the kitchen has been
 installed in an air conditioned environment. For this reason, we do not recommend trimming or "shaving" the edges
 of the doors, because once they return to original sizing, the doors may appear too narrow. Brighton will not warrant products that have been trimmed by the customer.
- Unfinished doors exposed to humid conditions will absorb moisture rapidly and expand in as little as 2 days. Finished products will also absorb moisture, but may not expand for as long as 10 days. Be aware of these conditions when storing and installing finished or unfinished products.
- Always go to extra lengths to ensure that all wood products are being stored in the proper environment. Brighton
 will assume no responsibility for improper storage or installation of its products in high moisture/humidity conditions.
- Inset doors will most likely bind inside the cabinet frame when their panels expand due to high moisture/humidity conditions.
- Joint failure will result if panels are glued, pinned, stapled or secured to the framing on any wood door. Brighton will not be held liable in these instances.



DOOR AND DRAWER EDGE PROFILES


Drawings are for illustrative purposes and are not to scale.



OTHER DOOR OPTIONS MAY BE AVAILABLE UPON REQUEST. PLEASE SUBMIT THE CUSTOM DOOR REQUEST FORM FOR NON-PUBLISHED OPTIONS.



Not all edge profiles, framing beads and panel raises are available with all door designs. Check the specific door style in the catalog to be sure the required changes can be made.



Panel raises measure 5/8" finished thickness except Reverse G-Cove which measures 3/8" thick.

Images shown are not to scale and are for illustrative purposes only

ORDERING DOORS:

When ordering the standard door and drawer style configuration, enter just the door style name on the order form. It is not necessary to enter the standard panel and edge profiles. When modifying a specific door style from its standard offered design, choose the appropriate <u>Custom</u> door pricing level in 20/20 and note the desired changes. Typically, modifications to standard door styles will not incur upcharges for panel and / or profile changes unless noted. Most mortise and tenon door designs can have the door framing increased up to 4" wide with no additional upcharge. Please check the specific door style in the catalog to be sure the required changes can be made. Contact Customer Service with any questions.

For optional 5-piece drawer head, or the slab drawer head for the shaker style, enter the drawer head style required. Always enter the hinge/reveal, wood specie and stain choices.

Painted MDF doors and drawer heads are constructed of 3/4", 48 LB. substrate.

Other door styles are available as a special quote. Please use the Custom Door Request form to submit your request.



AMESBURY STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 mortise and tenon Door style: AMESBURY door frame and solid Door outside edge shape: MACHINE wood center panel Door inside edge shape: N/A Door panel profile: REVERSE G-COVE Drawer head: SLAB Drawer outside edge shape: MACHINE Hinge: All hinging options available Minimum door size: 7 1/2" x 7 1/2" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head **ASPEN** STANDARD CONFIGURATION 3/4" solid wood, mortise and tenon Price level: LEVEL 2 door frame with Door style: 401 1/4" veneer, flat Door outside edge shape: MACHINE center panel Door inside edge shape: N/A Door panel profile: N/A (FLAT) Not available in Red Drawer head: SLAB Birch, Rustic Alder or Rustic Hickory Drawer outside edge shape: MACHINE Hinge: All hinging options available Minimum door size: 7 1/4" X 5 1/2" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head




BELLA Veneer** slab door with STANDARD CONFIGURATION 9/16" thick substrate and 3/4" thick applied edge Price level: LEVEL 1 molding. Door style: BELLA Not available in Rustic Alder Door outside edge shape: N/A or Rustic Hickory Door inside edge shape: N/A **Doors with a painted finish Door panel profile: 9/16" FLAT will be not be wood veneered. Drawer head: SLAB The applied edge molding will Drawer outside edge shape: 5-PIECE: N/A, SLAB: MACHINE be Maple. Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED) Standard edge profile Minimum door size: 3.5" x 3.5" (door / 5-pc drawer) 3/4" thick slab NOTE: A 5-piece matching drawer head is drawer head available. The following options are **NOT** available on the Bella door Semi-overlay knife (SOLK) and lipped knife (SOLK-LIP) hinging Inset hinging • Premium wood upgrade Frame only and mullion doors · Wear sanded finishes Wainscot panels · Routed fingerpulls Optional 5 piece drawer head **BRYANT** STANDARD CONFIGURATION 3/4" solid wood. Price level: LEVEL 1 mortise and tenon Door style: CRP-10 door frame and solid Door outside edge shape: L1160 wood center panel Door inside edge shape: FB7 Door panel profile: REVERSE G-COVE 3" stiles and rails Drawer head: SLAB Drawer outside edge shape: L-1160 Hinge: All hinging options available Minimum door size: 8" x 8" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head



CAFÉ 3/4" solid wood, mortise STANDARD CONFIGURATION and tenon door frame and solid wood center panel Price level: LEVEL 2 + that gives the impression Door style: CWS-10302 of louvers. Top and bot-Door outside edge shape: MACHINE tom frame rail width vary depending on door height. Door inside edge shape: N/A Door panel profile: N/A Not available in Drawer head: SLAB **Quarter Sawn White** Drawer outside edge shape: MACHINE Oak, Rustic Alder or **Rustic Hickory** Hinge: All hinging options available Inside edge profile Minimum door size: 7 1/2" X 7 1/2" NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head **CASCADE** Available with Weathered Grain finish STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 mortise and tenon Door style: CRP-10 door frame and solid Door outside edge shape: L-034 wood center panel Door inside edge shape: REGULAR Door panel profile: REVERSE G-COVE 3" stiles and rails Drawer head: SLAB Drawer outside edge shape: L-034 Hinge: All hinging options available Minimum door size: 8" x 8" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile 3/32" radius Optional 5 piece drawer head (door / drawer)



CHURCHILL FLAT



3/4" solid wood, mortise and tenon door frame and solid wood center panel

2 3/4" stiles and rails

STANDARD CONFIGURATION

Price level: LEVEL 2 + Door style: CHURCHILL

Door outside edge shape: PRS-2 Door inside edge shape: FB7

Door panel profile: REVERSE G-COVE


Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: All hinging options available



Inside frame bead

3/4" flat slab solid wood drawer front



Standard edge profile (door / drawer front)

NOTE: A 5pc flat drawer front with narrower rails is available. All 5pc drawer fronts 10" or more in height will have 2 3/4" top

and bottom rails.




Minimum door size: 7 1/2" X 7 1/2"

Optional 5 piece drawer head for FOL and SOL. Also for Inset when over 6 1/2" high. (Top Inset 5 piece drawer front only available in Cherry, Maple and Red Oak.)



Optional 5 piece drawer head for Inset when 6 1/2" high or less. (profile view)

CHURCHILL RAISED



3/4" solid wood, mortise and tenon door frame and solid wood center panel

2 3/4" stiles and rails

STANDARD CONFIGURATION

Price level: LEVEL 2 +
Door style: CHURCHILL

Door outside edge shape: PRS-2
Door inside edge shape: FB7
Door panel profile: P-008
Drawer head: SLAB

Drawer outside edge shape: PRS-2


Hinge: All hinging options available



Inside frame bead



3/4" flat slab solid wood drawer front



Standard edge profile (door / drawer front)

NOTE: A 5pc flat drawer front with narrower rails is available. All 5pc drawer fronts 10" or more in height will have 2 3/4" top and bottom rails.



Minimum door size: 8 7/8" X 8 7/8"

Optional 5 piece drawer head for FOL and SOL. Also for Inset when over 6 1/2" high.


(Top Inset 5 piece drawer front only available in Cherry, Maple and Red Oak.)



Optional 5 piece drawer head for Inset when 6 1/2" high or less. (profile view)



COTTAGE **NOT available with some Maple finishes, see finish list**



3/4" solid wood. mortise and tenon door frame and solid wood center panel


STANDARD CONFIGURATION

Price level: LEVEL 1 Door style: CRP10 Door outside edge shape: PRS-2 Door inside edge shape: REGULAR


Door panel profile: REVERSE G-COVE


Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: All hinging options available



Minimum door size: 7" X 7"






Optional 5 piece drawer head

3/4" flat slab solid wood drawer head

CRAFTSMAN



3/4" solid wood, miter door frame and solid wood center panel

2 1/2" stiles and rails

Not available in **Quarter Sawn White** Oak, Rustic Alder or **Rustic Hickory**

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP10191

Door outside edge shape: N/A Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L-966

Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED)

Minimum door size: 7 1/8" X 7 1/8"

Inside edge profile

3/4" flat slab solid wood drawer head


Standard edge profile (door / drawer)

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available.





CUMBERLAND FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 7/8" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

3/4" flat slab solid wood drawer head



Inside edge profile



Side view of slab drawer with L059 profile



Standard door edge profile

STANDARD CONFIGURATION

Price level: LEVEL 2
Door style: CRP10875

Door outside edge shape: N/A
Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)


Minimum door size: 7 3/4" X 7 3/4"

NOTE: A 5 piece flat drawer head is available with narrower stiles and rails.



Optional 5 piece drawer head

CUMBERLAND RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 7/8" stiles and rails


Rustic species will have only a 'knotty' center panel with standard grade framing.



3/4" flat slab solid wood drawer head



Inside edge profile



Side view of slab drawer with L059 profile



Standard door edge profile

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP10875

Door outside edge shape: N/A
Door inside edge shape: N/A
Door panel profile: SLANT
Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Minimum door size: 8 1/2" X 8 1/2"

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available. Larger drawer fronts, as on lower drawers of 3 drawer bases and 4 drawer bases, can have a raised center panel to match the door, upon request, provided the min. size of 7 1/2" high can be met.




ECLIPSE FLAT

Compliments the Homeland door style.

STANDARD CONFIGURATION

Price level: LEVEL 1



3/4" solid wood, mortise and tenon, Roman arch door frame and solid wood center panel

Door style: CRP-30
Door outside edge shape: PRS-2
Door inside edge shape: OGEE

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 8 1/4" X 8"



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.




Optional 5 piece drawer head

ECLIPSE RAISED

Compliments the Homeland door style.

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon, Roman arch door frame and solid wood center panel

Price level: LEVEL 1
Door style: CRP-30

Door outside edge shape: PRS-2
Door inside edge shape: OGEE

Door panel profile: RM-RAISED Drawer head: SLAB

Drawer outside edge shape: PRS-2

Hinge: All hinging options available

Inside edge profile

Minimum door size: 8 1/4" X 8 1/2"



3/4" flat slab solid wood drawer head




Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.





FAIRFIELD



3/4" solid wood, mortise and tenon door frame and solid wood, flat center panel

3 3/8" stiles and rails

Routed fingerpulls are not available with the

E2 edge profile

Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1 Door style: CRP-10

Door outside edge shape: E-2 Door inside edge shape: F877

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: E-2

Hinge: All hinging options available except

for SOLK LIPPED


Minimum door size: 9 1/2" X 9 1/2"

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. All 5pc drawer fronts 10" or more in height will have 3 3/8" top and bottom rails.



Optional 5 piece drawer head

FAIRHAVEN




3/4" solid wood, mortise and tenon door frame and solid wood center panel

The joints have eased edges which create the appearance of an open joint.



Inside edge profile



3/4" flat slab solid wood drawer front



Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: FAIRHAVEN

Door outside edge shape: L149 Door inside edge shape: N/A

Door panel profile: 1/2" REVERSE G-COVE

Drawer head: SLAB
Drawer outside edge shape: L149

Hinge: All hinging options available


Minimum door size: 7" X 7"

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails.





GLENDALE FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 1/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP-10605

Door outside edge shape: V2

Door inside edge shape: CRP-10605

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: V2


Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)


Minimum door size: 5 3/8" X 5 3/8"

NOTE: A 5 piece matching drawer head is available.



Optional 5 piece drawer head

GLENDALE RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 1/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP-10605

Door outside edge shape: V2

Door inside edge shape: CRP-10605 Door panel profile: CHAMFER

Drawer head: SLAB

Drawer outside edge shape: V2


Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)


Minimum door size: 5 3/8" X 5 3/8"

NOTE: A 5 piece matching drawer head is available.





HAMILTON FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 15/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile



3/4" flat slab solid wood drawer head



Standard slab drawer profile with L059 edge

STANDARD CONFIGURATION

Price level: LEVEL 2
Door style: CRP-10318

Door outside edge shape: N/A
Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059


Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)


Minimum door size: 7 7/8" X 7 7/8"

NOTE: A 5 piece drawer head with narrower stiles and rails is available.



Optional 5 piece drawer head

HAMILTON RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 15/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile

3/4" flat slab solid wood drawer head



Standard slab drawer profile with L059 edge

STANDARD CONFIGURATION

Price level: LEVEL 2
Door style: CRP-10318

Door outside edge shape: N/A
Door inside edge shape: N/A
Door panel profile: M-BEAD
Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Minimum door size: 8 3/4" X 8 3/4"

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available. A 5 piece raised center panel is available, upon request, provided min. size of 6 3/8" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.





HAMPTON STANDARD CONFIGURATION 3/4" solid wood, miter door frame and solid Price level: LEVEL 1 wood center panel Door style: MR65RP(3) Door outside edge shape: MACHINE 3" stiles and rails Door inside edge shape: N/A Door panel profile: REVERSE G-COVE Drawer head: SLAB Drawer outside edge shape: MACHINE Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED) Minimum door size: 8 7/8" X 8 7/8" Inside edge profile NOTE: A 5 piece drawer head with flat center panel is available with narrower stiles and rails, if a minimum height of 6 3/4" is met. 3/4" flat slab solid Standard top drawer fronts on base cabinets will only meet this size wood drawer head requirement if full overlay. Smaller sizes may be available by special request only. Standard edge profile (door / drawer) Optional 5 piece drawer head **HAMPTON MT** STANDARD CONFIGURATION 3/4" solid wood. mortis and tenon door Price level: LEVEL 1 Door style: 301(3) frame and solid wood Door outside edge shape: MACHINE center panel Door inside edge shape: N/A 3" stiles and rails Door panel profile: REVERSE G-COVE Drawer head: SLAB Drawer outside edge shape: MACHINE Hinge: All hinging options available Minimum door size: 8 3/4" X 8 3/4" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer)



HANOVER

For Hanover door with "flat" center panel, see Ramsey door design.

3/4" solid wood, miter door frame and solid wood center panel

Rustic species will have only a 'knotty' center panel with standard grade framing. STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP-10827

Door outside edge shape: N/A
Door inside edge shape: N/A
Door panel profile: M-BEAD
Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: 297

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)


Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

Minimum door size: 7 1/2" X 7 1/2"

NOTE: A 5 piece matching drawer head with flat center panel is available, with narrower stiles and rails. A 5 piece raised center panel is available only upon request, with frame widths to match door provided min. size of 6 3/4" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.





NOTES



HEARTLAND FLAT Compliments the Sunrise and Summit door styles STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 mortise and tenon Door style: CRP-10 door frame and solid Door outside edge shape: C-2 wood center panel Door inside edge shape: REGULAR Door panel profile: REVERSE G-COVE Drawer head: SLAB Drawer outside edge shape: C-2 Hinge: All hinging options available Minimum door size: 7" X 7" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile Optional 5 piece drawer head (door / drawer)

HEARTLAND RAISED Compliments the Sunrise and Summit door styles

3/4" solid wood,
mortise and tenon
door frame and solid
wood center panel

3/4" solid wood,
mortise and tenon
Door style: CRP-10
Door outside edge shape: C-2
Door inside edge shape: REGULAR
Door panel profile: SLANT
Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: All hinging options available

STANDARD CONFIGURATION

ide edge profile Minimum door size: 7 1/2" X 7 1/2"

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails.






HEARTLAND - MDF

Compliments the Sunrise MDF and Summit MDF door styles

STANDARD CONFIGURATION

Price level: LEVEL 1



3/4" MDF door with routed, raised panel

profile

Door style: 10SQ3 Door outside edge shape: LC-2 Door inside edge shape: N/A

Door panel profile: N/A Drawer head: SLAB

Drawer outside edge shape: LC-2

Minimum door size: 7 5/8" X 7 5/8"

Hinge: SEMI-OVERLAY (CONCEALED)

FULL OVERLAY (CONCEALED)



3/4" MDF flat slab drawer head

Inside edge profile

Standard edge profile (door / drawer)

**Wear sanded finishes are not available on this door design. See finish pages for more information.

NOTE: A matching drawer head with a 5 piece look is available with narrower top and bottom rails.




Optional 5 piece drawer head

HERITAGE

Available with Weathered Grain finish

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and solid wood center panel

3" stiles and rails

Price level: LEVEL 1 Door style: CRP-10 Door outside edge shape: L-034 Door inside edge shape: F1223

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: L-034

Hinge: All hinging options available



Inside edge profile

Minimum door size: 8" X 8"




3/4" flat slab solid wood drawer head

3/32" radius


Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails.





HIGHLAND FLAT



3/4" solid wood, miter door frame and solid wood center panel

Rustic species will have only a 'knotty' center panel with standard grade framing.

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: CRP-10533

Door outside edge shape: PRS-2 Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile




3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)


Minimum door size: 7" X 7"

NOTE: A 5 piece matching drawer head is available.



Optional 5 piece drawer head

HIGHLAND RAISED



3/4" solid wood, miter door frame and solid wood center panel

Rustic species will have only a 'knotty' center panel with standard grade framing.

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: CRP-10533

Door outside edge shape: PRS-2
Door inside edge shape: N/A
Door panel profile: SLANT

Drawer head: SLAB

Drawer outside edge shape: PRS-2

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile




3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)


Minimum door size: 7 1/2" X 7 1/2"

NOTE: A 5 piece flat drawer head is available. Larger drawer fronts like lower drawers on 3 drawer bases or 4 drawer bases can have raised panel to match door provided min. size of 7 1/2" is met.





HILLSBRAD



3/4" solid wood, miter door frame and solid wood center panel

2 3/4" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: HILLSBRAD
Door outside edge shape: MACHINE

Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB
Drawer outside edge shape: MACHINE

age snape: MACHINE


Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Minimum door size: 7 1/2" X 7 1/2"

NOTE: A 5 piece matching drawer head is available with narrower stiles and rails.






HOMELAND FLAT

Compliments the Eclipse door style

STANDARD CONFIGURATION




3/4" solid wood, mortise and tenon door frame and solid wood center panel

Price level: LEVEL 1
Door style: CRP-10
Door outside edge shape: PRS-2
Door inside edge shape: OGEE

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: All hinging options available




Inside edge profile

Minimum door size: 7" X 7"



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails.




Optional 5 piece drawer head

HOMELAND RAISED

Compliments the Eclipse door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and solid wood center panel

Price level: LEVEL 1
Door style: CRP-10

Door outside edge shape: PRS-2
Door inside edge shape: OGEE
Door panel profile: RM-RAISE

Drawer head: SLAB Drawer outside edge shape: PRS-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 7 1/2" X 7 1/2"



3/4" flat slab solid wood drawer head




Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. A 5 piece raised panel drawer front is available provided a minimum height of 5 7/8" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay or semi-overlay concealed.






LAKELAND 3/4" solid wood, miter STANDARD CONFIGURATION door frame and solid wood center panel Price level: LEVEL 2 Door style: LAKELAND Rustic species will have only a 'knotty' center Door outside edge shape: N/A panel with standard Door inside edge shape: N/A grade framing. Door panel profile: REVERSE G-COVE Drawer head: SLAB Drawer outside edge shape: L059 Hinge: SEMI-OVERLAY (CONCEALED OR KNIFE) FULL OVERLAY (CONCEALED) 3/4" flat slab solid Minimum door size: 6 3/4" X 6 3/4" wood drawer head NOTE: A 5 piece matching drawer head is available. Inside edge profile Standard edge profile (door / drawer) Optional 5 piece drawer head



(door / drawer)



LASALLE FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 7/8" stiles and rails

Not available in Hickory, Quarter Sawn White Oak, Rustic Alder, Rustic Hickory, or Walnut STANDARD CONFIGURATION

Price level: LEVEL 2 + Door style: IASALLE

Door outside edge shape: N/A
Door inside edge shape: N/A

Minimum door size: 7 3/4" X 7 3/4"

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVÉRLAY (CONCEALED)



Inside edge profile

mside edge prome

3/4" flat slab solid wood drawer head




Standard door edge profile

NOTE: 5 piece matching drawer head with narrower stiles and rails is available.



Optional 5 piece drawer head

LASALLE RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 7/8" stiles and rails

Not available in Hickory, Quarter Sawn White Oak, Rustic Alder, Rustic Hickory, or Walnut Dr

Price level: LEVEL 2 +

Door style: IASALLE

STANDARD CONFIGURATION

Door outside edge shape: N/A
Door inside edge shape: N/A
Door panel profile: SLANT
Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)


FULL OVERLAY (CONCEALED)



Inside edge profile

Minimum

Minimum door size: 8 7/16" X 8 7/16"



3/4" flat slab solid wood drawer head




Standard door edge profile

NOTE: 5 piece flat drawer head with narrower stiles and rails is available. A 5 piece raised center panel is available provided min. size of 6 3/4" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.





LINCOLN FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 11/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

STANDARD CONFIGURATION

Price level: LEVEL 2
Door style: CRP-1420

Door outside edge shape: N/A Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED


OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile

3/4" flat slab solid wood drawer head




Minimum door size: 7 3/8" X 7 3/8"

NOTE: A 5 piece matching drawer head with narrower stiles and rails is available.



Optional 5 piece drawer head

LINCOLN RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 11/16" stiles and rails

Rustic species will have only a 'knotty' center panel with standard grade framing.

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: CRP-1420

Door outside edge shape: N/A
Door inside edge shape: N/A
Door panel profile: SLANT
Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: L059

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile



3/4" flat slab solid wood drawer head



Standard slab drawer profile with L059 edge Minimum door size: 8 1/4" X 8 1/4"

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available. Larger drawer fronts like lower drawers on 3 drawer bases or 4 drawer bases can have raised panel to match door provided min. size of 7" is met.





LUNA 3/4" solid wood, STANDARD CONFIGURATION mortise and tenon door frame with 1/4" Price level: LEVEL 1 veneer, flat center Door style: 401AM w/ V-87 applied molding panel Door outside edge shape: MACHINE Door inside edge shape: N/A Not available in Red Birch, Door panel profile: N/A (FLAT) Rustic Alder, or Rustic Drawer head: SLAB Hickory Drawer outside edge shape: MACHINE Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED) Minimum door size: 7 1/4" X 6 1/2" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. 3/4" flat slab solid wood drawer head Standard edge profile Optional 5 piece drawer head (door / drawer) **MADRID** Veneer** slab door with STANDARD CONFIGURATION 3/4" thick substrate. Price level: LEVEL 1 Cherry, Maple, Red Oak, Door style: MADRID and Walnut are 'plain Door outside edge shape: AS SHOWN sliced'. White Oak is Door inside edge shape: AS SHOWN 'quarter flake'. Door panel profile: AS SHOWN Not available in Hickory, Drawer head: SLAB Red Birch, Rustic Alder, or Drawer outside edge shape: AS SHOWN **Rustic Hickory** Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED) Standard edge profile Minimum door size: 6" X 6" (door / drawer) **NOTES** • Semi-overlay knife (SOLK) and lipped knife (SOL LIP) hinging not available. 3/4" thick veneer Due to minimum available sizes SOL-C reveals may differ slightly from stanslab drawer head Frame only and mullion doors have a minimum size of 7" X 7" and have 2 1/4" stiles and rails. This style door is not available in Premium grade. **Doors with a painted finish will be not be • Routed fingerpulls are not available. wood veneered. The outside edges of this all

more information.


MDF, painted door may vary slightly from

the wood veneer door.

Wear sanded finishes are not available on this door design. See finish pages for



MARQUIS FLAT



3/4" solid wood, miter door frame and solid wood center panel

2 15/16" stiles and rails

Not available in Hickory, Quarter Sawn White Oak, Rustic Alder, Rustic Hickory, or Walnut

STANDARD CONFIGURATION

Price level: LEVEL 2 + Door style: MARQUIS

Door outside edge shape: C-2 Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: C-2

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)


Minimum door size: 7 7/8" X 7 7/8"

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available.



Optional 5 piece drawer head

MARQUIS RAISED



3/4" solid wood, miter door frame and solid wood center panel

2 15/16" stiles and rails

Not available in Hickory, Quarter Sawn White Oak, Rustic Alder, Rustic Hickory, or Walnut

STANDARD CONFIGURATION

Price level: LEVEL 2 + Door style: MARQUIS

Door outside edge shape: C-2 Door inside edge shape: N/A

Door panel profile: LOUIS XIII
Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)



Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

Minimum door size: 8 7/8" X 8 7/8"


NOTE: A 5 piece flat drawer head with narrower stiles and rails is available. Larger drawer fronts like lower drawers on 3 drawer bases or 4 drawer bases can have raised panel to match door provided min. size of 7" is met.





MEADOWVIEW

For Meadowview door with "flat" center panel, see Fairfield door design.



3/4" solid wood, mortise and tenon door frame and solid wood center panel

3 3/8" stiles and rails

Routed fingerpulls are <u>not</u> available with the E2 edge profile.

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: CRP-10

Door outside edge shape: E-2
Door inside edge shape: F877
Door panel profile: SLANT

Drawer head: SLAB Drawer outside edge shape: E-2

tr. All 1:

Hinge: All hinging options available **except**

for SOLK LIPPED

Minimum door size: 9 5/8" X 9 5/8"

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. A 5 piece raised panel drawer front is available provided a minimum height of 6" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay. All 5pc drawer fronts 10" or more in height will have 3 3/8" top and bottom rails.






NOTES



MONROE FLAT



3/4" solid wood, mortise and tenon door frame and solid wood center panel

2 3/4" stiles and rails

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: CRP10


Door outside edge shape: L-1160 Door inside edge shape: ELITE

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: L-1160

Hinge: All hinging options available

Minimum door size: 7 7/8" X 7 7/8"



Inside edge profile



3/4" flat slab solid wood drawer head




Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. All 5pc drawer fronts 10" or more in height will have 2 3/4" top and bottom rails.



Optional 5 piece drawer head

MONROE RAISED



3/4" solid wood, mortise and tenon door frame and solid wood center panel

2 3/4" stiles and rails

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: CRP-10


Door outside edge shape: L-1160 Door inside edge shape: ELITE

Minimum door size: 9" X 9"

Door panel profile: P-602 (5PC DRW: G-COVE)

Drawer head: SLAB Drawer outside edge shape: L-1160

Hinge: All hinging options available



Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. A 5 piece raised panel drawer front is available provided a minimum height of 5 7/8" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay or semi-overlay concealed. All 5pc drawer fronts 10" or more in height will have 2 3/4" top and bot-

tom rails.




NOTES



NEOGA RIDGE ARCHED FLAT

Compliments the Neoga Ridge door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and solid wood center panel

Price level: LEVEL 1
Door style: CRP-30
Door outside edge shape: C-2
Door inside edge shape: F877

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: C-2

Hinge: All hinging options available

Minimum door size: 8 1/4" X 8"

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with

narrower top and bottom rails.




Optional 5 piece drawer head

NEOGA RIDGE ARCHED RAISED

Compliments the Neoga Ridge door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and solid wood center panel

Price level: LEVEL 1
Door style: CRP-30
Door outside edge shape: C-2
Door inside edge shape: F877

Door panel profile: M-BEAD

Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: All hinging options available

Minimum door size: 8 1/4" X 8 1/2"

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails. A 5 piece raised panel drawer front is available provided a minimum height of 6" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.





NEOGA RIDGE FLAT

Compliments the Neoga Ridge Arched door style

3/4" solid wood, mortise and tenon door frame and solid wood center panel STANDARD CONFIGURATION


Price level: LEVEL 1
Door style: CRP-10
Door outside edge shape: C-2
Door inside edge shape: F877

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: C-2

Minimum door size: 7" X 7"

Hinge: All hinging options available



Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails.




Optional 5 piece drawer head

NEOGA RIDGE RAISED

Compliments the Neoga Ridge Arched door style

STANDARD CONFIGURATION

Price level: LEVEL 1



3/4" solid wood, mortise and tenon door frame and solid wood center panel

Door style: CRP-10
Door outside edge shape: C-2
Door inside edge shape: F877
Door panel profile: M-BEAD

Drawer head: SLAB
Drawer outside edge shape: C-2

Hinge: All hinging options available

Minimum door size: 7 1/2" X 7 1/2"

Inside edge profile


3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. A 5 piece raised panel drawer front is available provided a minimum height of 6" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.



NEWPORT **NOT available with some Maple finishes, see finish list**



3/4" solid wood. mortise and tenon door frame and solid wood center panel

STANDARD CONFIGURATION

Price level: LEVEL 1 Door style: CRP-10 Door outside edge shape: MACHINE Door inside edge shape: SQUARE

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: MACHINE

Hinge: All hinging options available



Grooved center panel with G012 routing, spaced 1 1/2" apart

Inside edge profile


Minimum door size: 7" X 7"



3/4" flat slab solid wood drawer head

narrower top and bottom rails.

NOTE: A 5-piece matching drawer head is available with




Standard edge profile (door / drawer)

Optional 5 piece drawer head

PLAINFIELD

Available with Weathered Grain finish

STANDARD CONFIGURATION



3/4" solid wood, batten door

Price level: LEVEL 1

Door style: FLUSH BATTEN

Door outside edge shape: L-149 Door inside edge shape: N/A Door panel profile: N/A Drawer head: SLAB

Drawer outside edge shape: L-149

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

3/4" flat slab solid wood drawer head

Minimum door size: 6" X 7 1/2"



Standard edge profile (door / drawer)

NOTE: All 2-door cabinets will have a dust strip attached to the left door as standard. If specified, the dust strip may be located on the right door. A fixed center stile may be used on all 2-door cabinets in place of the dust strip, without an upcharge for this door style, if specified when order is placed.


Frame only and mullion doors will have 2 5/16" stiles and rails with a Square inside frame bead.



PLAINFIELD MDF STANDARD CONFIGURATION 3/4" MDF slab Price level: LEVEL 1 door Door style: MDF SLAB Door outside edge shape: L-149 Door inside edge shape: N/A Door panel profile: N/A Drawer head: MDF SLAB Drawer outside edge shape: L-149 Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED) 3/4" MDF flat slab Minimum door size: 6" X 7 1/2" drawer head NOTE: Frame only and mullion doors will have 2 5/16" wide framing with a Square inside frame bead. Standard edge profile *Wear sanded finishes are not available on this door design. (door / drawer) See finish pages for more information. **PRAIRIE** 3/4" solid wood, STANDARD CONFIGURATION miter door frame with 9/16" veneer Price level: LEVEL 1 flat center panel Door style: TW-10522 Door outside edge shape: L-149 Only available in Door inside edge shape: TW-10522 Cherry, Maple, Door panel profile: N/A (FLAT) Red Oak, and Drawer head: SLAB Walnut Drawer outside edge shape: L-149 Hinge: SEMI-OVERLAY (CONCEALED OR KNIFE) FULL OVERLAY (CONCEALED) Inside edge profile Minimum door size: 5 1/4" X 5 1/4" 3/4" flat slab solid NOTE: A 5 piece matching drawer head is available. wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head




RAMSEY 3/4" solid wood. STANDARD CONFIGURATION miter door frame and solid wood Price level: LEVEL 2 center panel Door style: CRP-10827 Door outside edge shape: N/A Rustic species will have only a 'knotty' center Door inside edge shape: N/A panel with standard Door panel profile: REVERSE G-COVE grade framing. Drawer head: SLAB Drawer outside edge shape: 5-PIECE: N/A, SLAB: 297 Hinge: SEMI-OVERLAY (CONCEALED OR KNIFE) FULL OVERLAY (CONCEALED) Inside edge profile Minimum door size: 7" X 7" 3/4" flat slab solid NOTE: A 5 piece matching drawer head with narrower stiles and wood drawer head rails is available. Standard edge profile (door / drawer) Optional 5 piece drawer head





SARDINIA



Veneer** slab door with 3/4" thick substrate. Cherry, Maple, Red Oak, and Walnut are 'plain sliced'. White Oak is 'quarter flake'.

Not available in Hickory, Red Birch, Rustic Alder, or Rustic Hickory

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: SARDINIA
Door outside edge shape: AS SHOWN
Door inside edge shape: AS SHOWN
Door panel profile: AS SHOWN

Drawer head: SLAB
Drawer outside edge shape: AS SHOWN

Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED)

Standard edge profile (door / drawer)

3/4" thick veneer slab drawer head


**Doors with a painted finish will be not be wood veneered. The outside edges of this all MDF, painted door may vary slightly from the wood veneer door.

- NOTES
 Semi-overlay knife (SOLK) and lipped knife (SOL LIP) hinging <u>not</u> available.
- Due to minimum available sizes SOL-C reveals may differ slightly from standard
- Frame only and mullion doors have a minimum size of 7" X 7" and have 2 1/4" stiles and rails.
- This style door is not available in Premium grade.
- Routed fingerpulls are not available.

Minimum door size: 6" X 6"

 Wear sanded finishes are not available on this door design. See finish pages for more information.

SAXONY



3/4" solid wood, miter door frame and solid wood center panel

Not available in Hickory, Quarter Sawn White Oak, Rustic Alder, Rustic Hickory, or Walnut STANDARD CONFIGURATION

Price level: LEVEL 2 + \$ PER PIECE

Door style: SAXONY
Door outside edge shape: MACHINE
Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB
Drawer outside edge shape: MACHINE

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Inside edge profile


3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

Minimum door size: 7 1/2" X 7 1/2"

NOTE: A 5 piece flat drawer head with narrower stiles and rails is available.





SHAKER Available with Weathered Grain finish STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 mortise and tenon Door style: CRP-10 door frame and solid Door outside edge shape: MACHINE wood center panel Door inside edge shape: SQUARE Door panel profile: REVERSE G-COVE Drawer head: 5 PIECE Drawer outside edge shape: MACHINE Hinge: All hinging options available Inside edge profile Minimum door size: 7" X 7" NOTE: A 5-piece matching drawer head is available with 5-piece drawer head narrower top and bottom rails. is standard Standard edge profile (door / drawer) Optional 5 piece drawer head **SHAKER MDF 5PC** STANDARD CONFIGURATION 3/4" 5-piece MDF mortise and tenon Price level: LEVEL 1 door frame with Door style: CRP-10 MDF center panel Door outside edge shape: L-034 Door inside edge shape: SQUARE (EASED) Door panel profile: REVERSE G-COVE Drawer head: MDF 5PC Drawer outside edge shape: L-034 Hinge: SEMI-OVERLAY (CONCEALED) Inside edge profile FULL OVERLAY (CONCEALED) 3/4" 5-piece MDF Minimum door size: 7 1/2" X 7 1/2" mortise and tenon flat panel drawer head is NOTE: A 5-piece matching drawer head is available with standard narrower top and bottom rails. Standard edge profile (door / drawer) **Wear sanded finishes are not available on this door design. See finish pages for more information. Optional 5 piece drawer head




SH-MEDIUM (SHAKER, MEDIUM WIDTH STILES AND RAILS) Available with Weathered Grain finish STANDARD CONFIGURATION 3/4" solid wood. Price level: LEVEL 1 mortise and tenon Door style: CRP-10 door frame and solid Door outside edge shape: MACHINE wood center panel Door inside edge shape: SQUARE Door panel profile: REVERSE G-COVE 3" stiles and rails Drawer head: 5-PIECE Drawer outside edge shape: MACHINE Hinge: All hinging options available Minimum door size: 8" X 8" Inside edge profile NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. All 5pc drawer fronts 10" or more in height will have 3" top and bottom rails. 5-piece drawer head is standard Standard edge profile (door / drawer) Optional 5 piece drawer head **SHELDON** STANDARD CONFIGURATION 3/4" solid wood, mortise and tenon Price level: LEVEL 2 door frame and solid Door style: SHELDON wood center panel Door outside edge shape: MACHINE Door inside edge shape: N/A 2 5/16" wide stiles Door panel profile: REVERSE G-COVE and rails with 2 1/2" Drawer head: SLAB center stile Drawer outside edge shape: MACHINE Hinge: All hinging options available Inside edge profile Minimum door size: 11 3/8"w X 6 3/4"h (See Shaker door design for widths below 11 3/8") 3/4" flat slab solid NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. There is not a cenwood drawer head ter stile on the 5 piece drawer head. Standard edge profile (door / drawer) Optional 5 piece drawer head



SUMMIT FLAT

Compliments the Heartland door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon, cathedral arch door frame and solid wood center panel

Price level: LEVEL 1 Door style: CRP-20 Door outside edge shape: C-2 Door inside edge shape: REGULAR

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: C-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 8 1/4" X 8 3/4"



3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.




Optional 5 piece drawer head

SUMMIT RAISED

Compliments the Heartland door style

STANDARD CONFIGURATION



3/4" solid wood. mortise and tenon, cathedral arch door frame and solid wood center panel

Price level: LEVEL 1 Door style: CRP-20 Door outside edge shape: C-2 Door inside edge shape: REGULAR Door panel profile: SLANT Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 8 1/4" X 9 1/4"



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.






SUMMIT - MDF

Compliments the Heartland MDF door style

STANDARD CONFIGURATION



3/4" MDF cathedral arch door with routed, raised panel profile

Price level: LEVEL 1
Door style: 20SQ3

Door outside edge shape: LC-2
Door inside edge shape: N/A

Door panel profile: N/A
Drawer head: SLAB

Drawer outside edge shape: LC-2

Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED)



3/4" MDF flat slab drawer head

Inside edge profile

Minimum door size: 8 1/4" X 9 3/8"



Standard edge profile (door / drawer)

NOTE: A complimenting drawer head with a 5 piece look is available with narrower top and bottom rails.



Optional 5 piece drawer head


**Wear sanded finishes are not available on this door design. See finish pages for more information.



SUNRISE FLAT

Compliments the Heartland door style

STANDARĎ CONFIGURATION




3/4" solid wood, mortise and tenon, Roman arch door frame and solid wood center panel

Price level: LEVEL 1 Door style: CRP-30 Door outside edge shape: C-2 Door inside edge shape: REGULAR

Door panel profile: REVERSE G-COVE

Drawer head: SLAB Drawer outside edge shape: C-2

Hinge: All hinging options available



Inside edge profile


Minimum door size: 8 1/4" X 8"



3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.




Optional 5 piece drawer head

SUNRISE RAISED

Compliments the Heartland door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon. Roman arch door frame and solid wood center panel

Price level: LEVEL 1 Door style: CRP-30 Door outside edge shape: C-2 Door inside edge shape: REGULAR Door panel profile: SLANT Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 8 1/4" X 8 1/2"



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece complimenting drawer head is available with narrower top and bottom rails.






SUNRISE - MDF

Compliments the Heartland MDF door style

STANDARD CONFIGURATION



3/4" MDF Roman arch door with routed, raised panel profile

Inside edge profile

drawer head

Price level: LEVEL 1
Door style: 30SQ3
Door outside edge shape: LC-2
Door inside edge shape: N/A
Door panel profile: N/A

Drawer head: SLAB
Drawer outside edge shape: LC-2

Hinge: SEMI-OVERLAY (CONCEALED) FULL OVERLAY (CONCEALED)


3/4" MDF flat slab Mini

Minimum door size: 8 1/4" X 8 1/2"



Standard edge profile (door / drawer)


NOTE: A complimenting drawer head with a 5 piece look is available with narrower top and bottom rails.



Optional 5 piece drawer head

**Wear sanded finishes are not available on this door design. See finish pages for more information.

THOMPSON



3/4" solid wood, mortise and tenon door frame and solid wood center panel

2 3/4" stiles and rails

STANDARD CONFIGURATION

Price level: LEVEL 1 Door style: CRP-10

Door outside edge shape: V-2 Door inside edge shape: FB472

Door panel profile: REVERSE G-COVE

NOTE: A 5-piece matching drawer head is available with

Drawer head: SLAB Drawer outside edge shape: V-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 7 3/8" X 7 3/8"

narrower top and bottom rails.



3/4" flat slab solid wood drawer head




Optional 5 piece drawer head



Standard edge profile (door / drawer)



VALLETTA



Veneer** slab door with 3/4" thick substrate. Cherry, Maple, Red Oak, and Walnut are 'plain sliced'. White Oak is 'quarter flake'.

Not available in Hickory, Red Birch, Rustic Alder, or Rustic Hickory

Price level

Price level: LEVEL 1
Door style: VALLETTA

STANDARD CONFIGURATION

Door outside edge shape: AS SHOWN

Door inside edge shape: AS SHOWN


Door panel profile: AS SHOWN

Drawer head: SLAB

Drawer outside edge shape: AS SHOWN

Hinge: SEMI-OVERLAY (CONCEALED)

FULL OVERLAY (CONCEALED)



Standard edge profile (door / drawer)



3/4" thick veneer slab drawer head

**Doors with a painted finish will be not be wood veneered. The outside edges of this all MDF, painted door may vary slightly from the wood veneer door.

- NOTES
 Semi-overlay knife (SOLK) and lipped knife (SOL LIP) hinging <u>not</u> available.
- Due to minimum available sizes SOL-C reveals may differ slightly from standard
- Frame only and mullion doors have a minimum size of 7" X 7" and have 2 1/4" stiles and rails.
- This style door is not available in Premium grade.
- Routed fingerpulls are not available.

Minimum door size: 6" X 6"

 Wear sanded finishes are not available on this door design. See finish pages for more information.

VERONA



3/4" solid wood, mortise and tenon door frame with 1/4" veneer, flat center panel

Not available in Rustic Alder or Rustic Hickory

STANDARD CONFIGURATION

Price level: LEVEL 2 Door style: VERONA

Door outside edge shape: MACHINE


Door inside edge shape: N/A

Door panel profile: N/A (FLAT)


Drawer head: SLAB

Drawer outside edge shape: MACHINE

Hinge: All hinging options available



Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head is available with



narrower top and bottom rails.

Minimum door size: 7 1/4" X 7 1/4"

Optional 5 piece drawer head for FOL and SOL. Also for Inset when over 6 1/2" high.

(Top Inset 5 piece drawer front only available in Cherry, Maple and Red Oak.)



Optional 5 piece drawer head for Inset when 6 1/2" high or less. (profile view)



WABASH **Upcharges apply to modify the Wabash door stile and rail widths. Please submit a Custom Door Request for this modification.** STANDARD CONFIGURATION 3/4 solid wood, Price level: LEVEL 2 mortise and tenon Door style: CRP-10751MT door frame with Door outside edge shape: MACHINE solid wood center Door inside edge shape: N/A panel Door panel profile: REVERSE G-COVE Rustic species will have Drawer head: SLAB only a 'knotty' center Drawer outside edge shape: MACHINE panel with standard Hinge: All hinging options available grade framing. Minimum door size: 7 1/2" X 7 1/2" Inside edge profile NOTE: A 5 piece matching drawer head is available. 3/4" flat slab solid wood drawer front Standard edge profile (door / drawer) Optional 5 piece drawer head WIDE RAIL SHAKER Available with Weathered Grain finish STANDARD CONFIGURATION 3/4" solid wood. Price level: LEVEL 1 mortise and tenon Door style: CRP-10 Door outside edge shape: MACHINE door frame and solid Door inside edge shape: SQUARE wood center panel Door panel profile: REVERSE G-COVE Drawer head: 5 PIECE 4" stiles and rails Drawer outside edge shape: MACHINE Hinge: All hinging options available Inside edge profile Minimum door size: 10" X 10" NOTE: A 5-piece matching drawer head is available with narrower top and bottom rails. All 5pc drawer fronts 10" or 5-piece drawer more in height will have 4" top and bottom rails. head is standard Standard edge profile (door / drawer) Optional 5 piece drawer head



WOODRIDGE

NOT available with any painted finishes



1" solid wood, miter door with frame curving to 3/4" and solid wood center panel

3 1/2" stiles and rails

Not available in Quarter Sawn White Oak

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile 3/4" flat slab solid wood drawer head

Standard edge profile (slab drawer)

PREPSP option not available.

STANDARD CONFIGURATION

Price level: LEVEL 1
Door style: WOODRIDGE

Door outside edge shape: N/A
Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: LC-INSET

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Minimum door size: 9 1/8" x 9 1/8"

NOTE: A 5 piece flat panel drawer head is available with narrower stiles and rails.



Optional 5 piece drawer head

ZENITH

PREPSP option not available.

STANDARD CONFIGURATION

Price level: LEVEL 2 +

Door outside edge shape: N/A Door inside edge shape: N/A

Door panel profile: REVERSE G-COVE

Drawer head: SLAB

Drawer outside edge shape: 5-PIECE: N/A, SLAB: MACHINE

Hinge: SEMI-OVERLAY (CONCEALED

OR KNIFE)

FULL OVERLAY (CONCEALED)

Minimum door size: 8 1/4" X 8 1/4"

NOTE: A 5 piece flat panel drawer head is available with narrower stiles and rails provided min. size of 6 1/2" is met. Standard top drawer fronts on base cabinets will only meet this size requirement if full overlay.



Optional 5 piece drawer head



1" solid wood, miter door frame beveled to 3/4" and solid wood center panel

2 11/16" stiles and rails

Not available in Quarter Sawn White Oak

Rustic species will have only a 'knotty' center panel with standard grade framing.

Inside edge profile 3/4" flat slab solid wood drawer head



Standard edge profile (door / 5pc drawer)

BRIGHTON Cabinetry

DOOR STYLE DETAILS

VENEERED FLAT PANEL (VFP) DOORS

Amesbury VFP	I34A	Monroe VFP	I34F
Bryant VFP	I34A	Neoga Ridge Arched VFP	I34F
Cascade VFP	I34B	Neoga Ridge VFP	I34G
Eclipse VFP	I34B	Rodera VFP	I34G
Fairfield VFP	I34C	Shaker VFP	I34H
Hampton VFP	I34C	Shaker Medium VFP	I34H
Heartland VFP	I34D	Summit VFP	I34I
Heritage VFP	I34D	Sunrise VFP	I34I
Homeland VFP	I34E	Thompson VFP	I34J
Meadowview VFP	I34E	Wide Rail Shaker VFP	I34J


- VFP (Veneer Flat Panel) door designs feature 1/4" flat veneered center panels only and are offered at a discounted price.
- All PREP and AMUL options are available.
- Premium wood upgrade not available.
- Rustic Alder and Rustic Hickory will have knotty framing only. The center panels will be standard grade wood. Some door styles are not available with this option, see specific door design for more details.
- 5 piece drawer fronts are available for an upcharge. See Optional Drawer Front Upgrades in the Introduction section of the catalog for rules and pricing of drawer fronts other than slab drawer fronts.
- Other door designs not listed as VFP in this catalog may be available with a 1/4" center panel. Please submit a Custom Door Request form to orders@brightoncabinetry.com for a door sample and pricing.



AMESBURY VFP STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon Door style: AMESBURY door frame and 1/4" Door outside edge shape: MACHINE veneer center panel Door inside edge shape: N/A *See page I34 for Door panel profile: N/A (FLAT) more VFP details Drawer head: SLAB Drawer outside edge shape: MACHINE Hinge: All hinging options available Minimum door size: 7 1/2" x 7 1/2" Inside edge profile NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head **BRYANT VFP** STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon Door style: TW-10 door frame and 1/4" Door outside edge shape: L1160 veneer center panel Door inside edge shape: FB7 Door panel profile: N/A (FLAT) 3" stiles and rails Drawer head: SLAB Drawer outside edge shape: L-1160 *See page I34 for more VFP details Hinge: All hinging options available Minimum door size: 8" x 8" Inside edge profile NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 3/4" flat slab solid wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head



CASCADE VFP



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

3" stiles and rails

*See page I34 for more VFP details

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-10
Door outside edge shape: L-034
Door inside edge shape: REGULAR
Door panel profile: N/A (FLAT)

Drawer head: SLAB Drawer outside edge shape: L-034

Hinge: All hinging options available

Inside edge profile

3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

Minimum door size: 8" x 8"

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.



Optional 5 piece drawer head

ECLIPSE VFP

Compliments the Homeland VFP door style.

3/4" solid wood, mortise and tenon, Roman arch door frame and 1/4" veneer center panel

*See page I34 for more VFP details

Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-30
Door outside edge shape: PRS-2
Door inside edge shape: OGEE
Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: PRS-2

Hinge: All hinging options available


Minimum door size: 8 1/4" X 8"

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.





FAIRFIELD VFP



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

Janei

3 3/8" stiles and rails

*See page I34 for more VFP details

Routed fingerpulls are <u>not</u> available with the E2 edge profile.

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-10

Door outside edge shape: E-2 Door inside edge shape: F877

Door panel profile: N/A (FLAT)

Drawer head: SLAB Drawer outside edge shape: E-2

Hinge: All hinging options available except

for SOLK LIPPED


Minimum door size: 9 1/2" X 9 1/2"

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.



Optional 5 piece drawer head

HAMPTON VFP



3/4" solid wood, mortis and tenon door frame and 1/4" veneer center panel

3" stiles and rails

*See page I34 for more VFP details

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: 401(3)

Door outside edge shape: MACHINE

Door inside edge shape: N/A

Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: MACHINE

Hinge: All hinging options available

Inside edge profile

Minimum door size: 8 3/4" X 7"

3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.






HEARTLAND VFP Compliments the Sunrise VFP and Summit VFP door styles STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon Door style: TW-10 door frame and 1/4" Door outside edge shape: C-2 veneer center panel Door inside edge shape: REGULAR Door panel profile: N/A (FLAT) Drawer head: SLAB *See page I34 for more VFP details Drawer outside edge shape: C-2 Hinge: All hinging options available Inside edge profile Minimum door size: 7" X 7" NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 3/4" flat slab solid wood drawer head Standard edge profile Optional 5 piece drawer head (door / drawer) **HERITAGE VFP** STANDARD CONFIGURATION 3/4" solid wood. Price level: LEVEL 1 MINUS mortise and tenon Door style: TW-10 door frame and 1/4" Door outside edge shape: L-034 veneer center panel Door inside edge shape: F1223 Door panel profile: N/A (FLAT) 3" stiles and rails Drawer head: SLAB Drawer outside edge shape: L-034 *See page I34 for Hinge: All hinging options available more VFP details Minimum door size: 8" X 8" Inside edge profile NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 3/4" flat slab solid wood drawer head Standard edge profile 3/32" radius Optional 5 piece drawer head (door / drawer)



HOMELAND VFP

Compliments the Eclipse VFP door

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

*See page I34 for more VFP details


Price level: LEVEL 1 MINUS

Door style: TW-10
Door outside edge shape: PRS-2
Door inside edge shape: OGEE
Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: PRS-2

Hinge: All hinging options available



Inside edge profile

Minimum door size: 7" X 7"



3/4" flat slab solid wood drawer head




Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.



Optional 5 piece drawer head

MEADOWVIEW VFP



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

3 3/8" stiles and rails

*See page I34 for more VFP details

Routed fingerpulls are not available with the E2 edge profile.

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-10

Door outside edge shape: E-2 Door inside edge shape: F877

Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: E-2

Hinge: All hinging options available except

for SOLK LIPPED

Minimum door size: 9 5/8" X 9 5/8"

Inside edge profile



3/4" flat slab solid wood drawer head




Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.





MONROE VFP



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

2 3/4" stiles and rails

*See page I34 for more VFP details

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-10

Door outside edge shape: L-1160
Door inside edge shape: ELITE
Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: L-1160

Hinge: All hinging options available

Minimum door size: 7 7/8" X 7 7/8"

Inside edge profile



3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.




Optional 5 piece drawer head

NEOGA RIDGE ARCHED VFP

Compliments the Neoga Ridge VFP door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

*See page I34 for more VFP details

Price level: LEVEL 1 MINUS

Door style: TW-30

Door outside edge shape: C-2 Door inside edge shape: F877

Door panel profile: N/A (FLAT)

Drawer head: SLAB

Drawer outside edge shape: C-2

Hinge: All hinging options available



Inside edge profile




3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

Minimum door size: 8 1/4" X 8"

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.






NEOGA RIDGE VFP

Compliments the Neoga Ridge Arched VFP door style

STANDARD CONFIGURATION



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

*See page I34 for more VFP details

Price level: LEVEL 1 MINUS

Door style: TW-10 Door outside edge shape: C-2 Door inside edge shape: F877 Door panel profile: N/A (FLAT)

Drawer head: SLAB Drawer outside edge shape: C-2

Hinge: All hinging options available

Minimum door size: 7" X 7"

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.




Optional 5 piece drawer head

Inside edge profile

3/4" flat slab solid wood drawer head

Standard edge profile (door / drawer)

RODERA VFP



3/4" solid wood, mortise and tenon door frame and 1/4" veneer center panel

3" stiles and rails

*See page I34 for more VFP details

STANDARD CONFIGURATION

Price level: LEVEL 1 MINUS

Door style: TW-10 Door outside edge shape: L-1160 Door inside edge shape: F005

Door panel profile: N/A (FLAT) Drawer head: SLAB

Drawer outside edge shape: L-1160

Hinge: All hinging options available



Inside edge profile


Minimum door size: 8" X 8"

3/4" flat slab solid wood drawer head



Standard edge profile (door / drawer)

NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge.






SHAKER VFP STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon Door style: TW-10 door frame and 1/4" Door outside edge shape: MACHINE veneer center panel Door inside edge shape: SQUARE Door panel profile: N/A (FLAT) *See page I34 for Drawer head: 5 PIECE more VFP details Drawer outside edge shape: MACHINE Hinge: All hinging options available Inside edge profile Minimum door size: 7" X 7" NOTE: A 5-piece matching drawer head with narrower top and bot-5-piece drawer head tom rails is available for an upcharge. is standard Standard edge profile (door / drawer) Optional 5 piece drawer head SH-MEDIUM VFP (SHAKER, MEDIUM WIDTH STILES AND RAILS) STANDARD CONFIGURATION 3/4" solid wood. mortise and tenon Price level: LEVEL 1 MINUS door frame and 1/4" Door style: TW-10 veneer center panel Door outside edge shape: MACHINE Door inside edge shape: SQUARE 3" stiles and rails Door panel profile: N/A (FLAT) Drawer head: 5-PIECE *See page I34 for Drawer outside edge shape: MACHINE more VFP details Hinge: All hinging options available Minimum door size: 8" X 8" Inside edge profile NOTE: NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 5-piece drawer head is standard Standard edge profile (door / drawer) Optional 5 piece drawer head



DOOR STYLE DETAILS **SUMMIT VFP** Compliments the Heartland VFP door style STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon, Door style: TW-20 cathedral arch door Door outside edge shape: C-2 frame and 1/4" Door inside edge shape: REGULAR Door panel profile: N/A (FLAT) veneer center panel Drawer head: SLAB *See page I34 for Drawer outside edge shape: C-2 more VFP details Hinge: All hinging options available Minimum door size: 8 1/4" X 8 3/4" Inside edge profile NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 3/4" flat slab solid wood drawer head Standard edge profile Optional 5 piece drawer head (door / drawer) **SUNRISE VFP** Compliments the Heartland VFP door style STANDARD CONFIGURATION 3/4" solid wood, Price level: LEVEL 1 MINUS mortise and tenon, Door style: TW-30 Roman arch door Door outside edge shape: C-2 frame and 1/4" Door inside edge shape: REGULAR Door panel profile: N/A (FLAT) veneer center panel





THOMPSON VFP STANDARD CONFIGURATION 3/4" solid wood, mortise and tenon door frame Price level: LEVEL 1 MINUS and 1/4" veneer center Door style: TW-10 panel Door outside edge shape: V-2 2 3/4" stiles and rails Door inside edge shape: FB472 Door panel profile: N/A (FLAT) *See page I34 for more Drawer head: SLAB VFP details Drawer outside edge shape: V-2 Hinge: All hinging options available Inside edge profile Minimum door size: 7 3/8" X 7 3/8" NOTE: A 5-piece matching drawer head with narrower top and 3/4" flat slab solid bottom rails is available for an upcharge. wood drawer head Standard edge profile (door / drawer) Optional 5 piece drawer head WIDE RAIL SHAKER VFP STANDARD CONFIGURATION 3/4" solid wood, mortise and tenon Price level: LEVEL 1 MINUS door frame and 1/4" Door style: TW-10 Door outside edge shape: MACHINE veneer center panel Door inside edge shape: SQUARE Door panel profile: N/A (FLAT) 4" stiles and rails Drawer head: 5 PIECE *See page I34 for Drawer outside edge shape: MACHINE more VFP details Hinge: All hinging options available Inside edge profile Minimum door size: 10" X 10" NOTE: A 5-piece matching drawer head with narrower top and bottom rails is available for an upcharge. 5-piece drawer head is standard Standard edge profile (door / drawer)



5-PIECE DRAWER FRONT

drawer front availability.

OPTIONAL DRAWER FRONT UPGRADES

PRODUCT LIST CODE PRICE

5-P(RAIS)-SOL/INSET 5-P(FLAT)-SOL/INSET

5-P(RAIS)-FOL/FFA 5-P(FLAT)-FOL/FFA



• Top and bottom rails are cut down for most mortise and tenon designs when the drawer front is less than 8" tall. See below for rail sizes on larger mortise and tenon drawer fronts.

• 5-piece drawer fronts are available with most door designs. Please refer to

the catalog page for each door style for specific details regarding 5-piece

- Specify flat or raised for the center panel if the raised panel option is available.
- Minimum drawer front sizes will vary per design.*
- 5-piece drawer fronts are not available for Churchill and Verona top base openings when Inset hinging is selected. The photo to the right shows the profile of the Inset drawer front when the 5-piece option is selected for these two door designs and the drawer front measures 6 1/2" H or less. Larger Inset 5-piece drawer fronts will be the typical framed design as used with overlay cabinets.



5-piece Inset top base drawer front for Churchill and Verona (profile view)**

**This style drawer front is available only in Cherry, Maple and Red Oak.

RULES FOR 5PC MORTISE AND TENON DRAWER FRONTS

The following rules apply to mortise and tenon 5-piece drawer fronts only. The stiles of the drawer fronts will be full width for the specific drawer front design per Brighton's standard door specifications. These rules are for sizing the top and bottom drawer front <u>rails</u> only. These rules apply to named door styles in our standard door selections and the offered VFP equivalents. MDF drawer fronts are excluded.

- When drawer fronts are under 8" high, the rails will be 1 1/2" wide.
- When the drawer fronts are at least 8" high and are under 10" high, the rails will be 2 5/16" wide. (See list A below)
- When drawer fronts are 10" high or more and the Brighton specification for the corresponding door lists the framing to be over 2 5/16" wide then the top and bottom rails will be full width to match the door specification. (See list B below)

A. 2 5/16" M&T framing designs

Amesbury	Neoga Ridge
Aspen	Neoga Ridge Arched
Café	Newport
Cottage	Shaker
Eclipse	Sheldon
Fairhaven	Summit
Heartland	Sunrise
Homeland	Verona
Luna	Wabash

B. Wider M&T framing designs

Bryant (3" framing)
Cascade (3" framing)
Churchill (2 3/4" framing)
Fairfield (3 3/8" framing)
Hampton MT (3" framing)
Heritage (3" framing)
Meadowview (3 3/8" framing)
Rodera (3" framing)
Monroe (2 3/4" framing)
Shaker Medium (3" framing)
Thompson (2 3/4" framing)
Wide Rail Shaker (4" framing)

*Brighton reserves the right to substitute 3/4" slab drawer fronts when necessary. Some drawer fronts, figuring not to be wide enough for safe manufacturing processes, will be substituted with 3/4" slab drawer fronts.



OPTIONAL DRAWER FRONT UPGRADES

	PRODUCT CODE	LIST PRICE
1" THICK SLAB DRAWER FRONT	1-INSLAB-FFA	
• 1" drawer fronts are available as an upcharge, priced per front.	1-INSLAB-FOL	
• 1" drawer fronts will match the center panel raise and the outside edge profile of the door design.	1-INSLAB-SOL	
• 1" measurement is at the thickest point of the front with the outer	1_INSI AB_INSET	

- 1" measurement is at the thickest point of the front with the outer 1-INSLAB-INSET edge being 3/4" +/- .
- Not recommended for doors that are slab or have flat center panels.
- Minimum drawer front sizes may vary per design.*
- Not available for SOLK-LIPPED when choosing Meadowview door design due to E-2 outside edge profile.
- See the next page for 1" drawer front profiles.

1" slab fronts are available for the following standard door designs:


CHURCHILL	HANOVER	LINCOLN	NEOGA RIDGE ARCHED
CUMBERLAND	HEARTLAND	MARQUIS	SUMMIT
ECLIPSE	HIGHLAND	MEADOWVIEW	SUNRISE
GLENDALE	HOMELAND	MONROE	
HAMILTON	LASALLE	NEOGA RIDGE	

^{*}Brighton reserves the right to substitute 3/4" slab drawer fronts when necessary. Some drawer fronts, figuring not to be wide enough for safe manufacturing processes, will be substituted with 3/4" slab drawer fronts.



OPTIONAL DRAWER FRONT UPGRADES

1" THICK SLAB DRAWER FRONT PROFILES



NOTE: The sketches shown on this page are approximate representations and are not to scale.

*Brighton reserves the right to substitute 3/4" slab drawer fronts when necessary. Some drawer fronts, figuring not to be wide enough for safe manufacturing processes, will be substituted with 3/4" slab drawer fronts.




NOTES



GLASS DOORS WITH SOL-K AND SOLK-LIPPED HINGING MAY HAVE WIDER DOOR STILES THAN THE STANDARD DOOR DESIGN. NOT ALL MITER DOORS MAY BE AVAILABLE FOR GLASS INSERT WHEN USING KNIFE HINGES.

MULLION / LITE DOORS



• Wood mullions, specify the number of lites (6-lite shown.)

• Glass not included, price separately.

• Flexible plastic insert retainer beading is supplied.

7 7/8" W x 7 7/8" H minimum door size
Mullions may not align with adjustable

shelving.

• The AMUL2 will have a vertical mullion that divides the door equally to have 2 openings side by side.

AMUL2

AMUL4


AMUL6

AMUL8

AMUL10

AMUL12


9 LITE OFFSET



AMUL9

- Standard corner openings for most door designs are 2" x 2"
- Specify for custom size openings (2" x 2" is the minimum)
- Corner openings for Madrid, Sardinia and Valletta doors are 3" x 3".
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 12 1/8" W X 12 1/8" H minimum door size

DOOR PREPARED FOR INSERT




PREP FOR INSERT

NO CHARGE

- Door frame is prepared to accept plastic insert.
- Flexible plastic insert retainer beading is supplied.
- Glass not included, price separately.
- Minimum door size is based off the selected door style. Please see specific door listing for minimum size allowed.




GLASS DOORS WITH SOL-K AND SOLK-LIPPED HINGING MAY HAVE WIDER DOOR STILES THAN THE STANDARD DOOR DESIGN. NOT ALL MITER DOORS MAY BE AVAILABLE FOR GLASS INSERT WHEN USING KNIFE HINGES.




PREPSP09

- Divides a single door into a top open frame prepped for insert and a lower solid center panel.
- Upper frame opening is 9" high.
- Flexible plastic insert retainer beading is supplied.
- Glass not included, price separately.
- This option is not available with Woodridge or Zenith door design.



PREPSP12

- Divides a single door into a top open frame prepped for insert and a lower solid center panel.
- Upper frame opening is 12" high.
- Flexible plastic insert retainer beading is supplied.
- Glass not included, price separately.
- This option is not available with Woodridge or Zenith door design.




PREPSP15

- Divides a single door into a top open frame prepped for insert and a lower solid center panel.
- Upper frame opening is 15" high.
- Flexible plastic insert retainer beading is supplied.
- Glass not included, price separately.
- This option is not available with Woodridge or Zenith door design.



GLASS DOORS WITH SOL-K AND SOLK-LIPPED HINGING MAY HAVE WIDER DOOR STILES THAN THE STANDARD DOOR DESIGN. NOT ALL MITER DOORS MAY BE AVAILABLE FOR GLASS INSERT WHEN USING KNIFE HINGES.


11 LITE OFFSET



AMUL11

- Standard opening in corners is 2" x 2".
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 12 1/8" W x 14 5/8" H minimum door size.


ARCHED LITE MULLION



AMULA

- 7 radius lites
- Ogee framing bead may burnish when coped.
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 11 5/8" W x 9 5/8" H minimum door size.
- Not available for doors with an F877 or Elite inside frame bead. This includes Fairfield, Meadowview, Monroe, Neoga Ridge, and Neoga Ridge Arch door designs. Other door styles may not be available with this mullion pattern, contact our Quote Department for details.

DOUBLE ARCHED LITE MULLION




AMULDA

- 12 radius lites
- Ogee framing bead may burnish when coped.
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 11 5/8" W x 14 15/16" H minimum door size.
- Not available for doors with an F877 or Elite inside frame bead. This includes Fairfield, Meadowview, Monroe, Neoga Ridge, and Neoga Ridge Arch door designs. Other door styles may not be available with this mullion pattern, contact our Quote Department for details.



GLASS DOORS WITH SOL-K AND SOLK-LIPPED HINGING MAY HAVE WIDER DOOR STILES THAN THE STANDARD DOOR DESIGN. NOT ALL MITER DOORS MAY BE AVAILABLE FOR GLASS INSERT WHEN USING KNIFE HINGES.


ODYSSEY MULLION



AMULO

- 6 lite openings with two mullion strips extending below horizontal mullion.
- 4 top lites will equal approximately one fifth of the interior opening height, include sketch if specific opening heights are required.
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 14 7/8" W x 11 3/8" H minimum door size.


DIAMOND MULLION



AMULD

- 4" x 4" diamond lite centered left to right and 4 1/2" from top rail.
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 12 5/8" W x 18 5/8" H minimum door size.
- May not be available for all door styles.

DOUBLE DIAMOND MULLION



AMULDD

- 2-4" x 4" diamond lites centered left to right and 4 1/2" from top and bottom rails.
- Glass not included, price separately.
- Flexible plastic insert retainer beading is supplied.
- 12 5/8"W x 25 1/4" H minimum door size.
- May not be available for all door styles.



1095 Industrial Park Ave. Neoga, Il 62447 Ph. 217-895-3000 Fax. 217-895-3005

ORDER FORM

	0112 211					
DEAI	LER			SHIP T	0:	
Name:		Name:				
Address:			Address:			
City/State/Zip:		City/Sta	ate/Zip:			
Phone	Fax	Phone		Fa	ıx	
Email		Email				
JOB NAME:				ORDER DA	TE:	
DEALER P.O.#:	SALESPERSON:			REQUEST	DATE:	
Reference Original BCI Sales Order Number:			Order Process Preference:	ing	Wood Spec	
Hinge-reveal: SOL-CONCEALED SOL-KNIFE SOL-KNIFE LIPPED FOL-CONCEALED FRAMED FULL-ACCESS (FFA) INSET STANDARD FRAME W/ EXPOSED BARREL HINGE ** INSET BEADED FRAME W/ EXPOSED BARREL HINGE ** INSET STANDARD FRAME W/ CONCEALED HINGE INSET BEADED FRAME W/ CONCEALED HINGE	Select wood grade for doors, if applicable: Standard doors Premium doors (Upcharge at Maple drawer box standard. Of here for Walnut box upgrade Base door style:	Standard Expedite* (Requires 30% Upcharge) Warranty Sales Aid / Display * Not all products may be available to expedite Check CHERRY CLEAR ALD HICKORY MAPLE MDF (Doors) QUARTER S WHITE OAK			R ALDER DRY E Doors) IER SAWN E OAK IRCH AK C ALDER C HICKORY UT HERED	
**Inset Barrel Hinge Color:	Wall door style:		Finish color:			
Drawer front type: SLAB	1" SLAB		PIECE FLAT		5-PIECE RAI	ISED
COMPLETE THE FOLLOWING FO	OR NON-STANDARD SELECTION	is:	Outside Edge:			
Center Panel:			Inside Frame Bea	d:		
SPECIAL INSTRUCTIONS:						
ITEM# QTY PRODUCT COL	DE DESCR	IPTION		HINGE	FIN ENDS	PRICE
				TOTAL	LIST	
CHECKED BY:	DATE			MULTIF		
CHECKED BY:	DATE			NET		



1095 Industrial Park Ave. Neoga, Il 62447 Ph. 217-895-3000 Fax. 217-895-3005

ORDER FORM

PAGE	OF
------	----

ITEM#	QTY	PRODUCT CODE	DESCRIPTION	HINGE	FIN ENDS	PRICE
				ТОТАТ	LICT	
CHECKI	ED BV.		DATE	TOTAL :		
CHECKI			DATE	NET	LIEK	
CHECKI	נט טו:		DATE	INET		

BRIGHTON

CABINET CARE

CARING FOR THE INTERIOR:

- 1. Simply wipe with a damp cloth or sponge, then dry immediately.
- 2. To remove food residue or grease, use any common dishwashing liquid and a clean damp cloth to wipe clean. Dry thoroughly.

For Spills: If a spill occurs, clean up and dry immediately. Left unattended, a spill can soak through the surface and cause damage.

CARING FOR WOOD SURFACES:

- 1. Wipe the surface with a clean, damp cloth, then dry immediately.
- 2. To remove general soil or grease, use any common dishwashing liquid and a clean damp cloth to wipe clean. Dry thoroughly.
- 3. Excess moisture can damage any cabinet finish; areas near the sink, range, dishwasher, oven, and baseboards are most susceptible. Keep these surfaces dry.
- 4. Avoid draping damp cloths or dish towels over cabinet doors. Over time, this moisture could cause permanent water damage.
- 5. Waxing is not necessary, but you may apply any furniture polish or lemon oil recommended for fine furniture, if desired. Be sure to wipe off excess to avoid buildup.
- 6. DO NOT attach or adhere items such as sticky-back notes, colored paper, etc. to the cabinetry as these items risk having the colors bleed through damaging the cabinet finish.

Do not use a dish cloth for cleaning. It could contain remnants of grease or detergents.

BLEACH & AMMONIA: Avoid using cleaners that contain bleach, ammonia, or abrasives. These cleaners can damage your cabinet's finish.



NOTES




SPECIFICATIONS


WALL CABINETS

(See "Cabinet Construction Specifications" and "Pricing Procedures" for options.)

Wall Cabinet Nomenclature



STANDARD WALL CABINET DEPTH: 13" STANDARD INSET WALL CABINET DEPTH: 13"



^{**}Cabinets less than 9" wide will have reduced face frame stile widths.



Wall Contents


ANGLED FRONT CABINETS	27, 28	MESSAGE CENTER CABINET	52A
APOTHECARY DRAWERS 5	57	MICROWAVE CABINET, 18" DEEP	49
CABINET WITH APOTHECARY DRAWERS 1	19	MICROWAVE SHELF CABINET	50
BLIND CORNER CABINETS		OPEN SHELF CABINET	48
1 DOOR	14E, 15	OPEN TOP SHELF CABINET	47
2 DOORS	14F, 16	PIE CUT CORNER CABINET	
CABINETS, 13" DEEP		ADJUSTABLE SHELVES	14A, 29
12", 15", 18" HIGH	1	REVOLVING SHELVES	14A, 29
21", 24", 27" HIGH 5	5	THREE-DOOR OFFSET	14B, 30
30", 36" HIGH	5	PENINSULA (DOUBLE ENTRY)	31
39" HIGH 7	7	PIGEON HOLE	56
42", 48" HIGH 8	3	CABINET WITH PIGEON HOLE	19
OVER HOOD CABINETS	11	PLATE RACK CABINET	26
PENINSULA CABINETS (DOUBLE ENTRY) 1	17, 18	SHELF UNITS	
THREE EQUAL DOOR CABINETS 8	3B, 9	END SHELVES	53, 54
CABINETS, 24" DEEP		PENINSULA SHELVES	55
12", 15", 18", 21", 24", 27" HIGH 1	10	UNDER CABINET SHELF, CORNER	52
OVER REFRIGERATOR CABINETS	11	UNDER CABINET SHELF, STRAIGHT	52
COUNTER ORGANIZERS, 18" HIGH		SPICE RACK CABINETS	
DIAGONAL CORNER WITH TAMBOUR 3	35	SPICE RACK PULL OUT CABINET	24B-25
DIAGONAL CORNER WITH HINGED DOOR 3	35	UNDER SHELF CABINET	51
SHALLOW WITH TAMBOUR 3	39	VERTICAL STACK CABINETS	
SHALLOW APPLIANCE GARAGE (hinged door) 3	39	30", 36" HIGH	13
COUNTER ORGANIZER COMBINED WITH CABIN	ET	39", 42" HIGH	14
APPLIANCE GARAGE CABINET (hinged doors) 4	40	48", 54" HIGH	14A
APPLIANCE GARAGE CABINET (lift up door) 4	4 1	VERTICAL STACK, BLIND CORNER	14E, 14F
SHALLOW GARAGE ORGANIZER (tambour) 3	38	VERTICAL STACK, DIAGONAL	14D
DIAGONAL CORNER CABINETS		VERTICAL STACK, PIE CUT	14B, 14C
13" AND 16" DEEP (adjustable shelves)	14C, 32	VERTICAL STACK SPECIFICATIONS	12
13" AND 16" DEEP (revolving shelves)	14C, 32	WINE RACK CABINETS	
COMBINED WITH APPL. GARAGE (hinged door). 3	36	WINE RACKS	22-24A
COMBINED WITH APPL. GARAGE (lift up door) 3	37	WINE RACK COMBINED WITH CABINET	20, 21
COMBINED WITH TAMBOUR ORGANIZER 3	34	WOOD HOODS	58-67
PENINSULA (DOUBLE ENTRY) 3	33		
DRAWER CABINETS			
1-DRAWER	12, 43		
2 DRAWER MINI	14		
2 DRAWERS	45		
3 DRAWERS 4	16		




Wall Contents

WALL ACCESSORIES		MODIFICATIONS CONTINUE	D
DOWEL PLATE RACK	76	DUCT CUTOUT	83
FLIPPER DOOR GLIDES	77	END ENTRY	82
FLOATING SHELF	52B	EXTEND FRAME RAIL	80
PARTITION	76	EXTEND FRAME STILE	80
SIDE SKIN	76	EXTEND SIDE BACK	80
SPICE RACK ON DOOR	77	FALSE DOOR ON END	79
STEMWARE RACK	76	FINISHED BACK	79
STORAGE ORGANIZER	76	FINISHED BLIND, SOLID	14E, 14F 15, 16
TRAY DIVIDER	76	FINISHED BOTTOM	79
VALANCE LIGHT BOX	75	FINISHED END	79
VALANCES	72-74	FINISHED TOP	79
WOOD REVOLVING SHELF	76	FLIP UP/DOWN DOOR STAY	84
		FLUSH FINISHED BOTTOM	79
		FLUSH FINISHED END	79
FILLERS		FLUSH FINISHED TOP	79
135° ANGLE FILLER	71	FLUTING	83
135° ANGLE WITH RETURN	71	FRAME CHANGE	78
3" AND 6" STRAIGHT	68	FRONT ONLY	78
3" AND 6" WITH RETURN	70	FURNITURE END	78B
ANGLED FILLER	71	GROOVED PANEL APPLIED	79
ANGLED WITH RETURN	71	INCREASE CASE DIMENSION CHARGE	78
CORNER FILLER	68	INWARD EXTENDED STILE	80
OVERLAY FILLER	69	MATCHING WOOD INTERIOR	78
RETURN, BOTH SIDES	70	OMIT BOTTOM RAIL AND FLOOR	78
		OMIT DOORS	78
WALL MODIFICATIONS		RECESSED BOTTOM	80
90 DEGREE HINGE	84	RECESSED SIDE	80
ADD CENTER RAIL	78	ROSETTE DESIGN	83
ADD CENTER STILE.	78	TOE KICK ATTACHED	78
ADDITIONAL DRAWER	83	U-SHAPE DRAWER BOX MODIFICATION	82
ANGLED SIDE ENTRY	82	VALANCE BOTTOM RAIL	80
ANGLED FRONT	82	VALANCE TOP RAIL	80
ANGLED SIDE	82	WAINSCOT END PANEL	79
APPLIED MOLDING CHARGE	78		
BEAD BOARD END	79		
CLIPPED CORNER	83		
COMBINED CABINET CHARGE	78		
DOUBLE ENTRY	82		
DRAWER HEAD UPGRADE	83		









- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes
- Specify L or R for hinge side.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets less than 21" high do not have adjustable shelves.

		PRODUCT CODE	LEVEL 1	LEVEL 2
12" High	2_doors	W2712		
	•	W3012		
	•	W3312		
	•	W3612		
	•	W3912		
	•	W4212		
	•	W4512-2		
	•	W4812-2		
	•			
15" High	2_doors	W2715		
	•	W3015		
	•	W3315		
	•	W3615		
	•	W3915		
	•	W4215		
	•	W4515-2		
	•	W4815-2		
	•			
18" High	1_door	W2418		
	•			
	2_doors	W2418-2		-
	•	W2718		
	•	W3018		
	•	W3318		
	•	W3618		
	•	W3918		
	•	W4218-2		
	•	W4518-2		
	•			

W4818-2









- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Specify L or R for hinge side.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets less than 21" high do not have adjustable shelves.

		PRODUCT CODE	LEVEL 1	LEVEL 2
21" High 1_d 1_adjustable shel	door	W2421		
-				
2_d	oors	W2421-2		
		W2721		
		W3021		
		W3321		
		W3621		
		W3921		
		W4221		
	•	W4521		
	•	W4821-2		
	•			
	door	W1824		
1_adjustable shel	f	W2124		
	•	W2424		
	•			
2_d	loors	W2424-2		
	•	W2724		
	•	W3024		
	•	W3324		
	•	W3624		
	•	W3924		
	•	W4224		
	•			
27" high 2_d		W2427-2		
2_adjustable shel	ves	W2727		•
	•	W3027		-
	•	W3327		
	•	W3627		
	•	W3927		
	•	W4227		









- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Specify L or R for hinge side.
- Cabinets 39" wide or greater will have a fixed center stile as standard

	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high 1_door	W930		
2_adjustable shelves	W1230		•
	W1530		•
	W1830		•
	W2130		•
	W2430		
30" high 2_doors	W2430-2		<u>-</u>
2_adjustable shelves	W2730		
2_uajustuote sherves	W3030		
	W3330		
	W3630		
	W3930		
	W4230		
	W4530-2		
	W4830-2		
	11 1030 2		
36" high 1_door	W936		
2_adjustable shelves	W1236		
	W1536		
	W1836		
	W2136		
	W2436		
2_doors	W2436-2		
2_00018	W2736		
	W3036		
	W3336		
	W3636		
	W3936		
	W4236		
	W4536-2		
	W4836-2		










		PRODUCT CODE	LEVEL 1	LEVEL 2
39" High	1_door	W939		
3_adjustable	Shelves	W1239		
	•	W1539		
	•	W1839		
	•	W2139		
	•	W2439		
	-			
	2_doors	W2439-2		
	_	W2739		
	-	W3039		
	_	W3339		
	_	W3639		
	_	W3939		
	_	W4239		
	_	W4539-2		
	-	W4839-2		

- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Specify L or R for hinge side.
- Cabinets 39" wide or greater will have a fixed center stile as standard.









- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. Se specific door styles for minimum sizes.
- Specify L or R for hinge side.
- Cabinets 39" wide or greater will have a fixed cen stile as standard.
- 48" High wall cabinets have a width limit of 42".

	PRODUCT CODE	LEVEL 1	LEVEL 2
42" high 1_door	W942		
3_adjustable shelves	W1242		
	W1542		
	W1842		
	W2142		
	W2442		
2_doors	W2442-2		
	W2742		
	W3042		
	W3342		
	W3642		
	W3942		
	W4242		
	W4542-2		
	W4842-2		
48" high 1_door	W948		
3_adjustable shelves	W1248		
	W1548		
	W1848		
	W2148		
	W2448		
L 2_doors	W2448-2		
ee	W2748		
	W3048		
nter	W3348		
,	W3648		
	W3948		


W4248

NOTES





WALL 3 DOOR CABINET, 13" DEEP




- Wall cabinet with three equal width doors unless otherwise specified.
- Two butt-doors and one single, offset door.
- Specify L or R for side of single door. Single door hinged to outside frame stile unless specified. (Right shown)
- 3 door cabinets have a partition behind the middle, offset stile with adjustable shelves on each side of partition.

	CODE	LEVELI	LEVEL 2
12" high	W3912-3		
0_adjustable shelves	W4212-3		
	W4512-3		
	W4812-3		
	W5112-3		
,	W5412-3		
15" high	W3915-3		
0_adjustable shelves	W4215-3		
	W4515-3		
	W4815-3		
	W5115-3		
	W5415-3		
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
18" high	W3918-3		
0_adjustable shelves	W4218-3		
	W4518-3		
	W4818-3		
	W5118-3		
	W5418-3		
	1,6,110,6		
21" high	W3921-3		-
1_adjustable shelves	W4221-3		
	W4521-3		
	W4821-3		
	W5121-3		
	W5421-3		
24" high	W3924-3		-
1_adjustable shelf	W4224-3		-
	W4524-3		-
	W4824-3		-
	W5124-3		=
	W5424-3		_

PRODUCT LEVEL 1 LEVEL 2



WALL 3 DOOR CABINET, 13" DEEP




- Wall cabinet with three equal width doors unless otherwise specified.
- Two butt-doors and one single, offset door.
- Specify L or R for side of single door. Single door hinged to outside frame stile unless specified. (Right shown)
- 3 door cabinets have a partition behind the middle, offset stile with adjustable shelves on each side of partition.

	CODE	
27" high	W3927-3	
2_adjustable shelves	W4227-3	
	W4527-3	
-	W4827-3	
-	W5127-3	
-	W5427-3	
-		
30" high	W3930-3	
2_adjustable shelves -	W4230-3	
-	W4530-3	
- -	W4830-3	
- -	W5130-3	
-	W5430-3	
-		
36" high	W3936-3	
2_adjustable shelves -	W4236-3	
-	W4536-3	
_	W4836-3	
	W5136-3	
	W5436-3	
_		
39" high	W3939-3	
3_adjustable shelves -	W4239-3	
_	W4539-3	
_	W4839-3	
_	W5139-3	
_	W5439-3	
<u>-</u>		
42" high 3_adjustable shelves -	W3942-3	
5_adjustable slietves	W4242-3	
_	W4542-3	
_	W4842-3	
_	W5142-3	
_	W5442-3	

PRODUCT LEVEL 1 LEVEL 2





- Adjustable shelves are 3/4 depth standard
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets less than 21" high do not have adjustable shelves.

	CODE	LEVELI	LEVEL 2
12" high	W241224-2		
12g	W271224		
	W301224		•
	W331224		
	W361224		
	W391224		
	W421224		
	W481224		
15" high	W241524-2		
Č	W271524		
	W301524		•
	W331524		
	W361524		
	W391524		
	W421524		
18" high	W241824-2		
	W271824		•
	W301824		•
	W331824		
	W361824		
	W391824		
	W421824		
21" high	W242124-2		
1_adjustable	W272124		
shelf	W302124		
	W332124		
	W362124		
	W392124		
	W422124		
24" high	W242424-2		ī
1_adjustable shelf	W272424		•
SHCII	W302424		
	W332424		
	W362424		
	W392424		•
	W422424		•
200111			•
27" high 2_adjustable	W242724-2		
shelf	W272724		
	W302724		
	W332724		
	W362724		
	W392724		•
	W422724		


PRODUCT

LEVEL 1

LEVEL 2




WALL OVER REFRIGERATOR CABINET, 24" DEEP



PRODUCT CODE	LEVEL 1	LEVEL 2
WORC371224		
WORC371524		
WORC371824		
WORC372124		
WORC372424		
WORC372724		

- 21" and 24" high cabinets will have 1_3/4 depth adjustable shelf.
- 27" high cabinets will have 2_3/4 depth adjustable shelves.
- These cabinets are designed to go above a 36" wide refrigerator.
- Cabinets less than 21" high do not have adjustable shelves.

WALL OVER HOOD CABINET, 13" DEEP




- These cabinets are designed to fit over range hood.
- Cabinets less than 21" high do not have adjustable shelves.

13 1/2" high	WOHC3013.5	
	WOHC3613.5	
19 1/2" high	WOHC3019.5	
	WOHC3619.5	
		•
22 1/2" high	WOHC3022.5	•
1_adjustable shelf	WOHC3622.5	•
		•
25 1/2" high	WOHC3025.5	•
1_adjustable shelf	WOHC3625.5	-
	·	•



VERTICAL STACK CABINET SPECIFICATIONS




- Cabinets that have the look of two cabinets that have been stacked one on top of the other.
- Wall cabinets have two frame openings, one top and one bottom, with a center frame rail and fixed center floor dividing the two sections.
- Tall cabinets have three frame openings, one top, one middle, and one bottom, with a center frame rail and fixed center floor dividing each section.
- Offered standard with top doors equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height equal to first set of numbers listed in the nomenclature. See example above.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening.
- Specify L or R for hinge side when applicable.
- Shelf quantities are dependent on the specific opening height of each section. A minimum of 18" frame height opening is required for an adjustable shelf. The chart below is for standard cabinets and shelf quantities will change if the height of the cabinet sections or the overall height changes.
- Matching wood interior modification (MMWI) will change the entire cabinet interior to have a finished interior.
- For vertical stacked wall cabinets: Any height change will modify the cabinet in the <u>lower section</u>. The <u>upper frame opening height</u> will not change unless specified on the order and will require a frame change charge (MFC).
- For vertical stacked tall cabinets: Any height change will modify the cabinet in the <u>middle section</u>. The <u>top and bottom frame opening heights</u> will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail below the top section. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in each section as standard.

Cab Config (0 upper shelf)	Lower Shelf Qty	Cab Config (0 upper shelf)	Lower Shelf Qty	Cab Config (0 upper shelf)	Lower Shelf Qty	Cab Config (1 upper shelf)	Lower Shelf Qty
W12VS_30	0	W15VS_30	0	W18VS_30	0	W21VS_30	0
W12VS_36	1	W15VS_36	1	W18VS_36	0	W21VS_36	0
W12VS_39	2	W15VS_39	1	W18VS_39	1	W21VS_39	0
W12VS_42	2	W15VS_42	2	W18VS_42	1	W21VS_42	1
W12VS_48	2	W15VS_48	2	W18VS_48	2	W21VS_48	2
W12VS_54	3	W15VS_54	3	W18VS_54	2	W21VS_54	2

**This chart is for standard cabinets and shelf quantities will change if the height of the cabinet sections or the overall height changes. **




WALL VERTICAL STACK CABINET




- 13" deep, standard
- Wall cabinet with the look of two cabinets that have been stacked one on top of the other.
- Two frame openings, one top and one bottom with a center frame rail and fixed center floor dividing the two sections
- Offered with top doors equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height equal to first set of numbers listed in the nomenclature. See example below.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening.
- Specify L or R for hinge side when applicable.
- Any height change will modify the cabinet in the lower section. The upper frame opening height will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in both sections as standard.
- FOL cabinets modified to under 9" and SOL cabinets under 12" may have slab doors. See specific door styles for minimum sizes.
- Wall cabinets 48" high or more have a width limit of 42".

_	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high	WVS930		
Single door	WVS1230		
•	WVS1530		
•	WVS1830		
•	WVS2130		
•	WVS2430		
2001:1			
30" high Two doors	WVS2430-2		
•	WVS2730		
•	WVS3030		
•	WVS3330		
· · · · · · · · · · · · · · · ·	WVS3630		
· · · · · · · · · · · · · · · ·	WVS3930		
•	WVS4230		
· · · · · · · · · · · · · · · ·	WVS4530		
267111			
36" high Single door	WVS936		
3 8 3	WVS1236		
•	WVS1536		
•	WVS1836		
•	WVS2136		
· · · · · · · · · · · · · · · ·	WVS2436		
36" high			
Two doors	WVS2436-2		
	WVS2736		
	WVS3036		
•	WVS3336		
_	WVS3636		
- -	WVS3936		
	WVS4236		
	WVS4536		



BRIGHTON Cabinetry


WALL VERTICAL STACK CABINET



- 13" deep, standard
- Wall cabinet with the look of two cabinets that have been stacked one on top of the other.
- Two frame openings, one top and one bottom with a center frame rail and fixed center floor dividing the two sections.
- Offered with top doors equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height equal to first set of numbers listed in the nomenclature. See example below.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening.
- Specify L or R for hinge side when applicable.
- Any height change will modify the cabinet in the lower section. The upper frame opening height will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in both sections as standard.
- FOL cabinets modified to under 9" and SOL cabinets under 12" may have slab doors. See specific door styles for minimum sizes.
- Wall cabinets 48" high or more have a width limit of 42".


	PRODUCT CODE	LEVEL 1 LEVEL 2
39" high	WVS939	
Single door	WVS1239	
	WVS1539	
•	WVS1839	_
•	WVS2139	
•	WVS2439	
2071:1		
39" high Two doors	WVS2439-2	_
	WVS2739	
•	WVS3039	
•	WVS3339	_
•	WVS3639	
•	W_VS3939	
•	WVS4239	_
•	WVS4539	
42" high Single door	WVS942	
	WVS1242	
•	WVS1542	
•	WVS1842	
•	WVS2142	
•	WVS2442	
42" high		
Two doors	WVS2442-2	
•	WVS2742	
•	WVS3042	
•	WVS3342	
•	WVS3642	
•	WVS3942	
•	WVS4242	
•		

W__VS4542




BRIGHTON Cabinetry

WALL VERTICAL STACK CABINET




- 13" deep, standard
- Wall cabinet with the look of two cabinets that have been stacked one on top of the other.
- Two frame openings, one top and one bottom with a center frame rail and fixed center floor dividing the two sections.
- Offered with top doors equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height equal to first set of numbers listed in the nomenclature. See example below.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening.
- Specify L or R for hinge side when applicable.
- Any height change will modify the cabinet in the lower section. The upper frame opening height will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in both sections as standard.
- FOL cabinets modified to under 9" and SOL cabinets under 12" may have slab doors. See specific door styles for minimum sizes.
- Wall cabinets 48" high or more have a width limit of 42".

	PRODUCT CODE	LEVEL 1	LEVEL 2
48" high	WVS948		
Single door	WVS1248		
	WVS1548		
	WVS1848		
	WVS2148		
	WVS2448		
4021:1			
48" high Two doors	WVS2448-2		
-	WVS2748		
-	WVS3048		
	WVS3348		
-	WVS3648		
-	WVS3948		
	WVS4248		
54" high Single door	WVS954		
single door .	WVS1254		
•	WVS1554		
•	WVS1854		
•	WVS2154		
_	WVS2454		
54" high			
Two doors	WVS2454-2		
	WVS2754		
	WVS3054		
	WVS3354		
	WVS3654		
	WVS3954		
	WVS4254		





WALL PIE CUT, VERTICAL STACK, 13" DEEP



Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width.

Example: WPCA242530 has a left width of 24", a right width of 25" and a height of 30".

PRODUCT	LEVEL 1	LEVEL 2
CODE		

ADJUSTABLE SHELVES

WPCA_VS2430	
WPCA_VS2436	
WPCA_VS2439	
WPCA_VS2442	
WPCA_VS2448	
WPCA_VS2454	•

WALL PIE CUT, ADJUSTABLE SHELVES

- See page W12 for Vertical Stack cabinet specifications.
- 13" deep, standard
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge.)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.

Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width.

Example: WPCA242530 has a left width of 24", a right width of 25" and a height of 30".

WALL PIE CUT, REVOLVING SHELVES

- See page W12 for Vertical Stack cabinet specifications.
- 13" deep, standard
- Turntables will be attached to each adjustable shelf and the lowest bottom floor.
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge.)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.


REVOLVING SHELVES

WPCR_VS2436	
WPCR_VS2439	
WPCR_VS2442	
WPCR_VS2448	
WPCR_VS2454	


NOTE: When finished interior is chosen, the turntables will remain Natural Maple.



WALL PIE CUT THREE DOOR, VERTICAL STACK



WPCA_VS3D243342



WPCA_VS3D332442

WALL PIE CUT 3 DOOR OFFSET CABINETS

- See page W12 for Vertical Stack cabinet specifications.
- The single hinged door is attached to the outside frame stile on the opposite leg.
- The 2-butt doors will be equal in width to each other unless otherwise specified.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.
- See illustrations for hinge configuration.

PRODUCT CODE

LEVEL 1 LEVEL 2

33" WIDE

WPCA_VS3D243330	
WPCA_VS3D243336	
WPCA_VS3D243339	
WPCA_VS3D243342	
WPCA_VS3D243348	
WPCA_VS3D243354	
WPCA_VS3D332430	
WPCA_VS3D332436	
WPCA_VS3D332439	
WPCA_VS3D332442	
WPCA_VS3D332448	
WPCA_VS3D332454	

36" WIDE

WPCA_VS3D243630	
WPCA_VS3D243636	
WPCA_VS3D243639	
WPCA_VS3D243642	
WPCA_VS3D243648	
WPCA_VS3D243654	
WPCA_VS3D362430	
WPCA_VS3D362436	
WPCA_VS3D362439	
WPCA_VS3D362442	
WPCA_VS3D362448	
WPCA_VS3D362454	


Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width. Example: WPCA_VS243342 has a left width of 24", a right width of 33" and a height of 42".



WALL DIAGONAL CORNER VERTICAL STACK

WALL DIAGONAL CORNER WITH ADJUSTABLE SHELVES

- See page W12 for Vertical Stack cabinet specifications
- WDCA's at 27" wide will be 16" deep. These are perfect for ending molding runs.
- 27" wide cabinets come standard with flush finished ends on both sides.
- Specify left (L) OR right (R) for hinge side



NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

WALL DIAGONAL CORNER WITH REVOLVING SHELVES

- See page W12 for Vertical Stack cabinet specifications
- Turntables will be attached to each adjustable shelf and the lowest bottom floor.
- WDCR's at 27" wide will be 16" deep. These are perfect for ending molding runs.
- 27" wide cabinets come standard with flush finished ends on both sides.
- Specify left (L) or right (R) for hinge side.

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.

PRODUCT CODE LEVEL 1 LEVEL 2

	ADJUSTABLE SHELVES
13" deep	WDCA_VS2430
	WDCA_VS2436
	WDCA_VS2439
	WDCA_VS2442
	WDCA_VS2448
	WDCA_VS2454
16" deep	WDCA_VS273016
	WDCA_VS273616
	WDCA_VS273916
	WDCA_VS274216
	WDCA_VS274816

REVOLVING SHELVES

13" deep WDCR_VS2436

WDCA_VS275416

	WDCR_VS2439
	WDCR_VS2442
	WDCR_VS2448
	WDCR_VS2454
16" deep	WDCR_VS273616
	WDCR_VS273916
	WDCR_VS274216
	WDCR_VS274816
	WDCR VS275416



WALL BLIND CORNER, VERTICAL STACK



BLIND AREA IS 16" WIDE. THIS PROVIDES 3" CLEARANCE FROM ADJOINING CABINET. CABINETS CAN BE PULLED AN ADDITIONAL 3".

- See page W12 for Vertical Stack cabinet specifications
- Center stile is 6 3/4" wide, blind opening is 7 3/4"W.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- Specify left (L) or right (R) for blind opening side. Right shown.
- Inside 1/4" panel covers blind opening.
- Single door hinges to blind side and have 90 degree hinging for FOL-C and SOL-C.
- **NOTE:** The adjacent cabinet at right angle to the Blind Wall must have an extended stile or filler for proper door clearance. Hardware pulls will require additional clearance.

BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT
WBC 27	9 1/2"	30"
WBC 30	12 1/2"	33"
WBC 33	15 1/2"	36"
WBC 36	18 1/2"	39"
WBC 39	21 1/2"	42"
WBC 42	24 1/2"	45"
WBC 45	27 1/2"	48"
WBC 48	30 1/2"	51"

Door edge to adjacent corner filler clearance with-

SEMI OVERLAY

2 5/8"

	CODE
30" high	WBCVS2730
	WBCVS3030
	WBCVS3330
	WBCVS3630
36" high	WBCVS2736
	WBCVS3036
	WBCVS3336
	WBCVS3636
39" high	WBCVS2739
	WBCVS3039
	WBCVS3339
	WBCVS3639
42" high	WBCVS2742
	WBCVS3042
	WBCVS3342
	WBCVS3642
48" high	WBCVS2748
	WBCVS3048
	WBCVS3348
	WBCVS3648
54" high	WBCVS2754
	WBCVS3054
	WBCVS3354
	WBCVS3654
WA	ALL FINISHED BLIND SOLID
	MWFBS

PRODUCT

LEVEL 1 LEVEL 2


out pulling cabinet from corner:

FULL OVERLAY SE

1 3/4"



WALL 2 DOOR, BLIND CORNER, STACK CABINETS



BLIND AREA IS 16" WIDE. THIS PROVIDES 3" CLEARANCE FROM ADJOINING CABINET. CABINETS CAN BE PULLED AN **ADDITIONAL 3".**

- See page W12 for Vertical Stack cabinet specifications
- Center stile is 6 3/4" wide, blind opening is 7 3/4"W.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- Specify left (L) or right (R) for blind opening side. Right shown.
- The door closest to the blind side will have 90 degree hinging for FOL-C and Sol-C.
- Inside 1/4" panel covers blind opening.
- NOTE: The adjacent cabinet at right angle to the Blind Wall must have an extended stile or filler for proper door clearance. Hardware pulls will require additional clearance.


BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT
WBC 27	9 1/2"	30"
WBC 30	12 1/2"	33"
WBC 33	15 1/2"	36"
WBC 36	18 1/2"	39"
WBC 39	21 1/2"	42"
WBC 42	24 1/2"	45"
WBC 45	27 1/2"	48"
WBC 48	30 1/2"	51"
Door edge to adjacent corner filler clearance without pulling cabinet from corner:		

FULL OVERLAY SEMI OVERLAY 1 3/4" 2 5/8"

	PRODUCT CODE	LEVEL 1 LEVEL 2
30" high	WBCVS3930-2	
	WBCVS4230-2	
	WBCVS4530-2	
	WBCVS4830-2	
36" high	WBCVS3936-2	
	WBCVS4236-2	
	WBCVS4536-2	
	WBCVS4836-2	
39" high	WBCVS3939-2	
	WBCVS4239-2	
	WBCVS4539-2	
	WBCVS4839-2	
42" high	WBCVS3942-2	
	WBCVS4242-2	
	WBCVS4542-2	
	WBCVS4842-2	
48" high	WBCVS3948-2	
	WBCVS4248-2	
	WBCVS4548-2	
	WBCVS4848-2	
54" high	WBCVS3954-2	
	WBCVS4254-2	
	WBCVS4554-2	
	WBCVS4854-2	
W	ALL FINISHED B	LIND SOLID
	MWFBS	



WALL 1 DOOR, BLIND CORNER



BLIND AREA IS 16" WIDE. THIS PROVIDES 3" CLEARANCE FROM ADJOINING CABINET. CABINETS CAN BE PULLED AN ADDITIONAL 3".

- Center stile is 6 3/4" wide, blind opening is 7 3/4"W.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- Specify left (L) or right (R) for blind opening side. Right shown.
- Inside 1/4" panel covers blind opening.
- Single door hinges to blind side and will have 90 degree hinging for FOL-C and SOL-C.
- Vertical stack cabinet configuration also available, see Wall Contents.

NOTE: The adjacent cabinet at right angle to the Blind Wall must have an extended stile or filler for proper door clearance. Hardware pulls will require additional clearance.

BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT	
WBC 27	9 1/2"	30"	
WBC 30	12 1/2"	33"	
WBC 33	15 1/2"	36"	
WBC 36	18 1/2"	39"	
WBC 39	21 1/2"	42"	
WBC 42	24 1/2"	45"	
WBC 45	27 1/2"	48"	
WBC 48	30 1/2"	51"	
Door edge to adjacent corner filler clearance without pulling cabinet from corner:			
FULL OVERLA 1 3/4"	AY SEI	MI OVERLAY 2 5/8"	


	CODE
24" high 1_adjustable shelf	WBC2724
	WBC3024
	WBC3324
	WBC3624
30" high	WBC2730
2_adjustable shelves	WBC3030
	WBC3330
	WBC3630
36" high	WBC2736
2_adjustable shelves	WBC3036
	WBC3336
	WBC3636
39" high	WBC2739
3_adjustable shelves	WBC3039
	WBC3339
	WBC3639
42" high 3_adjustable	WBC2742
shelves	WBC3042
	WBC3342
	WBC3642
48" high 3_adjustable	WBC2748
shelves	WBC3048
	WBC3348
	WBC3648
WALL	FINISHED BLIND SOLID

MWFBS

PRODUCT LEVEL 1 LEVEL 2



WALL 2 DOOR, BLIND CORNER



BLIND AREA IS 16" WIDE. THIS PROVIDES 3" CLEARANCE FROM ADJOINING CABINET. CABINETS CAN BE PULLED AN ADDITIONAL 3".

- Center stile is 6 3/4" wide, blind opening is 7 3/4"W.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- Specify left (L) or right (R) for blind opening side. Right shown.
- The door closest to the blind side will have 90 degree hinging for FOL-C and SOL-C.
- Inside 1/4" panel covers blind opening.
- Vertical stack cabinet configuration also available, see Wall Contents.

NOTE: The adjacent cabinet at right angle to the Blind Wall must have an extended stile or filler for proper door clearance. Hardware pulls will require additional clearance.

BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT	
WBC 27	9 1/2"	30"	
WBC 30	12 1/2"	33"	
WBC 33	15 1/2"	36"	
WBC 36	18 1/2"	39"	
WBC 39	21 1/2"	42"	
WBC 42	24 1/2"	45"	
WBC 45	27 1/2"	48"	
WBC 48	30 1/2"	51"	
Door edge to adjacent corner filler clearance without pulling cabinet from corner:			
FULL OVERLA 1 3/4"	AY SEI	MI OVERLAY 2 5/8"	


	PRODUCT CODE	LEVEL 1	LEVEL 2
24" high 1_adjustable shelf	WBC3924-2		
	WBC4224-2		
	WBC4524-2		
	WBC4824-2		
30" high	WBC3930-2		
2_adjustable shelves	WBC4230-2		
	WBC4530-2		
	WBC4830-2		
36" high	WBC3936-2		
2_adjustable shelves	WBC4236-2		
	WBC4536-2		
	WBC4836-2		
39" high	WBC3939-2		
3_adjustable shelves	WBC4239-2		
	WBC4539-2		
1	WBC4839-2		
42" high	WBC3942-2		
3_adjustable shelves	WBC4242-2		
	WBC4542-2		
	WBC4842-2		
48" high 3_adjustable	WBC3948-2		
shelves	WBC4248-2		


WALL FINISHED BLIND SOLID

MWFBS



WALL PENINSULA CABINET, 13" DEEP







- Double entry cabinet with functioning doors on face and back.
- Hinge side specified on single door cabinets will be same on front and back unless otherwise specified.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets less than 21" high do not have adjustable shelves.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.

	PRODUCT CODE	LEVEL 1	LEVEL 2
18" high	PW2418		
No shelf	PW2418-2		
	PW2718		
	PW3018		
	PW3318		
	PW3618		
21" high	PW2421		
1_adjustable	PW2421-2		
shelf	PW2721		
	PW3021		
	PW3321		
	PW3621		
	-		
24" high	PW2424		
1_adjustable	PW2424-2		
shelf	PW2724		
	PW3024		
	PW3324		
	PW3624		
27" high	PW2427		
2_adjustable	PW2427-2		
shelves	PW2727		
	PW3027		
	PW3327		
	PW3627		
30" high	PW930		
2_adjustable	PW1230		
shelves	PW1530		
	PW1830		
	PW2130		
	PW2430		
	PW2430-2		
	PW2730		
	PW3030		
	PW3330		
	PW3630		
	PW3930		
	PW4230		
	PW4530-2		
	PW4830-2		



WALL PENINSULA CABINET, 13" DEEP





	*


- Double entry cabinet with functioning doors on face and back.
- Hinge side specified on single door cabinets will be same on front and back unless otherwise specified.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets less than 21" high do not have adjustable shelves.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	PW936		
2_adjustable shelves	PW1236		
	PW1536		
	PW1836		
	PW2136		
	PW2436		
	PW2436-2		
	PW2736		
	PW3036		
	PW3336		
	PW3636		
	PW3936		
	PW4236		

PW4536-2 PW4836-2




WALL COMBINED WITH PIGEON HOLE



- 13" deep, standard
- 2 door wall cabinet with pigeon hole attached to bottom.
- Pigeon hole area has 4 1/2" high opening.
- Matching wood interior of entire cabinet is standard.
- Pigeon hole will be framed as standard on all vertical dividers.
- Configuration of pigeon hole will be based on the width of standard pigeon hole units.
- 36" and 42" tall units will have 2 adjustable shelves in the upper section.
- 48" tall units will have 3 adjustable shelves in the upper section.

PRODUCT CODE	LEVEL 1	LEVEL 2
WCPH2436		
WCPH2736		
WCPH3036		
WCPH3336		
WCPH3636		
WCPH3936		
WCPH4236		
WCPH2442		
WCPH2742		
WCPH3042		
WCPH3342		
WCPH3642		
WCPH3942		
WCPH4242		
WCPH2448		
WCPH2748		
WCPH3048		
WCPH3348		
WCPH3648		
WCPH3948		
WCPH4248		

WALL COMBINED WITH APOTHECARY DRAWERS




CABINET WIDTH	QTY OF DRAWERS
24"	4
30"	5
36"	6
42"	7

- 13" deep, standard.
- 2 door wall cabinet with apothecary drawers under the door area.
- 36" and 42" tall units will have 2 adjustable shelves in the upper section.
- 48" tall units will have 3 adjustable shelves in the upper section.
- 5-Piece drawer fronts are <u>not</u> available
- Knobs are for illustrative purposes only and must be purchased separately.

WCAD2436
WCAD3036
WCAD3636
WCAD4236
WCAD2442
WCAD3042
WCAD3642
WCAD4242
WCAD2448
WCAD3048
WCAD3648
WCAD4248



WALL COMBINED WITH WINE RACK "CUBBY" STYLE




- 36" and 42" tall units will have 2 adjustable shelves in the upper section.
- 48" tall units will have 3 adjustable shelves in the upper section.
- Cabinets will be 13" deep.
- Quantity of bottles per width size are as follows: 24" wide = 4 bottles, 30" wide = 5 bottles, 36" wide = 6 bottles, 42" wide = 7 bottles.
- Matching wood interior of entire cabinet is standard.

CODE	LEVEL 1 LEVEL 2
WCWCH2436	
WCWCH3036	
WCWCH3636	
WCWCH4236	
WCWCH2442	_
WCWCH3042	_
WCWCH3642	_
WCWCH4242	_
WCWCH2448	
WCWCH3048	
WCWCH3648	
WCWCH4248	

PRODUCT LEVEL 1 LEVEL 2

WALL COMBINED WITH WINE RACK "WWBS" STYLE




- 13" deep, standard
- 2 door wall cabinet with WWBS style wine rack under the door area only.
- 36" and 42" tall units will have 2 standard, adjustable shelves in the upper section.
- 48" tall units will have 3 standard, adjustable shelves in the upper section
- Matching wood interior of entire cabinet is standard.

WCWBS2436
WCWBS2736
WCWBS3036
WCWBS3336
WCWBS3636
WCWBS2442
WCWBS2742
WCWBS3042
WCWBS3342
WCWBS3642
WCWBS2448
WCWBS2748
WCWBS3048
WCWBS3348
WCWBS3648




WALL COMBINED WITH WINE RACK "LATTICE" STYLE



- 2_door cabinet with lattice style wine rack under the door area.
- Wine rack section will be 18" high standard.
- Cabinet will be standard with finished interior throughout.
- If mullion or frame only doors are desired, add the appropriate charge to the cabinet.
- Cabinets will be 13" deep.
- 4" Bottle ports.
- 36" tall units will not have an adjustable shelf in the upper section.
- 42" tall units will have 1 adjustable shelf in the upper section
- 48" tall units will have 2 adjustable shelves in the upper section.
- Recess at the bottom of the cabinet is less than standard such as for under cabinet lighting.

PRODUCT CODE	LEVEL 1	LEVEL 2
WCWWL2436		
WCWWL2736		
WCWWL3036		
WCWWL3336		
WCWWL2442		
WCWWL2742		
WCWWL3042		
WCWWL3342		
WCWWL2448		
WCWWL2748		
WCWWL3048		
WCWWL3348		
	•	

WALL COMBINED WITH WINE RACK "LATTICE SOLID" STYLE




- 2_door cabinet with solid lattice style wine rack under the door area.
- Wine rack section will be 18" high standard.
- Cabinet will be standard with finished interior throughout.
- If mullion or frame only doors are desired, add the appropriate charge to the cabinet.
- Cabinets will be 13" deep.
- 4" Bottle ports.
- 36" tall units will not have an adjustable shelf in the upper section.
- 42" tall units will have 1 adjustable shelf in the upper section
- 48" tall units will have 2 adjustable shelves in the upper section.
- Recess at the bottom of the cabinet is less than standard such as for under cabinet lighting.

WCWWLS2436
WCWWLS2736
WCWWLS3036
WCWWLS3336
WCWWLS2442
WCWWLS2742
WCWWLS3042
WCWWLS3342
WCWWLS2448
WCWWLS2748
WCWWLS3048
WCWWLS3348




WALL WINE RACK, LATTICE STYLE



WALL WINE LATTICE (WWL)

- 13" deep, standard
- 11/16" X 11/16" wood lattice.
- 4" bottle ports.
- Interior finished in matching job species/stain.
- Recess at the bottom of the cabinet is less than standard such as for under cabinet lighting.

ALL WINE RACKS ON THIS PAGE WILL BE THE SAME INTERIOR WOOD SPECIE AND FINISH AS EXTERIOR




WALL WINE SOLID LATTICE (WWSL)

- 13" deep, standard
- 1/2" edge banded plywood, full depth.
- 4" bottle ports.
- Interior finished in matching job species/stain.
- Recess at the bottom of the cabinet is less than standard such as for under cabinet lighting.

_	
PRODUCT	LIST
CODE	PRICE
WWL2715	
WWL3015	
WWL3315	
WWL3615	
WWL2718	
WWL3018	
WWL3318	
WWL3518	
W W L 3018	
NAME 1520	
WWL1530	
WWL1830	
WWL2130	
WWL2430	
WWL2730	
WWL3030	
WWL3330	
WWL3630	
WWL1836	
WWL2436	
WWL2736	
	_
WW.CI 2715	
WWSL2715	
WWSL3015	
WWSL3315	
WWSL3615	
WWSL2718	
WWSL3018	
WWSL3318	
WWSL3618	
WWSL1530	
WWSL1830	
WWSL2130	
WWSL2430	
WWSL2730	
WWSL3030	
WWSL3330	
WWSL3630	
11 11 SL3030	
W/W/CI 1024	
WWSL1836	
WWSL2436	
WWSL2736	




WALL WINE RACKS





WALL WINE BOTTLE SHELF (WWBS)

- 13" deep, standard
- 4 1/2" centers on rail holders.
- 1 adjustable wine bottle shelf in 15" and 18" high.
- 3 adjustable wine bottle shelves in 30" and 36' high.
- Interior finished in matching job species/stain.

ALL WINE RACKS ON THIS PAGE WILL BE THE SAME INTERIOR WOOD SPECIE AND FINISH AS EXTERIOR







CUBBY HORIZONTAL

WALL WINE CUBBYS


- 13" deep, standard
- 1/2" plywood case, framed construction.
- Floors scooped so bottles do not roll. (Not visible in illustration for WWCH.)
- Interior finished in matching job species/stain.

PRODUCT	LIST
CODE	PRICE
WWBS2715	
WWBS3015	
WWBS3315	
WWBS3615	
WWBS2718	
WWBS3018	
WWBS3318	
WWBS3618	
WWBS1530	
WWBS1830	
WWBS2130	
WWBS2430	
WWBS2730	
WWBS3030	
WWBS3330	
WWBS3630	
WWBS1836	
WWBS2436	
WWBS2736	
	

PRODUCT CODE	BOTTLE QUANTITY	LIST PRICE
WWCV624	4	
WWCV630	5	
WWCV636	6	
WWCV642	7	
WWCH246	4	
WWCH306	5	
WWCH366	6	
WWCH426	7	



WALL WINE RACK DISPLAY CABINET




Vertical type configuration, available standard in 30" and 36" heights. Each column will have the lower area for display and stacked bottles above.

WWRD1236, holds 10 bottles


WALL WINE RACK DISPLAY CABINET

- 13" deep standard
- Minimum dimensions: 9" wide, 15" high, 13" deep.
- Cabinet case is same interior wood and specie as exterior.
- Interior bottle racks will always be Maple, finished in choice of Natural (NA) or Black (BL). Specify finish: NA or BL. Any other specie or finish <u>MUST</u> be quoted.

NOTE: Bottle configuration may be altered and may be less appealing visually if the dimensions are modified from those offered as standard.



WWRD2721, holds 16 bottles



WWRD3321, holds 20 bottles

Horizontal type
configurations*,
available standard
in 15", 18" and
21" heights.


	PRODUCT CODE	BOTTLE QTY	
	(vertical o	configuration	n)
30" high	WWRD930_	4	
	WWRD1230_	8	
	WWRD1530_	8	
	WWRD1830_	12	
	WWRD2130_	16	
36" high	WWRD936_	5	
	WWRD1236_	10	
	WWRD1536_	10	
	WWRD1836_	15	
	WWRD2136_	20	

	(horizontal configuration*)		
15" high	WWRD2715_	8	
	WWRD3015_	10	
	WWRD3315_	10	
	WWRD3615_	11	
18" high	WWRD2718_	11	
	WWRD3018_	14	
	WWRD3318_	14	
	WWRD3618_	15	
21" high	WWRD2721_	16	
	WWRD3021_	20	
	WWRD3321_	20	
	WWRD3621_	22	

^{*}Any wine rack display cabinet less than 24" high will have the bottle rack configured with the outer-most columns always as stacked bottles and every other column as a display. 30" and 33" wide units will have two center columns for stacked bottles. See illustrations.



WALL WINE RACK, 'X' SOLID LATTICE




PRODUCT CODE	LIST PRICE
WWXSL1818	
WWXSL2121	
WWXSL2424	

- 13" deep, standard
- Single X-shaped solid lattice
- Interior finished in matching job species/stain.
- Recess at the bottom of the cabinet is less than standard such as for under cabinet lighting.

ALL WINE RACKS ON THIS PAGE WILL BE THE SAME INTERIOR WOOD SPECIE AND FINISH AS EXTERIOR



WALL SPICE RACK PULL OUT




WALL SPICE RACK PULL OUT, 13" DEEP

- 13" deep, standard.
- 21" to 24" high units will have 1_adjustable shelf.
- 27" to 30" high units will have 2_adjustable shelves.
- 36" to 42" high units will have 3_adjustable shelves.
- 100# full extension, side-mount glides will be standard.
- Most doors will be available as 5 piece but could have the door stiles reduced in width.
- Minimum standard width limit of 6", maximum width=15".
 If width is reduced below 9", slab fronts may be necessary for most door designs. Please see specific door design for minimum available door size.
- Cannot be reduced in height below 18" or depth below 12". Maximum height=42"

	PRODUCT CODE	LEVEL 1	LEVEL 2
13" deep	WSP62113		
	WSP62413		
	WSP62713		
	WSP63013		
	WSP63613		
	WSP63913		
	WSP64213		
	WSP92113		
	WSP92413		
	WSP92713		
	WSP93013		
	WSP93613		
	WSP93913		
	WSP94213		
	WSP122113		
	WSP122413		
	WSP122713		
	WSP123013		
	WSP123613		
	WSP123913		
	WSP124213		
	WSP152113		
	WSP152413		
	WSP152713		
	WSP153013		
	WSP153613		
	WSP153913		
	WSP154213		



WALL SPICE RACK PULL OUT



WALL SPICE RACK PULL OUT, 16" DEEP


- 16" deep, standard.
- 21" to 24" high units will have 1_adjustable shelf.
- 27" to 30" high units will have 2_adjustable shelves.
- 36" to 42" high units will have 3_adjustable shelves.
- 100# full extension, side-mount glides will be standard.
- Most doors will be available as 5 piece but could have the door stiles reduced in width.
- Minimum standard width limit of 6", maximum width=15".
 If width is reduced below 9", slab fronts may be necessary for most door designs. Please see specific door design for minimum available door size.
- Cannot be reduced in height below 18" or depth below 12". Maximum height=42"

	CODE	LEVELI	LEVEL 2
16" deep	WSP62116		
	WSP62416		
	WSP62716		
	WSP63016		
	WSP63616		
	WSP63916		
	WSP64216		
	WSP92116		
	WSP92416		
	WSP92716		
	WSP93016		
	WSP93616		
	WSP93916		
	WSP94216		
	WSP122116		
	WSP122416		
	WSP122716		
	WSP123016		
	WSP123616		
	WSP123916		
	WSP124216		
	WSP152116		
	WSP152416		
	WSP152716		
	WSP153016		
	WSP153616		
	WSP153916		
	WSP154216		

PRODUCT LEVEL 1 LEVEL 2



WALL PLATE RACK CABINET




- 13" deep standard.
- Finished interior standard.
- 15" high unit will accept up to a 11-1/2" diameter plate, 18" high unit will accept 14-1/2" diameter plate <u>EXCEPT</u> for inset. Inset cabinets 15" high will accept 10-1/2" plates and 18" high will accept 13-1/2" diameter plates.
- 1/2" hardwood dowels are removable.
- Dowels are on 2" centers.
- Dowels are not available in Clear Alder, Hickory, Quarter Sawn White Oak, Red Birch, Rustic Alder or Rustic Hickory. Another specie will be substituted.

PRODUCT CODE	Plate Qty	LIST PRICE
WPRC2115	9	
WPRC2415	10	
WPRC2715	12	
WPRC3015	13	
WPRC3315	15	
WPRC3615	16	
WPRC2118	9	
WPRC2418	10	
WPRC2718	12	
WPRC3018	13	
WPRC3318	15	
WPRC3618	16	



WALL ANGLED CABINET


ONE FRONT



PRODUCT CODE	LEVEL 1	LEVEL 2
WAC-1 1330		
WAC-1 1336		
WAC-1 1339		
WAC-1 1342		
WAC-1 1348		

WALL ANGLED CABINET, 1 FRONT

- 13" wide x 13" deep, standard
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.
- Specify left (L) or right (R) for hinge.



TWO FRONTS


WAC-2 1330	
WAC-2 1336	
WAC-2 1339	
WAC-2 1342	
WAC-2 1348	

WALL ANGLED CABINET, 2 FRONTS

- 13" wide x 13" deep, standard
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.



WALL ANGLED INSIDE CABINETS




PRODUCT CODE	LEVEL 1	LEVEL 2
WAIC2130		
WAIC2136		
WAIC2139		
WAIC2142		
WAIC2430		
WAIC2436		
WAIC2439		
WAIC2442		
WAIC2730		
WAIC2736		
WAIC2739		
WAIC2742		

Product Code	Face frame width	Back width / wall space
WAIC21	15 5/8"	21"
WAIC24	18 5/8"	24"
WAIC27	21 5/8"	27"

WALL 135 DEGREE ANGLED CORNER CABINETS

- 13" deep standard
- 135 degree inside (WAIC) or outside (WAOC) angled front with full height doors hinged to the outside.
- 30" and 36" cabinets include two adjustable shelves, 39" and 42" cabinets include three adjustable shelves.
- Modifications to width or depth will require a custom quote.

WALL ANGLED OUTSIDE CABINETS



Product Code	Face frame width	Back width / wall space
WAOC6	11 3/8"	6"
WAOC9	14 3/8"	9"
WAOC12	17 3/8"	12"

PRODUCT CODE	LEVEL 1	LEVEL 2
WAOC630		
WAOC636		
WAOC639		
WAOC642		
WAOC930		
WAOC936		
WAOC939		
WAOC942		
WAOC1230		
WAOC1236		
WAOC1239		
WAOC1242		
	•	

NOTES




NOTES





WALL PIE CUT, 13" DEEP



Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width.


Example: WPCA242530 has a left width of 24", a right

width of 25" and a height of

PRODUCT CODE	LEVEL 1	LEVEL 2
WPCA2424		
WPCA2430		
WPCA2436		
WPCA2439		
WPCA2442		
WPCA2448		

WALL PIE CUT, ADJUSTABLE SHELVES

- 13" deep, standard
- 24" high cabinets have one adjustable shelf.
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge.)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage
 to the cabinet face frame.
- Vertical stack cabinet configuration also available, see Wall Contents.



Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width.

Example: WPCA242530 has

Example: WPCA242530 has a left width of 24", a right width of 25" and a height of 30"

WPCR2424
WPCR2430
WPCR2436
WPCR2439
WPCR2442
WPCR2448


WALL PIE CUT, REVOLVING SHELVES

- 13" deep, standard
- 24" high cabinets have one adjustable shelf and two turntables.
- 30" thru 36" high cabinets have two adjustable shelves and three turntables.
- 39" thru 48" high cabinets have three adjustable shelves and four turntables.
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.
- Vertical stack cabinet configuration also available, see Wall Contents.


NOTE: When finished interior is chosen, the turntables will remain Natural Maple.



WALL PIE CUT THREE DOOR, 13" DEEP



Pie cut cabinets with unequal width dimensions will list the left width first in the product nomenclature followed by the right width. Example: WPCA243330 has a left width of 24", a right width of 33" and a height of 30".



WALL PIE CUT 3 DOOR OFFSET CABINETS

- The single hinged door is attached to the outside frame stile on the opposite leg.
- The 2-butt doors will be equal in width to each other unless otherwise specified.
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.
- See illustrations for hinge configuration.
- Vertical stack cabinet configuration also available, see Wall Contents.


PRODUCT LEVEL 1 LEVEL 2 CODE

	33" WIDE
2 adjustable shelves	WPCA3D243330
	WPCA3D243336
-	WPCA3D243339
shelves	WPCA3D243342
	WPCA3D243348
2 adjustable shelves	WPCA3D332430
	WPCA3D332436
3 adjustable shelves	WPCA3D332439
	WPCA3D332442
	WPCA3D332448

	36" WIDE
2 adjustable shelves	WPCA3D243630
	WPCA3D243636
-	WPCA3D243639
shelves	WPCA3D243642
•	WPCA3D243648
•	
2 adjustable shelves	WPCA3D362430
	WPCA3D362436
•	
3 adjustable shelves	WPCA3D362439
	WPCA3D362442
	WPCA3D362448




WALL PIE CUT PENINSULA CABINET, 13" DEEP



	PRODUCT CODE	LEVEL 1	LEVEL 2
ADJUSTABLE	WPPA_2424_		
SHELVES	WPPA_2430_		
	WPPA_2436_		
	WPPA_2439_		
	WPPA_2442_		
	WPPA_2448_		

WALL PIE CUT PENINSULA WITH ADJUSTABLE SHELVES

- 24" high cabinets has one adjustable shelf.
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- First space in product code will designate side for rear entry side (Right shown). Last space in product code is for hinge side on front. (Left shown).
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage
 to the cabinet face frame.



REVOLVING SHELVES


WPPR_2424_
WPPR_2430_
WPPR_2436_
WPPR_2439_
WPPR_2442_
WPPR_2448_

NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

WALL PIE CUT PENINSULA WITH REVOLVING SHELVES

- 24" high cabinets have one adjustable shelf and two turntables.
- 30" thru 36" high cabinets have two adjustable shelves and three turntables.
- 39" thru 48" high cabinets have three adjustable shelves and four turntables.
- Specify left (L) or right (R) for hinge side. (No partition available on same side as hinge)
- Cabinets with a leg width modified to less than 24", may have a slab door. See specific door styles for minimum sizes.
- First space in product code will designate side for rear entry side (Right shown). Last space in product code is for hinge side on front. (Left shown).
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage
 to the cabinet face frame.

WALL DIAGONAL CORNER



PRODUCT	LEVEL 1	LEVEL 2
CODE		


	ADJUSTABLE SHELVES
3" deep	WDCA2424
	WDCA2430
	WDCA2436
	WDCA2439
	WDCA2442
•	WDCA2448

1

WALL DIAGONAL CORNER WITH ADJUSTABLE SHELVES 16" deep

- 24" high cabinets has one adjustable shelf.
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.
- WDCA's at 27" wide will be 16" deep. These are perfect for ending molding runs.
- 27" wide cabinets come standard with flush finished ends on both
- Specify left (L) OR right (R) for hinge side
- Vertical stack cabinet configuration also available, see Wall Contents.

WDCA272416
WDCA273016
WDCA273616
WDCA273916
WDCA274216
WDCA274816



NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

REVOLVING
SHELVES

	SHEETES
13" deep	WDCR2424
	WDCR2430
	WDCR2436
	WDCR2439
	WDCR2442
	WDCR2448
16" deep	WDCR272416

WDCR273016

WDCR273616 WDCR273916

WDCR274216


WALL DIAGONAL CORNER WITH REVOLVING SHELVES

- 24" high cabinets have one adjustable shelf and two turntables.
- WDCR274816 • 30" thru 36" high cabinets have two adjustable shelves and three turntables.
- 39" thru 48" high cabinets have three adjustable shelves and four turntables.
- WDCR's at 27" wide will be 16" deep. These are perfect for ending molding runs.
- 27" wide cabinets come standard with flush finished ends on both sides.
- Specify left (L) or right (R) for hinge side.
- Vertical stack cabinet configuration also available, see Wall Contents.

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.




WALL DIAGONAL PENINSULA (24" Wide, 13" Deep)



	PRODUCT CODE	LEVEL 1	LEVEL 2
ADJUSTABLE	WDPA_2424_		
SHELVES	WDPA_2430_		
	WDPA_2436_		
	WDPA_2439_		
	WDPA_2442_		
	WDPA_2448_		

WALL DIAGONAL PENINSULA WITH ADJUSTABLE SHELVES

- 24" high cabinets has one adjustable shelf.
- 30" thru 36" high cabinets have two adjustable shelves.
- 39" thru 48" high cabinets have three adjustable shelves.
- Specify left (L) or right (R) for hinge side.
- First space in product code will designate side for rear entry side (Right shown). Last space in product code is for hinge side on front. (Right shown).



REVOLVING SHELVES

WDPR_2424_	
WDPR_2430_	
WDPR_2436_	
WDPR_2439_	
WDPR_2442_	
WDPR_2448_	
<u>'</u>	

NOTE: When finished interior is chosen, the turntables will remain Natural Maple.


WALL DIAGONAL PENINSULA WITH REVOLVING SHELVES

- 24" high cabinets have one adjustable shelf and two turntables.
- 30" thru 36" high cabinets have two adjustable shelves and three turntables.
- 39" thru 48" high cabinets have three adjustable shelves and four turntables.
- Specify left (L) or right (R) for hinge side.
- First space in product code will designate side for rear entry side (Right shown). Last space in product code is for hinge side on front. (Right shown).

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.



DIAGONAL CABINET WITH TAMBOUR



	PRODUCT CODE	LEVEL 1	LEVEL 2
	Adjus	stable Shelve	es
24" Wide, 13" Deep	WDAT2448		
	WDAT2454		
	WDAT2457		
	WDAT2460		
27" Wide, 16" Deep	WDAT274816		
S AND TAMBOUR	WDAT275416		
ves.	WDAT275716		
lves.	WDAT276016		

WALL DIAGONAL W/ ADJUSTABLE SHELVES AND TAMBOUR

- 48" thru 54" high cabinets have two adjustable shelves.
- 57" thru 60" high cabinets have three adjustable shelves
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 3" center rail
- Specify left or right hinge.
- When height is modified the lower section will remain the same (18" H.) The difference in height is added to or subtracted from the upper section. If the lower section height needs modified, please specify on the order. Include a drawing when possible.
- Tambour door not available in Clear Alder, Quarter Sawn White Oak, Red Birch, or Rustic Alder. Another specie will be substituted instead. For Rustic Hickory: standard grade wood will be substituted.

WALL DIAGONAL WITH REVOLVING SHELVES AND TAMBOUR

- 48" thru 54" high cabinets have two adjustable shelves and three turntables
- 57" thru 60" high cabinets have three adjustable shelves and 4 turntables
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 3" center rail
- Specify left or right hinge.
- When height is modified the lower section will remain the same (18" H.) The difference in height is added to or subtracted from the upper section. If the lower section height needs modified, please specify on the order. Include a drawing when possible.
- Tambour door not available in Clear Alder, Quarter Sawn White Oak, Red Birch, or Rustic Alder.
 Another specie will be substituted instead. For Rustic Hickory: standard grade wood will be substituted.


	Revolving Shelves
24" Wide, 13" Deep	WDRT2448
	WDRT2454
	WDRT2457
	WDRT2460
27" Wide, 16" Deep	WDRT274816
	WDRT275416
	WDRT275716
	WDRT276016
•	

NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.




DIAGONAL COUNTER ORGANIZERS



_	PRODUCT CODE	LEVEL 1	LEVEL 2
24" Wide, 13" Deep	WDTCO24		
_			
27" Wide, 16" Deep	WDTCO27		
-			

DIAGONAL TAMBOUR COUNTER ORGANIZER

- Inside tambour area is UV Birch veneer.
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 3" top rail is standard.
- 18" high standard.
- Tambour door not available in Clear Alder, Quarter Sawn White Oak, Red Birch, or Rustic Alder. Another specie will be substituted instead. For Rustic Hickory: standard grade wood will be substituted.




24" Wide, 13" Deep	WDAG24	
- · · · · · · · · · · · · · · · · · · ·		_
<u>-</u>		
27" Wide, 16" Deep	WDAG27	

DIAGONAL HINGED DOOR ORGANIZER

- Inside hinged area is UV Birch veneer.
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 1 1/2" top rail is standard.
- 18" high standard
- Specify (L) left or (R) right for hinge side.



DIAGONAL CABINET WITH COUNTER TOP HINGED DOOR



WALL DIAGONAL CABINET WITH ADJUSTABLE SHELVES AND HINGED DOOR

- 48" to 54" high cabinets have two adjustable shelves.
- 57" to 60" high cabinets have three adjustable shelves.
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 3" center rail for FOL-C (pictured) and 1 1/2" center rail for SOL / Inset are standard.
- Specify left or right hinge. Upper and lower doors are hinged on same side.
- When height is modified the lower section will remain the same (18" H.) The difference in height is added to or subtracted from the upper section. If the lower section height needs modified, please specify on the order. Include a drawing when possible.

PRODUCT LEVEL 1 LEVEL 2 CODE

ADJUSTABLE SHELVES

24" wide, 13" deep

WDAAG2448

WDAAG2454

WDAAG2457

WDAAG2460

27" wide, 16" deep

WDAAG2748

WDAAG2754

WDAAG2757

WDAAG2760

NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

WALL DIAGONAL CABINET WITH REVOLVING SHELVES AND HINGED DOOR (not pictured)

- 48" to 54" high cabinets have two adjustable shelves and three turntables
- 57" to 60" high cabinets have three adjustable shelves and four turntables.
- Finished ends are standard for 13" deep. Flush finished ends are standard for 16" deep.
- 3" center rail for FOL-C and 1 1/2" center rail for SOL / Inset are standard
- Specify left or right hinge. Upper and lower doors are hinged on the same side.
- When height is modified the lower section will remain the same (18"H.)
 The difference in height is added to or subtracted from the upper section.
 If the lower section needs modified, please specify on the order. Include a drawing when possible.

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.

REVOLVING SHELVES

24" wide, 13" deep

WDRAG2448

WDRAG2454

WDRAG2457

WDRAG2460

27" wide, 16" deep

WDRAG2748


WDRAG2754

WDRAG2757

WDRAG2760



WALL DIAGONAL LIFTUP APPLIANCE GARAGE



- WDALG: 48" to 54" high cabinets have two adjustable shelves & 57" to 60" high cabinets have three adjustable shelves.
- WDRLG: 48" to 54" high cabinets have two adjustable shelves and three turntables. 57" to 60" high have three adjustable shelves and four turntables.
- 13" deep cabinets have finished ends standard, 16" deep cabinets have flush finished ends standard.
- 3" center rail for FOL-C and 1 1/2" center rail for SOL / Inset are standard.
- 15" high clearance below appliance lift-up door when door is raised. When increasing the lower opening height of the cabinet frame the door will not raise any higher for access.
- Interior garage area is the same finish as the upper interior.
- Specify left (L) or right (R) for upper door hinge side.
- When height is modified, the lower section will remain the same (16 1/2" H opening). The difference in height is added to, or subtracted from the upper opening. If the lower section height needs modified, please specify on the order. Include a drawing when possible.

NOTE: The turntables in 27" wide, 16" deep cabinets will be the same diameter as 24" wide, 13" deep cabinets.

NOTE: When finished interior is chosen, the turntables will remain Natural Maple.

PRODUCT LEVEL 1 LEVEL 2 CODE

Adjustable Shelves 24" wide, 13" Deep
WDALG2448
WDALG2454
WDALG2457
WDALG2460
Adjustable Shelves 27" wide, 16" Deep
WDAI G2748

WDALG2754 WDALG2757 WDALG2760

Revolving Shelves 24" wide, 13" Deep


WDRLG2448
WDRLG2454
WDRLG2457
WDRLG2460

Revolving Shelves 27" wide, 16" Deep

WDRLG2748	
WDRLG2754	
WDRLG2757	
WDRLG2760	



WALL TAMBOUR CABINET




- 13" deep, standard
- Inside tambour area is the same finish as the interior of cabinet, this is standard.
- Finished ends are standard.
- 3" center rail is standard.
- Specify left (L) or right (R) for single door cabinet hinge side.
- If adding a wainscot side modification or any furniture end modification, the cabinet will have an inward extended stile on that side also.
- When height is modified the lower section will remain the same (18" H.) The difference in height is added to, or subtracted from the upper section. If the lower section height needs modified, please specify on the order. Include a drawing when possible.
- Tambour door not available in Clear Alder, Quarter Sawn White Oak, Red Birch, or Rustic Alder. Another specie will be substituted instead. For Rustic Hickory: standard grade wood will be substituted.

	PRODUCT CODE	LEVEL 1	LEVEL 2
•	WTC1848		
48" high 2 adjustable	WTC2148		
shelves	WTC2448-2		
-	WTC2748		
•	WTC3048		
•	WTC3348		
•	WTC3648		
·			
•	WTC1854		
54" high 2 adjustable	WTC2154		
shelves	WTC2454-2		
•	WTC2754		
•	WTC3054		
	WTC3354		
	WTC3654		
_	WTC1857		
57" high 3 adjustable	WTC2157		
shelves	WTC2457-2		
•	WTC2757		
•	WTC3057		
_	WTC3357		
	WTC3657		
<u>-</u>			
<u>-</u>	WTC1860		
60" high 3 adjustable	WTC2160		
shelves	WTC2460-2		
•	WTC2760		
•	WTC3060		
-	WTC3360		
	WTC3660		




WALL SHALLOW COUNTER ORGANIZERS



PRODUCT CODE	LEVEL 1	LEVEL 2
WSTCO1818		
WSTCO2118		
WSTCO2418		
WSTCO2718		
WSTCO3018		
WSTCO3318		
WSTCO3618		•

WALL SHALLOW TAMBOUR ORGANIZER

- 18" high, 13" deep.
- Inside tambour area is UV Birch veneer as standard.
- Finished ends are standard.
- 3" top rail is standard.
- If adding a wainscot side modification or any furniture end modification, the cabinet will have an inward extended stile on that side also.
- Tambour door not available in Clear Alder, Quarter Sawn White Oak, Red Birch, or Rustic Alder. Another specie will be substituted instead. For Rustic Hickory: standard grade wood will be substituted.




One door	WSAG18
	WSAG21
Two doors	WSAG24-2
	WSAG27
	WSAG30
	WSAG33
	WSAG36

WALL SHALLOW APPLIANCE GARAGE

- 18" high, 13" deep.
- Inside garage area is UV Birch veneer as standard.
- Finished ends are standard.
- 1 1/2" top rail is standard.
- Specify left (L) or right (R) for single door cabinet hinge side.



WALL APPLIANCE GARAGE CABINET



- 13" deep, standard
- Inside garage area is UV Birch veneer as standard
- Finished ends are standard.
- 3" center rail for FOL-C and 1 1/2" center rail for SOL / Inset are standard.
- Specify left (L) or right (R) for single door cabinet hinge side.
- Cabinets 24" wide and over will have two butt-doors at the top and two butt-doors at the bottom.
- Garage area will be hinged the same as top area unless specified.
- When height is modified the lower section will remain the same (18" H.) The difference in height is added to or subtracted from the upper portion. If the lower section height needs modified, please specify on the order. Include a drawing when possible.


	CODE
48" high	WAGC1848
2 adjustable	WAGC2148
shelves in upper area	WAGC2448-2
upper area	WAGC2748
,	WAGC3048
	WAGC3348
	WAGC3648
54" high 2 adjustable shelves in upper area	WAGC1854
	WAGC2154
	WAGC2454-2
apper area	WAGC2754
	WAGC3054
	WAGC3354
	WAGC3654
57" high	WAGC1857
3 adjustable shelves in	WAGC2157
upper area	WAGC2457-2
upper tarea	WAGC2757
	WAGC3057
	WAGC3357
	WAGC3657
60" high	WAGC1860
3 adjustable	WAGC2160
shelves in upper area	WAGC2460-2
	WAGC2760
	WAGC3060
	WAGC3360
	WAGC3660

PRODUCT

LEVEL 1 LEVEL 2




WALL LIFTUP APPLIANCE GARAGE CABINET



- 15" high clearance below appliance lift-up door when door is raised. When increasing the lower opening height of the cabinet frame the door will not raise any higher for access.
- Specify left (L) or right (R) for single door cabinet hinge side.
- When the bottom, lift-up door width is 24" or greater, a single, 2 panel door will be used on the lower section.
- When height is modified the lower section will remain the same (18" H). The difference in height is added to, or subtracted from the upper portion. If the lower section height needs modified, please specify on the order. Include a drawing when possible.
- On FOL-C cabinets and adding a wainscot side modification or any furniture end modification, the cabinet will
 have an inward extended stile on that side also.


WALL 1 DRAWER, 1 DOOR



- 13" deep, standard
- Minimum depth 11-1/4"
- Specify hinge side, left (L) or right (R).
- 5 pc. Drawer fronts will not be available for all door styles. Slab fronts will be substituted.
- Drawer section occupies 6" of the overall cabinet height. Drawer box is 3" high.
- Blumotion undermount glides
- Finished ends are standard.

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	W1D1236		
2_adjustable shelves	W1D1536		
	W1D1836		
•	W1D2136		
•	W1D2436		
•			
42" high 2_adjustable shelves	W1D1242		
	W1D1542		
	W1D1842		
•	W1D2142		
•	W1D2442		
•			
48" high	W1D1248		
3_adjustable shelves	W1D1548		
	W1D1848		
	W1D2148		
	W1D2448		
•			
54" high 3_adjustable shelves	W1D1254		
	W1D1554		
	W1D1854		
	W1D2154		
	W1D2454		
•			
60" high 4_adjustable shelves	W1D1260		
	W1D1560		
	W1D1860		
	W1D2160		
•	W1D2460		

WALL 1 DRAWER, 2 DOOR




- 13" deep, standard
- Minimum depth 11-1/4"
- 5 pc. Drawer fronts will not be available for all door styles. Slab front will be substituted.
- Drawer section occupies 6" of the overall cabinet height. Drawer is 3" high.
- Blumotion undermount glides.
- Finished ends are standard.

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	W1D2436-2		
2_adjustable shelves	W1D2736		
•	W1D3036		
•	W1D3336		
•	W1D3636		
•			
42" high	W1D2442-2		
2_adjustable shelves	W1D2742		
•	W1D3042		
•	W1D3342		
•	W1D3642		
•			
48" high	W1D2448-2		
3_adjustable shelves	W1D2748		
•	W1D3048		
•	W1D3348		
•	W1D3648		
•			
54" high	W1D2454-2		
3_adjustable shelves	W1D2754		
•	W1D3054		
•	W1D3354		
•	W1D3654		
•			
60" high	W1D2460-2		
4_adjustable shelves	W1D2760		
	W1D3060		
•	W1D3360		
-	W1D3660		




WALL 2 DRAWER MINI, 13" DEEP



WALL 2 DRAWER MINI, 1 DOOR

- Minimum depth 11-1/4"
- Specify hinge side, left (L) or right (R).
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 12" of the overall cabinet height.
- Drawer boxes are 3" H.
- These wall units are designed to sit on the countertop.
- Finished ends are standard.
- Blumotion undermount glides.

	PRODUCT CODE	LEVEL 1	LEVEL 2
48" high	W2DM1548		
2_adjustable shelves	W2DM1848		
	W2DM2148		
•	W2DM2448		
•			
54" high	W2DM1554		
3_adjustable shelves	W2DM1854		
SHOTVES	W2DM2154		
•	W2DM2454		
•			
60" high	W2DM1560		
3_adjustable shelves	W2DM1860		
	W2DM2160		
· -	W2DM2460		
•			




WALL 2 DRAWER MINI, 2 DOORS


- Minimum depth 11-1/4"
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab front will be substituted.
- Drawer section occupies 12" of the overall cabinet height.
- Drawer boxes are 3" H.
- These wall units are designed to sit on the counter top.
- Finished ends are standard.
- Blumotion undermount glides.

48" high	W2DM2448-2
2_adjustable shelves	W2DM2748
•	W2DM3048
•	W2DM3348
•	W2DM3648
•	
54" high	W2DM2454-2
3_adjustable shelves	W2DM2754
•	W2DM3054
•	W2DM3354
•	W2DM3654
•	
60" high	W2DM2460-2
3_adjustable shelves	W2DM2760
•	W2DM3060
•	W2DM3360
•	W2DM3660
•	



WALL 2 DRAWER, 13" DEEP






WALL 2 DRAWER, 2 DOORS

- Minimum depth 11-1/4"
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab front will be substituted.
- Drawer section occupies 18" of the overall cabinet height
- Drawer boxes are 6" H.
- These wall units are designed to sit on the counter top.
- Finished ends are standard.
- Blumotion undermount glides.

48" high 2_adjustable shelves	W2D2448-2
	W2D2748
	W2D3048
	W2D3348
·	W2D3648
54" high	W2D2454-2
2_adjustable shelves	W2D2754
	W2D3054
•	W2D3354
	W2D3654
60" high	W2D2460-2
3_adjustable shelves	W2D2760
	W2D3060
	W2D3360
	W2D3660




WALL 3 DRAWER, 13" DEEP



WALL 3 DRAWER, 1 DOOR

- Minimum depth 11-1/4"
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 18" of the overall cabinet height.
- Drawer boxes are 3" high.
- These wall units are designed to sit on a counter top.
- Finished ends are standard.
- Blumotion undermount glides.

	PRODUCT LEVEL 1 LEVEL 2 CODE
48" high	W3D1548
2_adjustable shelves	W3D1848
	W3D2148
	W3D2448
54" high	W3D1554
2_adjustable shelves	W3D1854
	W3D2154
	W3D2454
60" high	W3D1560
3_adjustable shelves	W3D1860
	W3D2160
	W3D2460




WALL 3 DRAWER, 2 DOORS

- Minimum depth 11-1/4"
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 18" of the overall cabinet height.
- Drawer boxes are 3" high.
- These wall units are designed to sit on a counter top.
- Finished ends are standard.
- Blumotion undermount glides.

48" high 2_adjustable shelves	W3D2448-2
	W3D2748
•	W3D3048
•	W3D3348
•	W3D3648
•	
54" high	W3D2454-2
2_adjustabl e shelves	W3D2754
•	W3D3054
	W3D3354
	W3D3654
•	
60" high 3_adjustabl e shelves	W3D2460-2
	W3D2760
	W3D3060
	W3D3360
	W3D3660



WALL OPEN TOP SHELF CABINET




- 13" deep, standard
- Upper frame opening = 13" H
- Finished interior throughout is standard.
- 5" straight valance top rail standard, specify if other valance design or 1 1/2" straight top rail is preferred.
- 39" H & 42" H have one adjustable shelf. 30" H and 36" H will not have adjustable shelves.

	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high	WOTSC2430		
	WOTSC2730		
	WOTSC3030		
	WOTSC3330		
	WOTSC3630		
36" high	WOTSC2436		
	WOTSC2736		
	WOTSC3036		
	WOTSC3336		
	WOTSC3636		
39" high	WOTSC2439		
	WOTSC2739		
	WOTSC3039		
	WOTSC3339		
	WOTSC3639		
42" high	WOTSC2442		
	WOTSC2742		
	WOTSC3042		
	WOTSC3342		
	WOTSC3642		



WALL OPEN SHELF CABINET




- 13" deep, standard
- Standard opening is 16 1/2" high and 3" less than cabinet width.
- Specify custom openings, width and height.
- Finished interior for top and bottom openings of cabinet is standard.
- Quantity of listed adjustable shelves may vary if lower opening height is customized.

	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high	WOSC2430		
·	WOSC2730		
	WOSC3030		
_	WOSC3330		
<u>-</u>	WOSC3630		
-			
36" high	WOSC2436		
-	WOSC2736		
-	WOSC3036		
<u>-</u>	WOSC3336		
_	WOSC3636		
-			
39" high	WOSC2439		
1_adjustable	WOSC2739		
shelf	WOSC3039		
-	WOSC3339		
-	WOSC3639		
42" high	WOSC2442		
1_adjustable	WOSC2742		
shelf	WOSC3042		
-	WOSC3342		
- -	WOSC3642		
_			
48" high	WOSC2448		
2_adjustable	WOSC2748		
shelves	WOSC3048		
-	WOSC3348		
- -	WOSC3648		



WALL MICROWAVE CABINET



•	18"	deep,	standard
---	-----	-------	----------


- Standard opening is 16 1/2" high and 3" less than cabinet width.
- 3" center rail is standard.
- Specify custom openings, width and height. Cutout width cannot exceed overall cabinet width minus 1 -1/2".
- Finished interior for top and bottom openings of cabinet is standard.
- Flush finished ends are standard.
- Quantity of listed adjustable shelves may vary if lower opening height is customized.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

PRODUCT CODE	LEVEL 1	LEVEL 2
WMWC273018		
WMWC303018		
WMWC333018		
WMWC363018		
WMWC273618		
WMWC303618		
WMWC333618		
WMWC363618		
WMWC273918		
WMWC303918		
WMWC333918		
WMWC363918		
WMWC274218		
WMWC304218		
WMWC334218		
WMWC364218		
WMWC274818		
WMWC304818		
WMWC334818		
WMWC364818		
	CODE WMWC273018 WMWC303018 WMWC333018 WMWC363018 WMWC373618 WMWC303618 WMWC303618 WMWC363618 WMWC363618 WMWC363918 WMWC363918 WMWC374218 WMWC304218 WMWC304218 WMWC304218 WMWC304218 WMWC304818 WMWC304818 WMWC304818	CODE WMWC273018 WMWC303018 WMWC363018 WMWC363018 WMWC303618 WMWC303618 WMWC363618 WMWC363618 WMWC303918 WMWC303918 WMWC363918 WMWC364218 WMWC304218 WMWC364218 WMWC304818 WMWC304818 WMWC304818 WMWC334818

NOTE: WMWC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



WALL MICROWAVE SHELF CABINET




- 13" deep cabinet, standard
- Standard lower opening is 15 3/4" high and 3" less than cabinet width.
- Specify custom openings, width and height.
- Finished interior for top and bottom openings of cabinet is standard.
- Cabinets have a 17 1/4" deep, fixed microwave shelf in lower opening.
- Quantity of listed adjustable shelves may vary if lower opening height is customized.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry.
 Designer must specify in writing if the appliance opening is to have a bead.

	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high	WSMC273013		
	WSMC303013		
	WSMC333013		
	WSMC363013		
36" high	WSMC273613		
	WSMC303613		
	WSMC333613		
	WSMC363613		
39" high	WSMC273913		
1_adjustable shelf	WSMC303913		
	WSMC333913		
	WSMC363913		
42" high	WSMC274213		
1_adjustable shelf	WSMC304213		
	WSMC334213		
	WSMC364213		
48" high 2_adjustable shelves	WSMC274813		
	WSMC304813		
	WSMC334813		
	WSMC364813		



WALL UNDER SHELF CABINET



	PRODUCT CODE	LEVEL 1	LEVEL 2
30" high	WUSC2430-2		
•	WUSC2730		
•	WUSC3030		
•	WUSC3330		
•	WUSC3630		
•	WUSC3930		
•	WUSC4230		
•	WUSC4530		
•	WUSC4830		
•			
42" high	WUSC2442-2		
2_adjustable ⁻ shelves __ - - -	WUSC2742		
	WUSC3042		
	WUSC3342		
	WUSC3642		
	WUSC3942		
	WUSC4242		
	WUSC4542		
•	WUSC4842		


• Standard 13" deep.

RADIUS

- Specify straight (S), radius (R), or angled (A) for 3/4" finished ends on shelf opening.
- 3/4" bottom shelf: full depth on (S), 7" only on (A) or (R).
- 3/4" flush finished sides (no scribe)
- The interior of the door section is UV Birch veneer.
- Open area will be the same specie and finish as exterior.
- Constructed with 1/4" back.
- The open shelf area does not have 1 1/2" framing around sides or bottom.
- Bottom of frame to bottom of hutch end is 12" with 11" high shelf opening.



UNDER CABINET SHELF



WALL.	UNDER	CARINET	SHELF

- 10" high, 13" deep
- Specify straight (S), radius (R), or angled (A) for sides of shelf opening. (See illustrations below.)
- 3/4" bottom shelf: full depth on (S), 7" deep only on (A) or (R).
- 3/4" flush sides (no scribe)
- Open area will be the same specie and finish as exterior.
- Constructed with 1/4" back.

CODE	PRICE
WUCS24	
WUCS27	
WUCS30	
WUCS33	
WUCS36	
WUCS39	
WUCS42	
WUCS45	
WUCS48	

LIST

PRODUCT








STRAIGHT

ANGLED

RADIUS




WUCCS2424

WALL UNDER CABINET CORNER SHELF, 24 X 24

- 10" high, 13" deep
- Specify straight (S), radius (R), or angled (A) for sides of shelf opening. (See above illustrations.)
- 3/4" bottom shelf: full depth on (S), 7" deep only on (A) or (R).
- 3/4" flush sides (no scribe)
- Open area will be the same specie and finish as exterior.
- Constructed with 1/4" back.



WALL MESSAGE CENTER



Side entry cabinet installs at end of cabinet run. WMSG642L (left) shown.


WALL MESSAGE CENTER CABINET

- 6" wide, 13" deep standard. Width cannot be reduced below 4 1/2".
- Specify left (L) or right (R) to indicate end of cabinet run / hinge side. Left shown.
- Matching overlay filler attached to 6" wide cabinet face except for SOLK-Lipped overlay and Inset which will be flush finished instead.
- Door swings open toward the wall. FOL-C will have a 1/2" inward extended stile on the hinge side for clearance of door edge.
- 24" high unit has one adjustable shelf
- 27" to 36" high units have 2 adjustable shelves
- 39" to 48" high units have 3 adjustable shelves
- Each message center includes accessories, see above.

PRODUCT CODE	LEVEL 1	LEVEL 2
WMSG624		
WMSG627		
WMSG630		
WMSG636		
WMSG639		
WMSG642		
WMSG648		



WALL FLOATING SHELF



PRODUCT CODE	LIST
WFSHELF24	
WFSHELF30	
WFSHELF36	
WFSHELF42	
WFSHELF48	
WFSHELF60	
WFSHELF72	
WFSHELF84	
WFSHELF96	

WALL FLOATING SHELF

- 13" deep, 3" high standard. Height cannot be reduced below 2 1/2".
- Maximum width is 96", maximum depth is 16".
- Outer decorative shelf cover matches specie and finish of the order.
- Each shelf is comprised of an inner support frame and the outer decorative cover that slides over the support frame.
- After the entire unit is installed, Brighton recommends that the outer decorative cover is secured to the inner support frame using small finishing nails or headless pins so the outer decorative shelf doesn't accidently slip off the support frame.

NOTE: It is essential that the support frame is properly secured to the wall studs. The frame must be mounted using four or more course-thread screws at least 2 1/2" in length. For shelves 60" and over in length: 60" shelves must be mounted to three or more wall studs, 72"shelves must be mounted to four or more wall studs, 84" shelves must be mounted to five or more wall studs, and 96" shelves must be mounted to six or more wall studs.


The load capacity of the shelves is dependent on the quality of the installation screws used and whether the screws are properly secured into studs. If the shelves are not installed using high quality, course-thread screws secured into two or more wall studs then the shelf may not support the weight desired. Brighton cannot and will not be responsible for shelf failure caused by insufficient installation materials or techniques.



WALL END SHELF

GENERAL INFORMATION FOR WALL END SHELVES


- For finished end: a custom quote must be requested.
- 30" high units have 3 fixed shelves.
- 36" to 42" high units have 4 fixed shelves.
- 48" high units have 5 fixed shelves.
- Interior and underside of bottom matches specie and finish of the order.



WALL END SHELF WITH A TOP

- 13" deep, standard
- Specify left (L) or right (R). Left shown.
- Top rail is 1 1/2" wide except for Inset which is 2 1/2".


	PRODUCT CODE	LIST
6.5" wide	WEST6.530	
_	WEST6.536	
_	WEST6.539	
<u>-</u>	WEST6.542	
-	WEST6.548	
<u>-</u>		
13" wide	WEST1330	
-	WEST1336	
<u>-</u>	WEST1339	
-	WEST1342	
-	WEST1348	




WALL END SHELF WITHOUT A TOP

- 13" deep, standard
- Specify left (L) or right (R). Left shown.

6.5" wide	WES6.530	
	WES6.536	
	WES6.539	
	WES6.542	
	WES6.548	
13" wide	WES1330	
	WES1336	
	WES1339	
	WES1342	
	WES1348	





WALL END SHELF ANGLED

- WESAT top rail is 1 1/2" wide except for Inset which is 2 1/2".
- 13" X 13" at 45 degree angle


13" wide without top	WESA1330	
	WESA1336	
	WESA1339	
	WESA1342	
	WESA1348	
13" wide with top -	WESAT1330	
	WESAT1336	
	WESAT1339	
	WESAT1342	
	WESAT1348	_




WALL END SHELF

GENERAL INFORMATION FOR WALL END SHELVES

- For finished end: a custom quote must be requested.
- 30" high units have 3 fixed shelves.
- 36" to 42" high units have 4 fixed shelves.
- 48" high units have 5 fixed shelves.
- Interior and underside of bottom matches specie and finish of the order.






WALL END SHELF, 2-ANGLE

- WESBT top rail is 1 1/2" wide except for Inset which is 2 1/2".
- 13" X 13"


	PRODUCT CODE	LIST
13" wide	WESB1330	
without top	WESB1336	
•	WESB1339	
•	WESB1342	
•	WESB1348	
•		
13" wide with top	WESBT1330	
	WESBT1336	
	WESBT1339	
	WESBT1342	
•	WESBT1348	



WALL END SHELF CLIPPED CORNER WITH A TOP

- 13" deep, standard
- Specify left (L) or right (R). Left shown.
- Top rail is 1 1/2" wide except for Inset which is 2 1/2".

6.5" wide	WESTCC6.530
	WESTCC6.536
	WESTCC6.539
	WESTCC6.542
	WESTCC6.548
13" wide	WESTCC1330
	WESTCC1336
	WESTCC1339
_	WESTCC1342
	WESTCC1348



WALL END SHELF CLIPPED CORNER WITHOUT A TOP


- 13" deep, standard
- Specify left (L) or right (R). Left shown.


6.5" wide	WESCC6.530
	WESCC6.536
	WESCC6.539
•	WESCC6.542
·	WESCC6.548
13" wide	WESCC1330
	WESCC1336
	WESCC1339
•	WESCC1342
•	WESCC1348



WALL UNITS

WALL PENINSULA SHELF





WALL PENINSULA SHELF WITHOUT A TOP

• Top rail is 1 1/2" wide except for Inset which is 2 1/2".

WALL PENINSULA SHELF

WALL PENINSULA SHELF

• 13" deep standard

WITH A TOP

- Shelves have 3" radius. Top is square for shelf units with a top.
- Use flush finished end modification, MWFFE, for exposed 'back'.
- 30" high units have 3 fixed shelves.
- 36" to 42" high units have 4 fixed shelves.
- 48" high units have 5 fixed shelves.
- Interior and underside of bottom matches specie and finish of the order.


	PRODUCT CODE	LIST PRICE
6.5" WIDE	WPST6.530	
WITH TOP -	WPST6.536	
_	WPST6.539	
_	WPST6.542	
_	WPST6.548	
13" WIDE WITH TOP -	WPST1330	
WITH TOP -	WPST1336	
_	WPST1339	
_	WPST1342	
_	WPST1348	
6.5" WIDE WITHOUT -	WPS6.530	
TOP	WPS6.536	
	WPS6.539	
	WPS6.542	
_	WPS6.548	
13" WIDE WITHOUT -	WPS1330	
TOP	WPS1336	
_	WPS1339	
_	WPS1342	
_	WPS1348	




WALL PIGEON HOLE

- 6" high, 13" deep.
- Finished interior.
- Standard configurations are shown below. Dimensions shown in parentheses are for Beaded Inset only.
- 1/2" construction, 1/4" back, with 1/2" hanger rail
- Framing on all vertical dividers.
- Custom configurations are available. Please send for quote.


PRODUCT CODE	LIST
PH24-6	
PH27-6	
PH30-6	
PH33-6	
PH36-6	
PH39-6	
PH42-6	_







WALL APOTHECARY DRAWER




PRODUCT CODE	LIST
WAD18H	
WAD24H	
WAD30H	
WAD36H	
WAD42H	

WALL HORIZONTAL APOTHECARY DRAWERS

- 6" High, 13" deep
- 5-Piece drawer fronts are <u>not</u> available.
- Knobs are for illustrative purposes only and must be purchased separately.

CABINET WIDTH	QTY OF DRAWERS
18"	3
24"	4
30"	5
36"	6
42"	7



WALL VERTICAL APOTHECARY DRAWERS

- 6" wide, 13" deep
- 5-Piece drawer fronts are <u>not</u> available.
- Knobs are for illustrative purposes only and must be purchased separately.

PRODUCT CODE	LIST
WAD18V	
WAD24V	
WAD30V	
WAD36V	
WAD42V	

CABINET HEIGHT	QTY OF DRAWERS
18"	3
24"	4
30"	5
36"	6
42"	7



WOOD HOOD (INCLUDES LINER AND BLOWER)



- Overall height = 24"
- 30" and 36" width available.
- Dimensions cannot be modified.
- Blower and liner included.
- Only available in Maple, Red Oak, and Cherry.




Image of blower unit provided with WHSA

Blower Specifications

- 250 CFM blower with 2 speed motor
- 8.0 sones
- Enclosed, dual 40 watt lighting (bulbs not included)
- Includes adapter and damper for ducted installations
- UL and CUL listed
- Washable aluminum mesh filter
- Powder coated, silver metallic finish with matching liner
- One year limited warranty


 $\underline{\text{NOTE:}}$ Blower and liner specs are subject to change without notice.


PRODUCT CODE	LIST PRICE
WHSA30	
WHSA36	



Brighton Cabinetry is not responsible for:


- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower








WOOD HOOD VANTAGE



PRODUCT CODE	LIST PRICE
WHV3632	
WHV4232	
WHV4832	
WHV3642	
WHV4242	
WHV4842	



Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower

WOOD HOOD VANTAGE


- Standard case depth is 21"; overall depth is 22" to tip of molding.
- Standard case widths of 36", 42" and 48"; overall width increased by 2" when measured to outer molding tips.
- Two standard heights: 32" high accommodates up to 8 foot ceilings, 42" accommodates up to 9 foot ceilings.
- 3/4" construction
- Crown 7 used on hoods.
- Apron height measures 9" between moldings; with 12 1/2" overall apron height.
- Chimney height is 7" for 32" high units and 13" for 42" units.
- Chimney width is 15 1/2" for 36" hood, 21 1/2" for 42" hood, and 27 1/2" for 48" hood.

Best® by Broan blower and liner, P195P series, included in list price, shipped loose from factory. See page W61 for specific details. NOTE: Blower and liner specs are subject to change without notice.

• Changes to any dimension require a custom quote.




WOOD HOOD VANTAGE





Brighton Cabinetry is not responsible for:

the fit of customer supplied liner and/or blower



WHVS, 32 high (Vantage Straight)

• the fit of liner and/or blower not provided by the factory at the time of hood order

PRODUCT	LEVEL 1	LEVEL 2
CODE		

WHVA3632	
WHVA4232	
WHVA4832	

WHVA3642	
WHVA4242	


WHVS3632	
WHVS4232	
WHVS4832	<u> </u>

VН	VC	36	12	
v 1 1	V L)	.,,,	74	


WHVA4842

WHVS4242)

WHVS4842



WHVA, 42 high (Vantage Arched)



WHVS, 42 high (Vantage Straight)

WOOD HOOD VANTAGE, ARCHED OR STRAIGHT VALANCE PANEL

- Standard case depth is 21"; overall depth is 22" to tip of molding.
- Standard case widths of 36", 42" and 48"; overall width increased by 2" when measured to outer molding tips.
- Two standard heights: 32" high accommodates up to 8 foot ceilings, 42" accommodates up to 9 foot ceilings.
- 3/4" construction
- Crown 7 used on hoods.
- Available in choice of straight or arched panel valance design, matching to job door style as closely as possible.
- Horizontal grain on valance is standard, vertical grain available by quote.
- Straight valance height measures 9" between moldings; arched valance height measures 10 3/4" from bottom of molding to bottom of case. All styles have 12 1/2" overall apron height.
- Chimney height is 7" for 32" high units and 13" for 42" units.
- Chimney width is 15 1/2" for 36" hood, 21 1/2" for 42" hood, and 27 1/2" for 48" hood.

Best® by Broan blower and liner, P195P series, included in list price, shipped loose from factory. See next page for specific details. <u>NOTE:</u> Blower and liner specs are subject to change without notice.

• Changes to any dimension require a custom quote.



P195P SERIES BLOWER AND LINER



DIA. (P195P2M70) 6" DIA. (P195P1M70) BACK 26-1/2" 28-5/16"

HVI PERFORMANCE							
	Sones		es	CFM			
Model	Duct Orientation	Size	Normal	High	Normal	High 0.25 in. w.g.	High 0.1 in. w.g.
P195P1M70	Vertical - Round	6 in.	1.0	8.5	190	470	490
P195P2M70	Vertical - Round	8 in.	2.0	12	310	774	800

NOTE: Blower and liner specs are subject to change without notice. It is the dealer's responsibility to ensure the current blower specifications will meet the requirements needed for each installation. Check www.bestrangehoods.com for most current specifications as published by the blower manufacturer.


P195P SERIES POWER PACK

- Best® by Broan blower for residential use, included with WHV (Vantage) model hood.
- P195P1M model provided with 36" wide hoods;
 P195P2M model provided with 42" and 48" wide hoods
- Includes 4" deep brushed stainless steel wipe-clean liner for optimal capture
- Under-cabinet design with brushed stainless steel finish
- Heat sentryTM system detects excessive heat and automatically adjusts to high speed.
- Four-speed, electronic push button control with digital display
- 10 minute, delay-off feature
- 30 hour filter clean indicator
- Drop-down panel allows access to dishwasher safe aluminum filters
- Dual halogen lighting (cannot be shipped to California)
- Includes back-draft damper/adapter
- 1M models have one motor producing 490 CFM
- 2M models have two motors producing 800 CFM
- Shipped loose from factory.
- Height above cooking surface recommended in the range of 24" to 30"
- HVI certified performance. Underwriters Laboratories tested and approved.

Chart below indicates liner specifications based off the width of the hood.

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"


** Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".



*Dimension does not include 3/8" wide flange. Adjustable depth at "C", see chart.

LINERS FOR P195P SERIES POWER PACK

- Best® by Broan liner for P195P series power pack
- Brushed stainless steel finish
- Fits custom hood nominal widths: 36", 42" or 48"
- Easily wipes clean
- Optional ambient light panel for Best® by Broan liners available by custom quote.



NOTE: The width of each hearth hood nomenclature indicates the **center** dimension. Add 18" to determine the overall width of entire assembled unit. Example: HH1M366021 is 36" wide at center, plus 9" for right column width and 9" for left column width, for a total assembled unit width of 54".

HH1M / HH2M

HHPK

18

21

Depths cannot be reduced unless quoted.

15

18

15

18 3/4

2.1

24

Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower


HEARTH HOOD W/ SPICE PULLOUTS

- Hearth style wood hood designed to sit on counter top.
- Width of each hood indicates the <u>center</u> dimension. Add 18" to determine the overall width of entire assembled unit.
- Indicated depth "D" (see chart) signifies depth at arched panel valance. This depth does not include applied moldings.
- Hood includes mantel shelf and arched panel valance.
- "1M", "2M" or "PK" in product code indicates the specific blower series included with each hearth hood.
- Removable panels at top of center section.
- HH1M and HH2M units will have two door panels across the upper center width (as pictured).
- HHPK units will have three door panels across the upper center width (not pictured).
- Finished exterior with flush finished sides.
- Standard overall heights of 54", 57", 60 and 66".
- Left and right columns are 9" wide and have spice pullouts in lower section of each.
- Pricing includes Best® by Broan blower and liner shipped separate from factory. See the following page for specifications.

	PRODUCT CODE	LEVEL 1	LEVEL 2
54" tall	HH1M365421		
21" deep	HH2M425421		
•	HH2M485421		
•			
57" tall	HH1M365721		
21" deep	HH2M425721		
•	HH2M485721		
•			
60" tall	HH1M366021		
21" deep	HH2M426021		
•	HH2M486021		
66" tall	HH1M366621		
21" deep	HH2M426621		
	HH2M486621		
•			
54" tall	HHPK485424		
24" deep	HHPK545424		
	HHPK605424		
	HHPK725424		
57" tall	HHPK485724		
24" deep	HHPK545724		
	HHPK605724		
	HHPK725724		
60" tall	HHPK486024		
24" deep	HHPK546024		
	HHPK606024		
	HHPK726024		
66" tall	HHPK486624		
24" deep	HHPK546624		
	HHPK606624		
	HHPK726624		




BLOWER UNITS FOR HEARTH HOOD



SPECIFICATIONS					
MODEL	VOLTS	AMPS	CFM	SONES	DUCT
P195P <u>1M</u>	120	3.4	490	8.5	6" round
P195P <u>2M</u>	120	5.4	800	12.0	8" round
PK2239	120	8.0	1500	11.5	10" round

"1M", "2M" or "PK" in product code indicates the specific blower series included with each hearth hood.





P195P SERIES POWER PACK

- Best® by Broan blower for residential use, included with Hearth Hood model, 21" deep.
- Includes 4" deep brushed stainless steel wipe-clean liner for optimal capture
- Under-cabinet design with brushed stainless steel finish
- Heat sentryTM system detects excessive heat and automatically adjusts to high speed.
- Four-speed, electronic push button control with digital display
- 10 minute, delay-off feature
- 30 hour filter clean indicator
- Drop-down panel allows access to dishwasher safe aluminum filters
- Dual halogen lighting (cannot be shipped to California)
- Includes back-draft damper/adapter
- 1M models have one motor producing 490 CFM
- 2M models have two motors producing 800 CFM
- Shipped loose from factory.
- Height above cooking surface recommended in the range of 24" to 30"
- HVI certified performance. Underwriters Laboratories tested and approved.


NOTE: Blower and liner specs are subject to change without notice. It is the dealer's responsibility to ensure the current blower specifications will meet the requirements needed for each installation. Check www.bestrangehoods.com for most current specifications as published by the blower manufacturer.

PK22 SERIES POWER PACK

- Best® by Broan blower for use over residential commercial-style cooking surfaces included with Hearth Hood model, 24" deep
- Includes 4" deep brushed stainless steel wipeclean liner for optimal capture
- Finish: 304 Stainless Steel #3 Brushed.
- Heat sentryTM system detects excessive heat and automatically adjusts to high speed.
- Multi-speed, slide control
- Quick release, dishwasher safe, stainless steel/ aluminum grease filters
- Brilliant halogen lighting (cannot be shipped to California)
- Includes 10" round connector / back-draft damper
- Powerful, internal blower produces 1500 max CFM
- Shipped loose from factory.
- HVI certified performance. Underwriters Laboratories tested and approved.



SQUARE HOOD WITH MANTLE



NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

	CODE	LE VEL 1	LEVEL 2
24" high	WSHM302421		
	WSHM362421		
	WSHM422421		
	WSHM482421-2		
	WSHM482421-3		
27" high	WSHM302721		
	WSHM362721		
	WSHM422721		
	WSHM482721-2		
	WSHM482721-3		
30" high	WSHM303021		
	WSHM363021		
	WSHM423021		
	WSHM483021-2		
	WSHM483021-3		
33" high	WSHM303321		
	WSHM363321		
	WSHM423321		
	WSHM483321-2		
	WSHM483321-3		
	Hood 1	Modification	
	MRMVPANEL		

PRODUCT

LEVEL 1 LEVEL 2

WOOD SQUARE HOOD WITH MANTLE, 21" DEEP

- 21" deep standard
- 3/4" construction
- Best® by Broan blower and liner, P195P series, included in list price, shipped separate from factory. See chart for specific details.
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched valance bottom rail standard, specify if other valance design is required.
- 3/4" fixed floor located 6 9/16" above the bottom edge of case unless otherwise specified. The exception will be if the elegant arch valance is the design for the bottom rail, then the floor will be 7 9/16" above the bottom case edge.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.


Chart below indicates liner specifications based off the width of the hood.

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".



SQUARE HOOD WITH MANTLE



PRODUCT LEVEL 1 LEVEL 2
CODE

Strighton Cabinetry is not responsible for:

36" WSHM303621

WSHM363621 WSHM423621

> WSHM483621-2 WSHM483621-3

39" WSHM303921

high

WSHM363921 WSHM423921

WSHM483921-2

WSHM483921-3

42" WSHM304221

high WSHM364221

WSHM424221

WSHM484221-2

WSHM484221-3

WOOD SQUARE HOOD WITH MANTLE, 21" DEEP

NOTE: MRMVPANEL- Adding this modification to the

wainscot panel at no additional cost. This modification is not

WSHM changes the top operational doors to a removable

- 21" deep standard
- 3/4" construction
- Best® by Broan blower and liner, P195P series, included in list price, shipped separate from factory. See chart for specific details.
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case

available with mitered door designs.

- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched valance bottom rail standard, specify if other valance design is required.
- 3/4" fixed floor located 6 9/16" above the bottom edge of case unless otherwise specified. The exception will be if the elegant arch valance is the design for the bottom rail, then the floor will be 7 9/16" above the bottom case edge.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood.

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"


^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".



SQUARE HOOD WITH MANTLE AND PANELED VALANCE

Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower



NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE AND PANELED VALANCE, 21" DEEP

- 21" deep standard
- 3/4" construction
- Best® by Broan blower and liner, P195P series, included in list price, shipped separate from factory. See chart for specific details.
- Flush finished sides, finished interior, finished bottom standard
- · Standard finished bottom edges of case
- · Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched <u>paneled</u> valance bottom rail, standard
- 3/4" fixed floor located 7 1/16" above the bottom edge of case unless otherwise specified.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.

Chart below indicates liner specifications based off the width of the bood

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

	PRODUCT CODE	LEVEL 1	LEVEL 2
24" high	WSHMPV302421		
	WSHMPV362421		
	WSHMPV422421		
	WSHMPV482421-2		
	WSHMPV482421-3		
27" high	WSHMPV302721		
	WSHMPV362721		
	WSHMPV422721		
	WSHMPV482721-2		
	WSHMPV482721-3		
30" high	WSHMPV303021		
	WSHMPV363021		
	WSHMPV423021		
	WSHMPV483021-2		
	WSHMPV483021-3		
33" high	WSHMPV303321		
	WSHMPV363321		
	WSHMPV423321		
	WSHMPV483321-2		
	WSHMPV483321-3		
	Hood Mo	dification	
	MOMENTALINA		


Hood Modification	
MRMVPANEL	



SQUARE HOOD WITH MANTLE AND PANELED VALANCE

Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower



NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE AND PANELED VALANCE, 21" DEEP

- 21" deep standard
- 3/4" construction
- Best® by Broan blower and liner, P195P series, included in list price, shipped separate from factory. See chart for specific details.
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched paneled valance bottom rail, standard
- 3/4" fixed floor located 7 1/16" above the bottom edge of case unless otherwise specified.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood.

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	WSHMPV303621		
	WSHMPV363621		
	WSHMPV423621		
	WSHMPV483621-2		
	WSHMPV483621-3		
39" high	WSHMPV303921		
	WSHMPV363921		
	WSHMPV423921		
	WSHMPV483921-2		
	WSHMPV483921-3		
	WSHMPV304221		
high	WSHMPV364221		
	WSHMPV424221		
	WSHMPV484221-2		
	WSHMPV484221-3		
	Hood Mo	dification	

Hood Modification	
MRMVPANEL	



P195P SERIES BLOWER AND LINER



BACK 26-1/2" 28-5/16"

HVI PERFORMANCE								
	Duct Orientation	Size	Sones		CFM			
Model			Normal	High	Normal	High 0.25 in. w.g.	High 0.1 in. w.g.	
P195P1M70	Vertical - Round	6 in.	1.0	8.5	190	470	490	
P195P2M70	Vertical - Round	8 in.	2.0	12	310	774	800	

NOTE: Blower and liner specs are subject to change without notice. It is the dealer's responsibility to ensure the current blower specifications will meet the requirements needed for each installation. Check www.bestrangehoods.com for most current specifications as published by the blower manufacturer.


P195P SERIES POWER PACK

- Best® by Broan blower for residential use, included with WSHM and WSHMPV model hoods, 21" deep.
- P195P1M model provided with 30", 36", and 42" wide hoods; P195P2M model provided with 48" wide hoods.
- Includes 4" deep brushed stainless steel wipe-clean liner for optimal capture
- Under-cabinet design with brushed stainless steel finish
- Heat sentryTM system detects excessive heat and automatically adjusts to high speed.
- Four-speed, electronic push button control with digital display
- 10 minute, delay-off feature
- 30 hour filter clean indicator
- Drop-down panel allows access to dishwasher safe aluminum filters
- Dual halogen lighting (cannot be shipped to California)
- Includes back-draft damper/adapter
- 1M models have one motor producing 490 CFM
- 2M models have two motors producing 800 CFM
- Shipped loose from factory.
- Height above cooking surface recommended in the range of 24" to 30"
- HVI certified performance. Underwriters Laboratories tested and approved.

Chart below indicates liner specifications based off the width of the hood.

Nominal Hood Width	Adjustable Depth* C Fits into hood with overall** case depth of	Width A*	Cut-out Width B
30"	18 5/8" to 21 5/8"	28 3/8"	26 11/16"
36"	18 5/8" to 21 5/8"	34 3/8"	26 11/16"
48"	18 5/8" to 21 5/8"	46 3/8"	26 11/16"

** Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".




*Dimension does not include 3/8" wide flange. Adjustable depth at "C", see chart.

LINERS FOR P195P SERIES POWER PACK

- Best® by Broan liner for P195P series power pack
- Brushed stainless steel finish
- Fits custom hood nominal widths: 36", 42" or 48"
- Easily wipes clean
- Optional ambient light panel for Best® by Broan liners available by custom quote.

SQUARE HOOD WITH MANTLE



Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower

NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE, 24" DEEP

- 24" deep standard
- 3/4" construction
- Best® by Broan blower and liner, PK22 series, included in list price, shipped separate from factory. See chart for specific details.
- 30" wide hood not available with PK22 series blower
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched valance bottom rail standard, specify if other valance design is required.
- 3/4" fixed floor located 6 9/16" above the bottom edge of case unless otherwise specified. The exception will be if the elegant arch valance is the design for the bottom rail, then the floor will be 7 9/16" above the bottom case edge.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood.

Insert Model	Nominal Hood Width	Adjustable Depth* E Fits into hood with overall** case depth of	Width A*	Cutout Width B (long)	Cutout Width C (short)	Cutout Depth D	Qty Halogen lights†
PK2230	36"	21 5/8" to 24 5/8"	34 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2230	42"	21 5/8" to 24 5/8"	40 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2239	48"	21 5/8" to 24 5/8"	46 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	54"	21 5/8" to 24 5/8"	52 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	60"	21 5/8" to 24 5/8"	58 3/8"	36 7/16"	34 7/8"	14 13/16"	3


^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

	PRODUCT CODE	LEVEL 1	LEVEL 2
	WSHM362424		
24" high	WSHM422424		
mgn	WSHM482424-2		
	WSHM482424-3		
	WSHM542424-3		
	WSHM602424-3		
	WSHM362724		
27" high	WSHM422724		
mgn	WSHM482724-2		
	WSHM482724-3		
	WSHM542724-3		
	WSHM602724-3		
2011	WSHM363024		
30" high	WSHM423024		
mgn	WSHM483024-2		
	WSHM483024-3		
	WSHM543024-3		
	WSHM603024-3		
2211	WSHM363324		
33" high	WSHM423324		
mgn	WSHM483324-2		
	WSHM483324-3		
	WSHM543324-3		
	WSHM603324-3		
	Hood N	Modification	1
	MRMVPANEL		

[†] Quantity of halogen lights on PK22 unit (halogen lights cannot ship to California)



SQUARE HOOD WITH MANTLE



Brighton Cabinetry is not responsible for:

- the fit of liner and/ or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/ or blower

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	WSHM363624		
	WSHM423624		
	WSHM483624-2		
	WSHM483624-3		
	WSHM543624-3		
	WSHM603624-3		
39" high	WSHM363924		
	WSHM423924		
	WSHM483924-2		
	WSHM483924-3		
	WSHM543924-3		
	WSHM603924-3		
42" high	WSHM364224		

Hood Modification

WSHM424224

WSHM484224-2

WSHM484224-3

WSHM544224-3

WSHM604224-3

MRMVPANEL

NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE, 24" DEEP

- 24" deep standard
- 3/4" construction
- Best® by Broan blower and liner, PK22 series, included in list price, shipped separate from factory. See chart for specific details.
- 30" wide hood not available with PK22 series blower
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched valance bottom rail standard, specify if other valance design is required.
- 3/4" fixed floor located 6 9/16" above the bottom edge of case unless otherwise specified. The exception will be if the elegant arch valance is the design for the bottom rail, then the floor will be 7 9/16" above the bottom case edge.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood.

Insert Model	Nominal Hood Width	Adjustable Depth* E Fits into hood with overall** case depth of	Width A*	Cutout Width B (long)	Cutout Width C (short)	Cutout Depth D	Qty Halogen lights†
PK2230	36"	21 5/8" to 24 5/8"	34 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2230	42"	21 5/8" to 24 5/8"	40 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2239	48"	21 5/8" to 24 5/8"	46 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	54"	21 5/8" to 24 5/8"	52 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	60"	21 5/8" to 24 5/8"	58 3/8"	36 7/16"	34 7/8"	14 13/16"	3

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

Brighton Cabinetry, Inc. April, 2021


[†] Quantity of halogen lights on PK22 unit (halogen lights cannot be shipped to California)



SQUARE HOOD WITH MANTLE AND PANELED VALANCE

Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower



NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE AND PANELED VALANCE, 24" DEEP

- 24" deep standard
- 3/4" construction
- Best® by Broan blower and liner, PK22 series, included in list price, shipped separate from factory. See chart for specific details.
- 30" wide hood not available with PK22 series blower
- Flush finished sides, finished interior, finished bottom standard
- · Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched paneled valance bottom rail, standard
- 3/4" fixed floor located 7 1/16" above the bottom edge of case unless otherwise specified.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood.

Insert Model	Nominal Hood Width	Adjustable Depth* E Fits into hood with overall** case depth of	Width A*	Cutout Width B (long)	Cutout Width C (short)	Cutout Depth D	Qty Halogen lights†
PK2230	36"	21 5/8" to 24 5/8"	34 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2230	42"	21 5/8" to 24 5/8"	40 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2239	48"	21 5/8" to 24 5/8"	46 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	54"	21 5/8" to 24 5/8"	52 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	60"	21 5/8" to 24 5/8"	58 3/8"	36 7/16"	34 7/8"	14 13/16"	3

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

	PRODUCT CODE	LEVEL 1	LEVEL 2
	WSHMPV362424		
24" high	WSHMPV422424		
mgn	WSHMPV482424-2		
	WSHMPV482424-3		
	WSHMPV542424-3		
	WSHMPV602424-3		
	WSHMPV362724		
27"	WSHMPV422724		
high	WSHMPV482724-2		
	WSHMPV482724-3		
	WSHMPV542724-3		
	WSHMPV602724-3		
	WSHMPV363024		
30" high	WSHMPV423024		
mgn	WSHMPV483024-2		
	WSHMPV483024-3		
	WSHMPV543024-3		
	WSHMPV603024-3		
	WSHMPV363324		
33" high	WSHMPV423324		
mgn	WSHMPV483324-2		
	WSHMPV483324-3		
	WSHMPV543324-3		
	WSHMPV603324-3		
	Hood M	odification	
	MRMVPANEL	0	0


[†] Quantity of halogen lights on PK22 unit (halogen lights cannot be shipped to California)



SQUARE HOOD WITH MANTLE AND PANELED VALANCE

Brighton Cabinetry is not responsible for:

- the fit of liner and/or blower not provided by the factory at the time of hood order
- the fit of customer supplied liner and/or blower



NOTE: MRMVPANEL- Adding this modification to the WSHM changes the top operational doors to a removable wainscot panel at no additional cost. This modification is not available with mitered door designs.

WOOD SQUARE HOOD WITH MANTLE AND
PANELED VALANCE, 24" DEEP

- 24" deep standard
- 3/4" construction
- Best® by Broan blower and liner, PK22 series, included in list price, shipped separate from factory. See chart for specific details.
- 30" wide hood not available with PK22 series blower
- Flush finished sides, finished interior, finished bottom standard
- Standard finished bottom edges of case
- Functional doors above mantle shelf allow access to blower unit
- 48" wide hoods available as 2 or 3 equal door options. Specify L or R hinge for single door of 3-door hood.
- Arched paneled valance bottom rail, standard
- 3/4" fixed floor located 7 1/16" above the bottom edge of case unless otherwise specified.
- Units 39" wide or more will have a fixed center stile between the doors.
- Mantle shelf is 4" deep, 3 5/8" high and trimmed out with ACROWN4
- Top of mantel shelf is 12 1/2" from bottom edge of hood unless otherwise specified.
- Mantle shelf has left and right reveals to match the doors except for inset which will have 1/4" outside reveals.
- Please submit custom quote if dimension other than the height will be modified.

Chart below indicates liner specifications based off the width of the hood

Insert Model	Nominal Hood Width	Adjustable Depth* E Fits into hood with overall** case depth of	Width A*	Cutout Width B (long)	Cutout Width C (short)	Cutout Depth D	Qty Halogen lights†
PK2230	36"	21 5/8" to 24 5/8"	34 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2230	42"	21 5/8" to 24 5/8"	40 3/8"	27 5/8"	26 1/8"	14 7/8"	2
PK2239	48"	21 5/8" to 24 5/8"	46 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	54"	21 5/8" to 24 5/8"	52 3/8"	36 7/16"	34 7/8"	14 13/16"	3
PK2239	60"	21 5/8" to 24 5/8"	58 3/8"	36 7/16"	34 7/8"	14 13/16"	3

^{**} Case depth shown in chart assumes an overall back thickness of 3/4" and front (face frame) thickness of 3/4".

	PRODUCT CODE	LEVEL 1	LEVEL 2
36" high	WSHMPV363624		
	WSHMPV423624		
	WSHMPV483624-2		
	WSHMPV483624-3		
	WSHMPV543624-3		
	WSHMPV603624-3		
39" high	WSHMPV363924		
	WSHMPV423924		
	WSHMPV483924-2		
	WSHMPV483924-3		
	WSHMPV543924-3		
	WSHMPV603924-3		
42" high	WSHMPV364224		
	WSHMPV424224		
	WSHMPV484224-2		
s	WSHMPV484224-3		
	WSHMPV544224-3		
	WSHMPV604224-3		
	Hood Mod	lification	

0


0

MRMVPANEL

[†] Quantity of halogen lights on PK22 unit (halogen bulbs cannot be shipped to California)



PK22 SERIES BLOWER AND LINER



SPECIFICA	ATIONS				
MODEL	VOLTS	AMPS	CFM	SONES	DUCT
PK2230	120	8.0	1500	11.5	10" round
PK2239	120	8.0	1500	11.5	10" round

NOTE: Blower and liner specs are subject to change without notice. It is the dealer's responsibility to ensure the current blower specifications will meet the requirements needed for each installation. Check www.bestrangehoods.com for most current specifications as published by the blower manufacturer.

PK22 SERIES POWER PACK


- Best® by Broan blower for use over residential commercial-style cooking surfaces included with WSHM and WSHMPV model hoods, 24" deep
- Finish: 304 Stainless Steel #3 Brushed.
- Heat sentryTM system detects excessive heat and automatically adjusts to high speed.
- Multi-speed, slide control
- Quick release, dishwasher safe, stainless steel/ aluminum grease filters
- Brilliant halogen lighting (cannot be shipped to California)
- Includes 10" round connector / back-draft damper
- Powerful, internal blower produces 1500 max CFM
- Shipped loose from factory.
- Height above cooking surface recommended in the range of 24" to 30"
- HVI certified performance. Underwriters Laboratories tested and approved.







- Best® by Broan liner for PK22 series power pack
- Brushed stainless steel finish
- Adjustable depth to fit into cabinet as shown on chart
- Fits custom hood nominal widths: 36", 42", 48", 54" or 60"
- Easily wipes clean
- Optional ambient light panel for Best® by Broan liners available by custom quote.




*Dimension does not include 3/8" wide flange. Adjustable depth at "E", see chart.



WALL FILLERS

WALL FILLER

- 3/4" solid wood frame stock
- Standard widths of 3" and 6"
- Standard ships finished on face and all four 3/4" edges.



the factory except by special request only.


	PRODUCT CODE	LIST		PRODUCT CODE	LIST
	3" FILLER			6" FILLER	
_	WF312		•	WF612	
_	WF315		-	WF615	
_	WF318		•	WF618	
_	WF321		•	WF621	
_	WF324		-	WF624	
_	WF327		-	WF627	
_	WF330		-	WF630	
	WF336		•	WF636	
_	WF339		-	WF639	
_	WF342		-	WF642	
	WF348		•	WF648	
	WF354			WF654	
_	WF357		•	WF657	
_	WF360		•	WF660	
	WF366		•	WF666	
_				· · · · · · · · · · · · · · · · · · ·	

WALL CORNER FILLER

- 3/4" thick solid wood joined to form 90° angle.
- Covers 3" space for each "wing".
- Standard ships finished on face of inside angle and all 3/4" edges.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



3" corner WCF330
WCF336
WCF339
WCF342
WCF348



WALL OVERLAY FILLERS


WALL OVERLAY FILLER		PRODUCT CODE	LIST
	2 3/4" wide	WOFS312	
Overlay only, does not include filler.All 4 edges will be profiled to match door edges.		WOFS315	
 Length will match height of door/drawer overlay. 		WOFS318	
 Standard ships finished on face and all four 3/4" edges Madrid, Sardinia, and Valletta overlays cannot be any 		WOFS321	
 Madrid, Sardina, and Vanetta overlays cannot be any smaller than 2 7/8" wide. When adding flutes: 2 flutes are standard on WOFS3 (2 3/4" wide) 5 flutes are standard on WOFS6 (5 3/4" wide) 		WOFS324	
	- - - -	WOFS327	
		WOFS330	
		WOFS336	
		WOFS339	
		WOFS342	
		WOFS348	
		WOFS354	
		WOFS357	
		WOFS360	
		WOFS366	
	5 3/4" wide	WOFS612	
		WOFS615	
		WOFS618	
		WOFS621	
		WOFS624	
		WOFS627	
		WOFS630	
		WOFS636	
		WOFS639	
		WOFS642	
		WOFS648	
		WOFS654	
		WOFS657	
		WOFS660	
		WOFS666	



WALL FILLER WITH RETURN

WALL FILLER WITH RETURN, LEFT OR RIGHT

- 3/4" solid wood frame stock with 3/4" plywood return.
- 3" wide or 6" wide.
- 13" deep overall.
- Specify left (L) or right (R) side return. (left shown)
- Return panel is finished on both sides.
- Add modification charge for flush finished end.



	CODE	SPECIFY	LIST
3" filler with return	WFR330	L/R	
	WFR336	L/R	
	WFR339	L/R	
	WFR342	L/R	
	WFR348	L/R	
6" filler	WFR630	L/R	
with return '	WFR636	L/R	
	WFR639	L/R	
	WFR642	L/R	
	WFR648	L/R	

CDECIEV

LICT

DDODLICT



Fillers with return are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

WALL FILLER WITH RETURNS, BOTH

- 3/4" solid wood frame stock with two 3/4" plywood returns.
- 3" wide or 6" wide.
- 13" deep overall.
- Finished sides on both returns are standard.
- Add modification charge for each flush finished end.



1 /

Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

3" filler with 2 returns	WFRB330
	WFRB336
	WFRB339
	WFRB342
	WFRB348
6" filler with 2 returns	WFRB630
	WFRB636
	WFRB639

WFRB642 WFRB648




WALL ANGLED FILLER

WALL ANGLED FILLER ONLY

- 3/4" solid wood filler
- Edges cut for 45 degree installation
- Occupies 3" width of cabinet run
- Standard ships finished on face of inside angle and all 3/4" edges.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



PRODUCT CODE	SPECIFY	LIST
ANGLED	FILLER O	NLY
WAF30		

WAF36 WAF39 WAF42

WAF48

WAFR48


W2AF48

WALL ANGLED FILLER WITH RETURN

- 3/4" solid wood frame stock with 3/4" plywood return.
- Filler at 45 degree angle.
- Occupies 3" of cabinet run.
- Specify left (L) or right (R) side return. (left shown)
- Overall depth is 13", return depth is 10".
- Finished side is standard on return.
- Add modification charge for flush finished end.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



ANGLED FILLER WITH RETURN	
WAFR30	L/R
WAFR36	L/R
WAFR39	L/R
WAFR42	L/R

L/R


ANGIED EUTED MURIT

135 DEGREE ANGLE FILLER ONLY (not pictured)

- Two 3/4" solid wood frame stock joined to form a 135° angle.
- 2" wide face of each "wing".
- Edges are square with face of each section.
- Standard ships finished on face of inside angle and all 3/4"
- See top view sketch for amount of run space covered.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



Top View

W2AF30	
W2AF36	
W2AF39	
W2AF42	


135° FILLER ONLY

135 DEGREE ANGLE FILLER WITH RETURN


- Two 3/4" solid wood frame stock joined to form a 135° angle with return.
- 2" wide face of each "wing".
- Return side depth is 13".
- Edges are square with face of each section.
- Specify (L) left or (R) right side for return. (Left shown)
- Finished face of inside angle is standard.
- Finished side is standard on return.
- Add modification charge for flush finished end.
- See top view sketch for amount of run space covered.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



	LER WITH TURN
W2AFR30	L/R
W2AFR36	L/R
W2AFR39	L/R
W2AFR42	L/R
W2AFR48	L/R



- Horizontal grain.
- Finished on face, back and bottom edge.
- Noted dimensions on illustrations are for 5" high valances. The specified dimensions remain the same for all valance heights with the additional valance height added to the top, flat area unless specified on the order. See below for exceptions.
- Specify valance style first then width and height. Example: "ASTV6010" will be a Straight Valance 60" wide by 10" tall.
- Some valance designs may not appear as defined in shape as illustrated due to increased length of the piece. This occurrence is most common for valances over 48" wide.


^{*} For the classic arch valance (ACAV) and arched valance (AARV) ordered over 48" wide, the height of the arch will measure 3" high at the center instead of 2" as illustrated.



NOTES




ARCHED PANEL VALANCE



➤ Dimensions shown above are standard for most door designs. Valance framing will be changed automatically to most closely match door designs with wider standard framing dimensions. See specific door designs for framing width details.

30" TO 48" WIDE	ARPV	PER SQ FT + PER PC
OVER 48" UP TO 72" WIDE	ARPV	PER SQ FT + PER PC


- + 20% UPCHARGE FOR CUSTOMIZED
- This upcharge applies for <u>any</u> type of deviation from the specs listed on this page.
- Available standard sizes in 3" increments only from 30" to 72"
- Standard height is 12 1/2"
- 3/4" thick
- Outside edge is machined when possible
- Valances ordered to match mitered door designs <u>cannot</u> be trimmed in the field
- All standard framing beads and panel raises available (see preface section for choices). Unless
 otherwise specified these profiles will match the door style
- Horizontal grain is standard. Vertical grain is available with an up charge per piece
- Please send for quote if needing an odd size or different framing widths for panels cut in the field
- May not be an exact match with mitered door styles



NOTE: A custom quote <u>must</u> be submitted for cabinetry that incorporates an arched panel valance within its construction.



VALANCE LIGHT BOX



PRODUCT CODE	LIST
A_VLB30	
A_VLB33	
A_VLB36	
A_VLB39	
A_VLB42	
A_VLB45	
A_VLB48	
A_VLB54	
A_VLB60	

- Specify valance style: CA*-classic arch, EA-elegant arch, FU-furniture, ST-straight, AR*-arched, SHA-shaker style A, or SHC-shaker style C. ("ACAVLB30" denotes a classic arch valance light box at 30" wide). See VALANCES for illustrations of each style.
- 12" height, 13" depth standard
- 3/4" face, sides and back
- Flush finish sides standard
- Finished interior standard
- Edgebanded on all bottom edges
- No bottom in cabinet
- Some valance designs may not appear as defined in shape as illustrated due to increased length of the piece. This occurrence is most common for valances over 48" wide.

NOTE: Please send for quote if raised panel valance front is required.

^{*} For the classic arch valance (ACAV) and arched valance (AARV) ordered over 48" wide, the height of the arch will measure 3" high at the center instead of 2" as illustrated.



WALL ACCESSORIES

PRODUCT LIST **CODE** WALL SIDE SKIN AWSKIN 1/4" side panel WALL STEMWARE RACK ATTACHED WSWRA18 Mounted on 1/4" flush finished bottom. WSWRA21 Installed on specified cabinet. WSWRA24 WSWRA27 WSWRA30 WSWRA33 WSWRA36 WALL STEMWARE RACK LOOSE WSWRL18 Cleats mount in recess of bottom of cabinet. WSWRL21 Field trimming required. WSWRL24 WSWRL27 WSWRL30 WSWRL33 WSWRL36 WALL WOOD REVOLVING SHELF **AWWRS** Platter on adjustable shelf.

WALL TRAY DIVIDER

AWTD

1/2" UV Birch veneer plywood divider with edgebanding.

Specify location and spacing of multiple dividers.

Tray dividers will be equally spaced in the opening unless otherwise specified.

Tray dividers are not removable.

Adjustable shelves cannot be adjacent to tray dividers. A partition must be used if adjustable shelves are needed.

WALL PARTITION 13" DEEP WALL PARTITION 24" DEEP

AWP13

AWP24

3/4" UV Birch veneer plywood divider with edgebanding.

Partitions will be centered unless otherwise specified.

When specified for cabinets with shelves, shelves are installed on both sides.

Use when adding an accessory on one side of cabinet, shelves are installed on opposite side.

Specify location of partition and side of accessory installation.

DOWEL PLATE RACK

Priced per linear foot of installed rack (2 rows, 7" apart)


Standard height of rack opening is 11".

Hardwood dowels are removable.

Dowels are not available in Clear Alder, Hickory, Quarter Sawn

White Oak, Red Birch, Rustic Alder or Rustic Hickory.

Another specie will be substituted.



linear ft.

STORAGE ORGANIZER

3-Step, terraced design organizes spices, dry goods, etc.

Add to appropriate cabinet.


5/8" natural soft maple

Standard 3 3/4" high, 7 7/8" deep

Constructed in 2 pieces to utilize the full interior

width of cabinet.

Will ship separately from cabinet.



ASO12	
ASO15	
ASO18	
ASO21	
ASO24	
ASO27	
ASO30	



WALL ACCESSORIES

PRODUCT CODE	LIST
ASROD	
AFDG	

ALFDG

SPICE RACK ON DOOR

Wood rack with fixed shelves mounted on a cabinet door. Not available on cabinets less than 9" wide. Unit is 3 1/2" deep overall with a shelf depth of 2 1/2" Height of each shelf section varies from approximately 5" to 7" depending on the height of cabinet frame opening.

FLIPPER (POCKET) DOOR GLIDES

Installed mechanism for stowing door inside cabinet as in entertainment cabinets. To allow for the hardware, minimum cabinet depth is 13 1/2" and minimum frame opening height is 18".

Add to cabinet price; priced per set of doors. Adding flipper doors to a cabinet will cancel all adjustable shelves in that section. When needing adjustable shelves, a loose shelf accessory will need to be added to cabinet price for each adjustable shelf.

When needing finished interior, the matching wood interior modification will need to be added to cabinet price. When adding flipper doors to cabinet, interior opening width will be 8" less than the overall cabinet width if FOL-C. If SOL or Inset, the interior opening width will be 9 1/4" less than the overall cabinet width. Example: 30" wide, FOL-C cabinet will have an interior opening size of 22" wide. Doors larger than 26" wide or 72" tall require large flipper door glides (ALFDG).



PRODUCT CODE LIST

FRAME CHANGE

MFC

Includes one or all changes made to frame configuration, excluding extended stiles and rails. Specify changes and dimensions, provide sketch.

INCREASE CASE DIMENSION MODIFICATION

MICDIM

Used to increase height, and/or width, and/or depth above the largest standard sizes.

Cabinet may be increased up to 6" larger for any or all dimensions. Dimension increases beyond 6" require a quote. Some restrictions apply due to material availability.

Any cabinet increased in width to 39" or above will have a fixed center stile as standard.

Drawer boxes and rollouts will increase with the cabinet depth up to 27" deep cabinets. Anything increasing over 27" in depth must be verified with Customer Service for availability before ordering.

Wall cabinets and sink cabinets can be increased in <u>depth only</u> up to a maximum of 3" beyond the standard cabinet depth for no up charge at all.

MATCHING WOOD INTERIOR

MMWI

Wood specie and finish match frame and doors.

Price % of list price.

When selecting matching wood interior on cabinets with more than one section (ie, tall cabinets or combined cabinets) the entire interior of all sections will be matching wood interior as standard. The grain on interior backs may be horizontal on cabinets larger than 48" wide.

COMBINE CABINET CHARGE

COMBINE

Used to combine two or more cabinets.

One charge per combination of two cabinets.

FRONT ONLY MWFRO

Subtract from base price of cabinet. Face frame and door(s) and / or drawer front(s). Doors are hinged and working. Drawer fronts are fixed. Specify if fixed doors are required.

OMIT DOORS MOD

Interior remains standard finish unless matching wood interior modification is used.

OMIT BOTTOM RAIL AND FLOOR

MOBRF

MAMC

Maximum cabinet height is 64 1/2".

Maximum cabinet width is 42".

ADD CENTER STILE MACSW

To add vertical center stile to any cabinet.

Standard 1 1/2" wide stile, specify width of stile if different dimension is desired.

ADD CENTER RAIL MACRW

To add a horizontal center rail and fixed floor to any cabinet.

Standard 1 1/2" wide rail, specify width of rail if different dimension is desired.

Include specific information for placement of rail, provide drawing if possible.

Charge includes cost for dividing doors into separate uppers and lowers.

TOE KICK ATTACHED TO WALL CABINET MTKAW

A 4 1/2" toe kick is made adding 4 1/2" to overall height.

APPLIED MOLDING CHARGE

Charge to apply molding, ornaments, appliqué to cabinets.



NOTES



PRODUCT SPECIFY LIST CODE

Furniture Ends-Locking Miter Joint

- True flush ends with no seams, making crown, base, and light rail moldings easier to attach, no scribe molding needed
- Not available on diagonal corner cabinets, angled cabinets, or clipped corners.

Wall Furniture Finished End (Left, Right, or Both ends)

MWFURNFE L/R \$/SQFT

Wall Furniture False Door Ends (Left, Right, or Both ends)

MWFURNFD L/R \$SQFT

Wall Furniture Wainscot End (Left, Right, Both ends)

MWFURNWP L/R \$SQFT

 Not available with any miter doors. Also not available with Churchill, Madrid, Plainfield, Plainfield MDF, Sardinia, Valletta, or Verona door designs





BRIGHTON	WALL MODIFICATIONS	PRODUCT CODE	SPECIFY	LIST
WALL FINISHED END		MWFE	L/R	
Side of cabinet matches specie and stair Side retains 1/4" scribe reveal same as				SQ FT
WALL FLUSH FINISHED END		MWFFE	L/R	
A 1/4" panel is applied creating a flush Side of cabinet matches specie and stain				SQ FT
FINISHED BACKS 1/2"		MFBAH		
Back thickness does not affect overall of	lepth of cabinet. Vertical grain is standar	·d.		SQ FT
WALL FALSE DOOR ON END		MWFDE	L/R	
Includes flush finished end.				SQ FT
WALL WAINSCOT END PANEL		MWWEP	L/R	
A 3/4" panel constructed from same ma Top rail is wider to allow for molding in Not available for mitered door styles.		h cabinet end.		SQ FT
WALL BEAD BOARD END		MWBDE	L/R	
1/2" solid wood, tongue and groove bead board, factory installed on cabinet side.			SQ FT	
BEAD BOARD INTERIOR BACK		MBDIB		
1/2" solid wood, tongue and groove bea	ad board installed in the back of cabinet.			SQ FT
WALL GROOVED PANEL LEFT /	RIGHT	MWGP	L/R	
1/4" veneered panel with MDF core applied, creating a flush end. 1/8" wide, vertical 'V' grooves, spaced 1 1/2" apart. Other designs to match grooved doors are available upon request. Matches specie and stain of front frame and doors. Not available for any finish with wear sanding. Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.			SQ FT	
WALL GROOVED PANEL INTERI	OR BACK	MWGPIB		
spaced 1 1/2" apart. Other designs to m of front frame and doors. Use with MW	talled in the back of the cabinet. 1/8" wi atch grooved doors available upon reque I modification to finish the remainder of Not available in Rustic Alder or Rustic	est. Matches speci f cabinet interior.	e and stain Not avail-	SQ FT
WALL GROOVED PANEL BACK ((1/2")	MWGPBAH		
apart. Other designs to match grooved of frame and doors. Back thickness does n	plied to the case back. 1/8" wide, vertica doors are available upon request. Matche ot affect overall depth of cabinet. Not a v Alder or Rustic Hickory: standard grade	es specie and stain vailable for any f	of front finish with	SQ FT
WALL FINISHED BOTTOM (B)		MWFB		
	t to match specie and finish of cabinet fa in the recessed area under the cabinet. I			
WALL FLUSH FINISHED BOTTO	M (B) or TOP (T)	MPFF	B / T	
	ish of cabinet. Specify MPFFB for bottomished bottom or top, flush finished ender			SQ FT



PRODUCT SPECIFY LIST CODE

EXTENDED STILE OUT... UP TO 3" (see next page for illustrations)

MWESO3

L/R

Stile extends outward from cabinet, increasing overall frame width by the amount specified for the extension. Overlay filler strips are available for full-overlay flush look. (See wall cabinet accessories)

EXTENDED STILE OUT...UP TO 6" (see next page for illustrations)

MWESO6

L/R

Stile extends outward from cabinet, increasing overall frame width by the amount specified for the extension. Overlay filler strips are available for full-overlay flush look. (See wall cabinet accessories)

EXTENDED STILE IN...UP TO 3" (see next page for illustrations)

MWESI3

L/R

Stile extends inward, overall frame width does not change.

Overlay filler strips are available for full-overlay flush look. (See wall cabinet accessories)

EXTENDED STILE IN...UP TO 6" (see next page for illustrations)

MWESI6

L/R

Stile extends inward, overall frame width does not change.

Overlay filler strips are available for full-overlay flush look. (See wall cabinet accessories)

EXTEND TOP OR BOTTOM RAIL UP (see next page for illustrations)

METRU

MEBRU

Add to cabinet price.

Indicate overall dimension.

EXTEND TOP OR BOTTOM RAIL DOWN (see next page for illustrations)

METRD

MEBRD

MVTR

Add to cabinet price.

Indicate overall dimension.

VALANCE TOP RAIL

Extends a standard 1 1/2" wide top rail down for an overall rail width of 5".

Price for cabinets up to 42" wide.

Specify shape: Classic Arch, Elegant Arch, Straight, Arched, Furniture, Shaker style A or Shaker style C.

Provide a sketch or template for custom pattern, requires quote.

VALANCE BOTTOM RAIL

MVBR

Extends the bottom frame rail down 5" below the rest of the cabinet. This is added to the ordered cabinet height. Price for cabinet up to 42" wide.

Specify shape: Classic Arch, Elegant Arch, Straight, Arched, Furniture, Shaker style A or Shaker style C. Provide a sketch or template for custom pattern, requires quote.

WALL EXTENDED SIDE BACK

MWESB

L/R

Specify the length of the extension beyond the standard depth. 48" overall maximum depth. Back edge will not be finished as standard. Please specify on order for finished edge and add appropriate EB charges.

WALL RECESSED BOTTOM

MWRB


The recessed bottom dimension is measured from the bottom of the cabinet to the underside of the floor. Indicate the recessed dimensions.

Recessed bottom does not affect standard door size.

WALL RECESSED SIDE


MWRS L/R


Normally used when a recess allowance is needed for a field applied panel. The cabinet face frame and door reveals will not change with this modification. Most standard cabinets already have 1/4" recess behind the face frame, specify TOTAL amount needed. Maximum overall recess allowed = 7/8".






EXTENDED RAIL AND STILE ILLUSTRATIONS









PRODUCT SPECIFY LIST CODE

L/R

JODE

WALL SIDE ANGLED

Side is angled, front frame is parallel to back.

Include a top view sketch with dimensions of side and front.

Specify a degree of angle.

Use widest dimension of finished cabinet as initial starting price then add modification charge.

WALL ANGLED SIDE ENTRY

MWAE

MWSA

L/R

This modification is like wall side angled but with frame and working door.

Include a top view sketch with dimensions of side and front.

Specify degree of angle and hinging.

Use widest dimension of finished cabinet as initial starting price then add modification charge.

WALL ANGLED FRONT

MWAF

L/R

Front is angled, sides remain perpendicular to back.

Include a top view sketch with dimensions of sides and front.

Specify overall cabinet size.

Indicate depth of right and left sides.

Minimum depth is 4" for adjustable shelves.

Use widest dimension of finished cabinet as initial starting price then add modification charge.

WALL END ENTRY

MWEE

L/R

Specify door hinging.

Add modification charge to initial starting price of cabinet.

DOUBLE ENTRY MDE

Add modification charge to initial starting price of cabinet.

Specify hinging on rear if different from front entry.


U-SHAPE DRAWER BOX MODIFICATION

MUDRBOX

Modifies an existing drawer box to have a cutout centered, side to side, allowing space for pipe work. <u>Drawer box</u> width must be at least 12" (12 3/8" frame opening). Must specify dimensions 'A' and 'B' as shown on the template.

per drawer

'C' can be no less than 3".





PRODUCT SPECIFY LIST **CODE** WALL DUCT CUTOUT **MWDCO** Include a top view sketch with cutout dimensions and location. SOL/Inset FOL/FFA WALL ADDITIONAL DRAWER, STANDARD **MWADS SLAB** Use this modification to add a drawer that would require a frame opening of 6" H or less. 1INSLAB Blumotion glides standard: other glide styles will be substituted when the frame opening 5-PIECE for the drawer boxes are under 6" wide or cabinet is less than 12" deep. This price includes drawer box, hardware, drawer front, and frame change. SOL/Inset FOL/FFA **MWADD** WALL ADDITIONAL DRAWER, DEEP **SLAB** Use this modification to add a drawer that would require a frame opening greater than 6" high. 1INSLAB Blumotion glides standard: other glide styles will be substituted when the frame opening 5-PIECE for the drawer boxes are under 6" wide or cabinet is less than 12" deep. This price includes drawer box, hardware, drawer front and frame change. 5-PIECE DRAWER HEAD 5-P(RAIS)-FOL/FFA Price per drawer head. 5-P(FLAT)-FOL/FFA Drawer head made in a 5-piece configuration. 5-P(RAIS)-SOL/INSET The top and bottom rails of the drawer head are cut down for most designs. 5-P(FLAT)-SOL/INSET 1" THICK, SLAB DRAWER FRONT UPGRADE 1-INSLAB-FOL/FFA Price per drawer head. 1-INSLAB-SOL/INSET Not available to match all designs. Not recommended with slab doors or designs with flat center panels. See Introduction for more information. WALL CLIPPED CORNER **MWCC** L/RStile is angled at 45 degrees. This modification does not increase the width or depth of the cabinet. The face frame is decreased by 3" per clipped corner. WALL FLUTING **MWFLUTE** Three flutes are standard, based on 3"filler Routed on filler or stile up to 6" wide. Specify the number of flutes. (1 flute per inch is recommended). Standard is 3/8" flute with 3/8" space between flutes. Limits will normally align with adjacent cabinets. Minimum filler width is 1 1/2". Provide sketch on special fluting requirements. ROSETTE DESIGN **MROSETTE** Routed into filler, usually accompanies fluting. Style A (2 1/4") is for 3" filler or overlay filler (2 3/4") with machine or L149 edge. Minimum overlay filler width will be 3 1/8" for all other edge Style B (3 1/8") is for 6" filler.

В



BRIGHTON	WILE MODIFICATIONS		
,		PRODUCT CODE	LIST
FLIP UP DOOR STAY		MFUDS	_
 Supports a door hinged to the top of a cabinet opening Priced per cabinet (2 doors maximum) Will not fit frame opening less than 7" high 			(2 doors max.)
FLIP DOWN DOOR STAY		MFDDS	
 Supports a door hinged to the bottom of a cabinet opening Priced per piece (2 doors maximum) Will not fit frame opening less than 7" high 			(2 doors max.)
90 DEGREE HINGING (concealed	hinge only)	MW90DEG-L	
 Hinge with restricted swing of appr Available for <u>concealed</u> hinges only Priced per cabinet side Specify side: L or R 		MW90DEG-R	




SPECIFICATIONS

BASE CABINETS


(See "Cabinet Construction Specifications" and "Pricing Procedures" for options.)

Base Cabinet Nomenclature



STANDARD BASE FRONT FRAME HEIGHT: 30" STANDARD OVERALL CABINET HEIGHT: 34 1/2" ** STANDARD OVERALL CABINET DEPTH: 13" & 24" ** STANDARD TOE KICK HEIGHT: 4 1/2"; DEPTH: 3 1/2"

**Base cabinets will have a standard height of 34 1/2" and standard depth of 24" unless specifically noted in the cabinet's description.



^{***}Cabinets less than 9" wide will have reduced face frame stile widths.



Base Contents

Base cabinets will have a standard height of 34 1/2" and standard depth of 24" unless specifically noted. See the page with the cabinet details for additional information.

ANGLED CABINETS	
135° ANGLED CORNER CABINET	39
ANGLED FRONT CABINET	40
DOUBLE ANGLE CABINET	42
SINGLE ANGLE CABINET	42
THREE ANGLE CABINET	43
APPLIANCE CABINETS	
APPLIANCE PLATFORM DRAWER	29
APPLIANCE TOE PLATE	29
COOK TOP CABINETS	33, 34A
DOWN DRAFT CABINET	31
MICROWAVE CABINET	31
RANGE TOP CABIINET	34
UNDER COUNTER OVEN CABINET	29
WARMING DRAWER	33
BLIND CORNER CABINET	9
PENINSULA BLIND (double entry)	35
WITH PULLOUT / SWINGOUT	10
WITH SWING OUT WOOD SHELF	10
CANNED GOODS STORAGE	45
DIAGONAL CORNER CABINETS	
WITH ADJUSTABLE SHELF	24
ULTRA SUSAN REVOLVING SHELF	24
SEE SINK BASES FOR DIAGONAL CORNER SINKS	
DOOR / DRAWER CABINETS	
1 TOP DRAWER	8
1 TOP DRAWER W/ ROLLOUTS	15
2 TOP DRAWER	8
2 TOP DRAWER W/ ROLLOUTS	16
3 TOP DRAWER/3 DOOR	8
COMBINATION DOUBLE DRAWER	44
INVERTED BASE CABINET	9
DOUBLE ENTRY- SEE PENINSULA CABINETS	
DRAWER BANKS	
APOTHECARY DRAWERS	47
2 EQUAL DRAWER	19
2-SEED DRAWER CABINETS	19
2 TOP DRAWERS, 4 DRAWER TOTAL	21
3 DRAWER	20
4 DRAWER	20
FULL HEIGHT DOOR CABINET	6
13" DEEP	4-5
IRONING BOARD CABINET	44
ISLAND TABLE, FREE STANDING	49

KEYPAD DRAWERS	51
MULTI-FOOD STORAGE	45
PENINSULA CABINET (double entry)	35-37
PENINSULA STARTER CABINET	35
PIE CUT CORNER CABINETS	
WITH ADJUSTABLE SHELF	23
WITH DRAWERS	21
WITH REVOLVING DOOR	23
WITH ULTRA SUSAN REVOLVING SHELF	23
PLANNING DESKS	50
SINK BASES	
1 FALSE TOP DRAWER	10B
2 FALSE TOP DRAWERS	10B
ANGLED SINK FRONT	25
ANGLED SINK FRONT FLOOR	25
DIAGONAL CORNER SINK BASE	27
DIAGONAL SHALLOW CORNER SINK	26
FARMER SINK	10B
FULL HEIGHT DOOR SINK	11
RECESSED CORNER SINK	27
WITH CLIP CORNER	14
WITH POST NOTCH	13
SHELF UNITS	
END SHELVES	52
PENINSULA END SHELF	52
TRAY DIVIDER CABINET	7
TRAY PULLOUT CABINET	7
UTENSIL ORGANIZER PULLOUT CABINET	10A
WASTE CABINET	17
WINE RACK CABINETS	48-48




Base Contents

BASE ACCESSORIES		BASE MODIFICATIONS	
150# FULL EXT. SIDE-MOUNT GLIDES	59	90 DEGREE HINGE	69
BLUMOTION GLIDES	59	ADD CENTER RAIL	62B
BREAD BOX LID	59	ADD CENTER STILE	62B
CAN RACK	58	ADDITIONAL DRAWER	69
CUTLERY DIVIDER	59, 60B	ANGLED SIDE ENTRY	67
CUTTING BOARD BEHIND DRAWER	58	ANGLED FRONT	. 67
CUTTING BOARD OVER DRAWER	58	ANGLED SIDE	. 67
DISHWASHER END PANEL	54	APPLIED MOLDING CHARGE	62B
DOUBLE STACK CUTLERY DIVIDER	59	BACK TOE KICK	67
DRAWER DIVIDER	59	BEAD BOARD END	64
END SKIN, LOOSE	62	BLIND BASE CUSTOM FRONT	67
FLIPPER DOOR GLIDES	58	BLIND SOLID, FINISHED	9,67
FURNITURE PLATFORMS	57	CLIPPED CORNER	. 68
KNIFE BLOCK	60B	COMBINED CABINET CHARGE	62B
HAMPER BASKET ROLLOUT	62	DOOR STAY	69
HANGING FILE RAILS	59	DOUBLE ENTRY	. 67
ISLAND END PANELS	49	DRAWER HEAD UPGRADE	. 69
MIXER SHELF, LIFT UP	62	DRY-SEED DRAWER FRONT	69
MYSTERY OIL	58	DUCT CUT-OUT	. 68
PARTITION	62	END ENTRY	. 67
PLANNING DESK LEG	50	EXTEND RAIL, UP OR DOWN	. 65
POT AND PAN CADDY	62	EXTEND SIDE BACK	65
ROLLOUT SHELVES	60	EXTENDED STILE	65
SINK BASE DRIP TRAY	62A	FALSE DOOR ON END	. 64
SPICE RACK IN DRAWER	59	FINISHED BACK 1/2"	64
SPICE RACK ON DOOR		FINISHED END	. 64
TILT OUT SOAP TRAYS	59	FINISHED TOP	64
TOE FILLER (ARCHED)	56	FLUSH FINISHED END	64
TOE FILLER (FURNITURE)		FLUSH FINISHED TOP	. 64
TOE KICK DRAWER		FLUSH TOE BASE	67
TOE KICK STEP STOOL	61	FLUTING	68
TOWEL RACK, METAL		FRAME CHANGE	62B
TRAY DIVIDER		FRONT ONLY	62B
WASTE BASKET, DOUBLE		FURNITURE END	63
WASTE BASKET, SINGLE		GROOVED PANEL APPLIED	64
WOOD REVOLVING SHELF		INCREASE CASE DIMENSION CHARGE	
		INWARD EXTENDED STILE	
		LOOSE TOE KICK	
		MATCHING WOOD INTERIOR	62B
		OMIT DOORS	62B
FILLERS		OMIT OPERATING DRAWER BOX	69
ANGLED FILLERS	55	OMIT TOE KICK	
ANGLED FILLERS WITH RETURN		RECESS POST CUTOUT	
3" AND 6" STRAIGHT		RECESSED SIDE	
CORNER FILLERS		ROSETTE DESIGN.	
DISHWASHER END PANEL		SCOOPED DRAWER SIDES	
FILLER WITH RETURN		SIDE TOE KICK	
		SINK SIDE CUTOUT	
FILLER WITH BOTH RETURNS			
OVERLAY FILLER		UNIVERSAL ACCESS TOE KICK SPACE	
SPICE FILLER PULLOUT, 3" AND 6" WIDE	54	U-SHAPE DRAWER BOX MODIFICATION	
		VALANCE TOP/BOTTOM RAIL	
		WAINSCOT END PANEL	64




BASE CABINET FULL HEIGHT DOOR, 13" DEEP



BASE CABINETS WITH FULL HEIGHT DOORS

- 13" deep, standard
- Two full depth, adjustable shelves.
- Specify hinge on single door cabinets.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets under 9" wide will have reduced width frame stiles.

	PRODUCT CODE	LEVEL 1	LEVEL 2
One door	BFD913		
•	BFD1213		
•	BFD1513		
_	BFD1813		
-	BFD2113		
•	BFD2413-1		
Two doors	BFD2413-2		
	BFD2713		
	BFD3013		
	BFD3313		
	BFD3613		
	BFD3913		
	BFD4213		
_	BFD4513-2		
-	BFD4813-2		




Three equal doors -	BFD3913-3
	BFD4213-3
	BFD4513-3
	BFD4813-3
	BFD5113-3
	BFD5413-3

BASE CABINETS WITH THREE FULL HEIGHT DOORS

- 13" deep, standard
- Three equal door cabinets have a partition behind the middle, offset stile.
- Two full depth, adjustable shelves on each side of partition.
- Single door hinged to outer side unless specified.
- Specify side for single door on three door cabinets (left shown).




BASE CABINET FULL HEIGHT DOOR (13" Deep, 40 1/2 High)



	PRODUCT CODE	LEVEL 1	LEVEL 2
One door	BFD940.513		
•	BFD1240.513		
•	BFD1540.513		
•	BFD1840.513		
•	BFD2140.513		
•	BFD2440.513		
•			
Two doors	BFD2440.513-2		
•	BFD2740.513		
•	BFD3040.513		
•	BFD3340.513		
•	BFD3640.513		
•	BFD3940.513		
	BFD4240.513		
s des	BFD4540.513-2		

BASE CABINETS WITH FULL HEIGHT DOORS

- 13" deep, 40 1/2" high standard
- Three full depth adjustable shelves.
- Specify hinge on single door cabinets.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets under 9" wide will have reduced width frame stiles.



Three equal doors	BFD3940.513-3
	BFD4240.513-3
	BFD4540.513-3
	BFD4840.513-3
	BFD5140.513-3
	BFD5440.513-3


BFD4840.513-2

BASE CABINETS WITH THREE FULL HEIGHT DOORS

- 13" deep, 40 1/2" high standard
- Three equal door cabinets have a partition behind the middle, offset stile.
- Three full depth adjustable shelves on each side of partition.
- Single door hinged to outer side unless specified.
- Specify side for single door on 3 door cabinets (left shown).



BASE CABINET FULL HEIGHT DOOR




	PRODUCT CODE	LEVEL 1	LEVEL 2
One door	BFD624		
	BFD924		
	BFD1224		
	BFD1524		
	BFD1824		
	BFD2124		
-	BFD2424-1		

BASE CABINETS WITH FULL HEIGHT DOORS

- 24" deep
- Two 3/4 depth adjustable shelves.
- Specify hinge for single door cabinet.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab door. See specific door styles for minimum sizes.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- Cabinets under 9" wide will have reduced width frame stiles.

Two doors	BFD2424-2
	BFD2724
	BFD3024
	BFD3324
s	BFD3624
-	BFD3924
S	BFD4224
	BFD4524-2
•	BFD4824-2




Three equal	BFD3924-3
doors	BFD4224-3
•	BFD4524-3
	BFD4824-3
•	BFD5124-3
	BFD5424-3

BASE CABINETS WITH THREE FULL HEIGHT DOORS

- 24" deep
- Three equal door cabinets have a partition behind the middle, offset stile.
- Two 3/4 depth adjustable shelves on each side of partition.
- Single door hinged to outer side unless specified.
- Specify side for single door on 3 door cabinets (left shown).



BASE WITH TRAY STORAGE



PRODUCT CODE	LEVEL 1	LEVEL 2
BFDTD6		
BFDTD9		
BFDTD12		
BFDTD15		

BASE FULL HEIGHT DOOR WITH TRAY DIVIDER

- 24" deep
- Cabinet with one centered, fixed 1/2" tray divider.
- Specify hinge side, L or R.
- No adjustable shelves.
- Cabinets under 9" wide will have reduced width frame stiles.
- FOL-C cabinets under 9" wide and SOL/Inset cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.





BTPC9	
BTPC12	
BTPC15	

BASE TRAY PULLOUT CABINET

- 24" deep
- Pullout tray storage rack mounted to full height door.
- 100# full-extension, Blumotion undermount glides.
- Minimum width of 7 3/4".
- Cabinets under 9" wide will have reduced width frame stiles.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab door. See specific door styles for minimum sizes.



BASE DRAWER / DOOR CABINETS





CODE Do drawar R0

One drawer, one door

B9	
B12	
B15	
B18	
B21	
B1D24-1	

PRODUCT LEVEL 1 LEVEL 2

BASE DRAWER(S) / DOOR(S) CABINET


- One 3/4 depth adjustable shelf.
- Specify hinge side on single door cabinets.
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- FOL cabinets modified to under 9" wide and SOL cabinets under 12" wide may have slab doors. See specific door styles for minimum sizes.
- Cabinets under 9" wide will have reduced width frame stiles.

One	dı	raw	er
txx	70	do	ar.

B1D24-2
B1D27
B1D30
B1D33
B1D36
B1D39
B1D42

Two drawers, two doors

,	B27
3	B30
	B33
	B36
•	B39
•	B42
•	B45-2
•	B48-2





Three equal drawers, three equal doors


,	B39-3
s -	B42-3
	B45-3
	B48-3
	B51-3
_	B54-3

BASE CABINETS WITH THREE DRAWERS / THREE DOORS

- Three door base cabinets have a partition behind the middle, offset stile.
- One 3/4 depth adjustable shelf on each side of partition.
- Single door hinged to outer side unless specified.
- Specify side for single door opening on 3 door cabinets. (left shown)



INVERTED BASE 1 DRAWER / 2 DOOR



PRODUCT CODE	LEVEL 1	LEVEL 2
BI1D24-2		
BI1D27		
BI1D30		
BI1D33		
BI1D36		
BI1D39		
BI1D42		

- 4" high drawer box at the bottom of the cabinet with 2 doors above.
- Fixed floor between door area and drawer box.
- One 3/4 depth adjustable shelf.

BASE BLIND CORNER CABINET



For a custom sized front in a Blind cabinet, see Blind Base Custom Front in Base Modifications

PRODUCT LEVEL 1 LEVEL 2 CODE
BBC36
BBC39
BBC42
BBC45
BBC48
Base Finished Blind Solid
MBFBS

BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT
BBC36	7 1/2"	39"
BBC39	10 1/2"	42"
BBC42	13 1/2"	45"
BBC45	16 1/2"	48"
BBC48	19 1/2"	51"

Door edge to adjacent corner filler clearance without pulling cabinet from corner.

FULL OVERLAY SEMI OVERLAY

1 3/4" 2 5/8"


BLIND CORNER BASE CABINETS

- Specify blind side left (L) or right (R). Right shown.
- Door hinges to blind side, and will have 90 degree hinging when FOL-C or SOL-C.
- Center stile is 6 3/4" wide: blind opening is 18 3/4"W.
- Cabinet can be pulled 3".
- One 3/4 depth adjustable shelf.
- Inside 1/4" panel covers blind opening.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- When adding rollout to blind cabinets, rollout will pull from blind area into area behind door.

NOTE: The adjacent cabinet at right angle to the Blind Base must have an extended stile or filler for proper door and drawer clearance. Hardware pulls will require additional clearance.



BASE BLIND CORNER CABINETS WITH SWING OUTS





2

BASE BLIND SWING OUT WOOD SHELF CABINET

 Two wood, half moon trays pivot and slide out independently.

BLIND CORNER CABINET	DOOR OPENING	PULL LIMIT	SHELF DIAM.
42" WIDE	13 1/2"	45"	32
45" WIDE	16 1/2"	48"	35
48" WIDE	19 1/2"	51"	38

NOTE: The adjacent cabinet at right angle to the Blind Base must have an extended stile or filler for proper door and drawer clearance. Hardware pulls will require additional clearance.


BASE BLIND CORNER CABINETS w/ SWING OUTS

- Specify blind side left (L) or right (R). Left blind shown.
- Door hinges to blind side, and will have 90 degree hinging when FOL-C or SOL-C.
- Center stile is 6 3/4" wide, blind opening is 18 3/4"W. Cabinet can be pulled 3".
- Inside 1/4" panel covers blind opening.
- Typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)
- Check for availability with the factory if extending stile in or making a change that reduces the frame opening or cabinet depth.

Door edge to adjacent corner filler clearance without pulling cabinet from corner:

FULL OVERLAY SEMI OVERLAY

1 3/4" 2 5/8"



NOT recommended for use next to oven.

BBSP42	
BBSP45	
BBSP48	_

BASE BLIND SWING OUT, PULL OUT CABINET

- Can good unit will not be attached to door, pull out and swing away from blind area.
- Two rollouts pull from blind area into space behind door.



BASE UTENSIL ORGANIZER CABINET





PRODUCT LEVEL 1 LEVEL 2 CODE

BUOC9

BUOC12



BASE UTENSIL ORGANIZER CABINET

- 9" or 12" wide only
- 24" deep only, 34 1/2" high only
- Pullout utensil organizer and storage rack mounted to full height door.
- Blumotion full-extension, undermount glides.
- 3 removable, utensil canisters
- SOL cabinets under 12" wide may have slab door. See specific door styles for minimum sizes.
- Change to any sizes must be quoted.



BASE SINK CABINETS



SINK BASE CABINETS, ONE FALSE DRAWER

- One false top drawer.
- Specify hinge side on single door cabinets.



SINK BASE CABINET, TWO FALSE DRAWERS

- Two false top drawers.
- When ordering soap tray, both false drawer fronts will have soap trays.

PRODUCT	LEVEL 1	LEVEL 2
CODE		

One drawer, one door

BS18 BS21

BS24

One drawer, two doors BS1D24-2

BS1D27

BS1D30

BS1D33

BS1D36

BS1D39

BS1D42

Two drawers, two doors BS24-2

BS27

BS30

BS33

BS36


BS39

BS42

BS45

BS48

BASE FARMER SINK



Two doors

BFS27

BFS30

BFS33

BFS36

D1 550

BFS39


BFS42

BASE FARMER SINK

- No false top drawer front.
- 11 1/2" solid top rail is standard. Overlay cabinets will have approximately 10" exposed above doors. Specify if change is needed to allow more space for the sink apron for no upcharge.
- · Factory cutout in top rail not available. Any cutout must be done in the field with the sink on site.



BASE SINK CABINETS, FULL HEIGHT DOOR



	PRODUCT CODE	LEVEL 1	LEVEL 2
ONE DOOR	BSFD18		
	BSFD21		
	BSFD24-1		
TWO DOOR	BSFD24-2		
·	BSFD27		
	BSFD30		
·	BSFD33		
·	BSFD36		
·	BSFD39		
·	BSFD42		
·	BSFD45		
·	BSFD48		
•	•		

BASE SINK CABINET WITH FULL HEIGHT DOORS


- 24" deep
- Specify hinge side for single door cabinet
- 1/4" apron panel attached at the top, behind the face frame
- The apron panel will match the frame specie and finish, and will have the same approximate height as a false top drawer front

NOTES





BASE SINK POST NOTCH, 27" DEEP




	PRODUCT CODE	LEVEL 1	LEVEL 2
One drawer,	BSPN1D27		
two doors	BSPN1D30		
	BSPN1D33		
	BSPN1D36		
	BSPN1D39		
	BSPN1D42		
	BSPN1D45		
·	BSPN1D48		

BASE SINK POST NOTCH, ONE FALSE DRAWER

- One false top drawer.
- Post notch will be standard 3" wide and 3" deep on each side to align with standard base cabinet depth of 24"
- Specify if for post size other than 3" wide X 3" deep

NOTE: Modifying the depth of the post notch will cause this cabinet to <u>not</u> align with a 24" deep cabinet unless the cabinet depth is modified.



Two drawers, two doors	BSPN27
	BSPN30
	BSPN33
•	BSPN36
-	BSPN39
	BSPN42
	BSPN45
	BSPN48


BASE SINK POST NOTCH, TWO FALSE DRAWERS

- Two false top drawers.
- Post notch will be standard 3" wide and 3" deep on each side to align with standard base cabinet depth of 24"
- Specify if for post size other than 3" wide X 3" deep

NOTE: Modifying the depth of the post notch will cause this cabinet to <u>not</u> align with a 24" deep cabinet unless the cabinet depth is modified.



BASE SINK CLIP CORNER, 27" DEEP




	PRODUCT CODE	LEVEL 1	LEVEL 2
One drawer, two doors	BSCC1D27		
	BSCC1D30		
	BSCC1D33		
	BSCC1D36		
	BSCC1D39		
	BSCC1D42		
	BSCC1D45		
	BSCC1D48		

BASE SINK CLIP CORNER, ONE FALSE DRAWER

- One false top drawer.
- Clips reduce width of face front by 3" on each side.
- Clips reduce depth of case sides by 3" on each side.

NOTE: Modifying the width of the clipped corner will cause this cabinet to <u>not</u> align with a 24" deep cabinet unless the cabinet depth is modified.



_	
Two drawers, two doors - - - -	BSCC27
	BSCC30
	BSCC33
	BSCC36
	BSCC39
	BSCC42
	BSCC45
	BSCC48
	•


BASE SINK CLIP CORNER, TWO FALSE DRAWERS

- Two false top drawers.
- Clips reduce width of face front by 3" on each side.
- Clips reduce depth of case sides by 3" on each side.

NOTE: Modifying the width of the clipped corner will cause this cabinet to <u>not</u> align with a 24" deep cabinet unless the cabinet depth is modified.




BASE CABINET WITH ROLLOUTS



BASE CABINET WITH ROLLOUTS

- Adjustable, full width, 4" high rollouts
- Specify hinge side for single door cabinets.
- Adjustable shelf not included.
- Rollouts not recommended for cabinets less than 15" wide.
- Rollouts not available for cabinets less than 9" wide or 12" deep.

See Rollout Shelves listed in Base accessories for more specific rollout details.



	CODE
•	
	One 4" rollout
One door	B15+RO1
	B18+RO1
	B21+RO1
	B1D24+RO1
•	
Two doors	B1D24-2+RO1
	B1D27+RO1
	B1D30+RO1
•	B1D33+RO1
	B1D36+RO1
•	B1D39+RO1
•	B1D42+RO1

PRODUCT

LEVEL 1 LEVEL 2

	Two 4" rollouts
One door	B15+RO2
	B18+RO2
	B21+RO2
	B1D24+RO2
Two doors	B1D24-2+RO2
	B1D27+RO2
	B1D30+RO2
	B1D33+RO2
	B1D36+RO2
	B1D39+RO2
	B1D42+RO2



BASE CABINET WITH ROLLOUTS

Two drawer / Two door



PRODUCT	LEVEL 1	LEVEL 2
CODE		

One 4" rollout	
B27+RO1	
B30+RO1	
B33+RO1	
B36+RO1	
B39+RO1	
B42+RO1	

• Adjustable shelf not included.

• One adjustable, full width, 4" high rollout.

See Rollout Shelves listed in Base accessory section for more specific rollout details.




Two drawer / two door	В

	Two 4" rollouts
r	B27+RO2
	B30+RO2
	B33+RO2
	B36+RO2
	B39+RO2
	B42+RO2

- Two adjustable, full width, 4" high rollouts.
- Adjustable shelf not included.

See Rollout Shelves listed in Base accessory section for more specific rollout details.



One rollout / side B45+RO2
Two drawer / two door B48+RO2

Two rollouts / side
Two drawer / two door

B45+RO4


B48+RO4


- Adjustable, full width, 4" high rollouts.
- Illustration shows two rollouts per side for four rollouts total.
- Center partition separates rollouts.
- Adjustable shelf not included.

See Rollout Shelves listed in Base accessory section for more specific rollout details.





BASE WASTE CABINET






- Undermount soft close glides on pullout.
- Pullout attached to door.
- Specify basket color; W = white, P = pewter.
- Fixed floor below the top drawer box (BSW and BDW only)
- Minimum cabinet depth = 24".
- Minimum single waste basket cabinet width = 15". Reduced widths may be available by quote only.
- Minimum double waste basket cabinet width = 18". Reduced widths may be available by quote only.
- Extra storage space behind waste can in single basket cabinet.
- 30 lbs. maximum per waste can. Not intended for bulk storage.
- See chart for waste basket sizes.
- All illustrations are of FOL-C style waste basket cabinets.









BDW18W



Above: double 50qt. pullout Top Right: single 35qt. pullout Bottom Right: Close-up of storage cubby in single pullout





PRODUCT LEVEL 1 LEVEL 2 **CODE**

Waste Cabinet w/ top dr. box and white baskets

BSW15W	
BSW18W	
BDW18W	
BDW21W	

Waste Cabinet w/ top dr. box and pewter baskets

BSW15P BSW18P BDW18P

NOTE: Standard size trash can will not fit into frame opening of reduced height BSW or BDW. Please use BSWFD or BDWFD. Reduced height cabinet may receive smaller waste bins than standard.

BDW21P

Full Height Door with white baskets

BSW15FDW	
BSW18FDW	
BDW18FDW	
BDW21FDW	

Full Height Door with pewter baskets

BSW15FDP BSW18FDP BDW18FDP

BDW21FDP


Cabinet	Bin Qty./Size
BSW15	One 35 Qt bin
BSW18	One 35 Qt bin
BDW18	Two 35 Qt bins
BDW21	Two 35 Qt bins
BSW15FD	One 50 Qt bin
BSW18FD	One 50 Qt bin
BDW18FD	Two 50 Qt bins
BDW21FD	Two 50 Qt bins



NOTES




BASE 2 EQUAL DRAWER BASE



PRODUCT CODE	LEVEL 1 LEVEL 2
B2ED12	
B2ED15	
B2ED18	
B2ED21	
B2ED24	
B2ED27	
B2ED30	

- Two equal height drawer fronts
- Two 10" deep drawer boxes
- Will accommodate hanging files, add AHANGINGFILE accessory per drawer.

BASE 2-SEED DRAWER CABINET




PRODUCT CODE	LEVEL 1 LEVEL 2
B2SD15	
B2SD18	
B2SD21	

NOTE: Due to limitations; Cumberland, Hamilton, LaSalle, Lincoln, Woodridge, and Zenith door styles are NOT AVAILABLE for this cabinet. When selecting these door styles a Shaker door with L-059 outside profile will be substituted with the exceptions of Woodridge which will have an LC-Inset outside profile and Zenith which will have a machine outside profile.

- Two drawer boxes, 10" deep.
- Drawer fronts made with 3 1/2" wide stiles and rails.
- Plexiglass will be installed in drawer fronts at factory.
- There is a 1" opening between the drawer box front and the partition that separates the seed area from the storage area of the drawer. (Partition is removable)
- All top to bottom drawer front reveals will be 1/4", side reveals will be same as overlay ordered.



BASE 3 DRAWER CABINET




BASE 3 DRAWER CABINET

- 4" high standard top drawer box.
- Two 8" high lower drawer boxes.

PRODUCT CODE	LEVEL 1	LEVEL 2
B3D12		
B3D15		
B3D18		
B3D21		
B3D24		
B3D27		
B3D30		
B3D33		
B3D36		
B3D39		
B3D42	·	

BASE 4 DRAWER CABINET



BASE 4 DRAWER CABINET

- Top three drawer boxes are 4" high standard.
- Larger 6" high drawer box at bottom position is standard.
- Specify location of larger drawer if other than bottom is required. (Add modification, MFC, for frame change.)

B4D12
B4D15
B4D18
B4D21
B4D24
B4D27
B4D30
B4D33
B4D36
B4D39
B4D42




BASE WITH 2 TOP DRAWERS, 4 DRAWER CABINET



PRODUCT CODE	LEVEL 1	LEVEL 2
B2T4D24		
B2T4D27		
B2T4D30		
B2T4D33		
B2T4D36		
B2T4D39		
B2T4D42	•	

- Two side by side, 4" high, standard top drawer boxes
- Two 8" high lower drawer boxes

BASE CORNER 3 DRAWER BANK CABINET



PRODUCT CODE	LEVEL 1	LEVEL 2
BC3DB36		

NOTE


The hardware / pulls on adjacent cabinetry may interfere with the operation of the drawers in this cabinet. Adjacent appliances may interfere with the operation of the drawers in this cabinet. Allow ample space for the drawers to be pulled out when designing the kitchen layout.

- Pie cut corner cabinet with three functional drawers
- Available with 36" wide left and right legs only. Any changes MUST be quoted
- Not available in Inset
- Drawer fronts will always overlay 1/2" on each side
- Fixed center floors between each drawer.
- Shipped with loose toe base. SEE NEXT PAGE FORE TOE KICK INSTALLATION INFORMATION

BASE PIE CUT INFORMATION


TOE KICK ASSEMBLY

- 1. Remove doors and adjustable shelves.
- 2. Turn cabinet upside down.
- 3. Place both sections of toe kick as shown, with triangular corner blocks against the floor of the cabinet. Then screw through the 1/2" corner supports into the cabinets' floor using 1" pan head screws.
- 4. The shorter "legs" of both sections should be 90° to each other.
- 5. The longer "legs" of the two sections are placed against the backs of the cabinet, as close to the rear corner as possible.
- 6. The section's two short legs butt together a shown in the magnification.
- 7. Attach the two sections together with small nails or staples at this joint if needed.
- 8. Stand cabinet to upright position and reinstall shelves and doors.



RECOMMENDED HARDWARE INSTALLATION

Countersink all screws to prevent frame or adjacent cabinet damage when closing or opening doors.





BASE PIE CUT CABINETS

BASE PIE CUT CORNER CABINET

- BPCA'S have one adjustable shelf.
- Specify hinge side. (No partition available on same side as hinging.)
- Shipped with loose toe base.
- Depending on door style, cabinets with legs less than 36" may require us to substitute a slab door due to minimum size requirements. (See specific door styles.)
 - * This dimension is approximately 12".


PRODUCT CODE	LEVEL 1	LEVEL 2
BPCA33		
BPCA36		
BPCA39		
BPCA3336		
BPCA3633		
BPCA3639		
BPCA3936		

NOTES

- Pie cut cabinets with offset dimensions will list the left width first in the product nomenclature followed by the right width. Example: BUSP3633 has a left width of 36" and a right width of 33".
- It is recommended that all hardware screws are countersunk into the back of the door to avoid possible damage to the cabinet face frame.

BASE ULTRA SUSAN PIE CUT CORNER

- BUSP'S have one adjustable shelf and two turntables.
- Specify hinge side. (No partition available on same side as hinging.)
- Shipped with loose toe base.
- Depending on door style, cabinets with legs less than 36" may require
 us to substitute a slab door due to minimum size requirements. (See
 specific door styles.)
 - * This dimension is approximately 12".




BUSP33
BUSP36
BUSP39
BUSP3336
BUSP3633
BUSP3639
BUSP3936

BASE REVOLVING DOOR PIE CUT CORNER

- For use in a 36" x 36" corner space only. Dimensions cannot be modified.
- Equal doors attached to shelving hardware that revolves into cabinet as one unit. Slab doors illustrated.
- Bottom and centered pie cut shelves.
- Revolving shelves are polymer.
- Shipped with loose toe base.

BRDP36






BASE DIAGONAL CORNER CABINET

BASE DIAGONAL CORNER, ADJUSTABLE SHELF

- BDCA'S have one adjustable shelf
- Specify hinge side
- Shipped with loose toe base



PRODUCT CODE	LEVEL 1	LEVEL 2
BDCA33		
BDCA36		
BDCA39		

	WALL RUN	FRONT DIMENSION
BDCA33	33"	12 11/16"
BDCA36	36"	16 15/16"
BDCA39	39"	21 3/16"
BUSD33	33"	12 11/16"
BUSD36	36"	16 15/16"
BUSD39	39"	21 3/16"

BASE ULTRA SUSAN DIAGONAL CORNER (not pictured)


- BUSD'S have 1 adjustable shelf and 2 turn tables
- Specify hinge side
- Shipped with loose toe base

BUSD33	
BUSD36	
BUSD39	

BASE DIAGONAL INSTALLATION INFORMATION


TOE KICK ASSEMBLY

- 1. First place both sections down as shown, with triangular corner brace blocks at top.
- 2. The back support of the two sections is placed against the back of the cabinet, as far into the rear corner as possible.
- 3. The first support of the two sections is placed to the front of the cabinet so that there is 3 1/2" from the front of the face frame to the face of the front support.





BASE ANGLED SINK FRONT



PRODUCT LEVEL 1 LEVEL 2 CODE

BASE ANGLED SINK FRONT BASF36

BASF39
BASF42-2

- 34 1/2" high standard.
- Typical 24" deep application.
- Base front can have loose floor, **not included**.
- BASF42-2 only available with butt doors.

BASF FLOOR


- Floor will ship at size of 1" bigger than cabinet ordered.
- Field trimming is required.

LOOSE FLOOR

FOR BASF36	BASFFLOOR3737
FOR BASF39	BASFFLOOR4040
FOR BASF42-2	BASFFLOOR4343



BASE CORNER SINK CABINETS




BASE SHALLOW CORNER SINK

- Reduced depth to allow transit through narrow doorway
- False drawer front above single door
- Specify left (L) or right (R) hinge.
- Integrated toe base
- 4" deep recessed front
- Two side frame 'wings' set at 135°, each measuring 3" wide.
- ATR (towel rack) is not recommended for installation due to sink clearance.




Drawer / door BSCS42



BASE DIAGONAL INSTALLATION INFORMATION

TOE KICK ASSEMBLY

- 1. First place both sections down as shown, with triangular corner brace blocks at top.
- 2. The back support of the two sections is placed against the back of the cabinet, as far into the rear corner as possible.
- 3. The first support of the two sections is placed to the front of the cabinet so that there is 3 1/2" from the front of the face frame to the face of the front support.





BASE CORNER SINK CABINETS

approxima

* This dimension is approximately 12".


BASE DIAGONAL SINK

- Shipped with loose toe base.
- ATR (towel rack) is not recommended for installation due to sink clearance.

**Note: BDS42-2 and BDSFD42-2 are only available with 2-butt doors.

	PRODUCT CODE	LEVEL 1	LEVEL 2
Drawer / door	BDS36		
	BDS39		
	BDS42-2**		
Full height door (not pictured)	BDSFD36		
	BDSFD39		
•	BDSFD42- 2**		

	WALL RUN	FRONT DIMENSION
BDS36	36"	16 15/16"
BDS39	39"	21 3/16"
BDS42-2	42"	25 7/16"
BDSFD36	36"	16 15/16"
BDSFD39	39"	21 3/16"
BDSFD42-2	42"	25 7/16"



* This dimension is approximately 12".


BRCS42-2 and BRCS45-2 are only available with 2-butt doors.

BRCS36	
BRCS39	
BRCS42-2	
BRCS45-2	

BASE RECESSED CORNER SINK


- 4" deep recessed front.
- Shipped with loose toe base.
- ATR (towel rack) is not recommended for installation due to sink clearance.

	WALL RUN (A)	FRONT DIMENSION (B)
BRCS36	36"	16 5/8"
BRCS39	39"	20 7/8"
BRCS42-2	42"	25 1/8"
BRCS45-2	45"	29 3/8"





BOCBase Oven Cabinet



Provide the following dimensions:		
A=Overall cabinet width		
B=Oven cutout height		
C*=Oven cutout width		
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart		

- Minimum top rail width of 5/8"
- Maximum standard overall oven cutout height of 27 7/8".
- Oven cutout is centered when 27" high or less unless otherwise specified.
- Minimum height oven cutout to start from floor is 5 1/4". MFC (frame change) charge applies if cutout starts less than 5 1/4" from floor.
- Appliance cutout opening not beaded for beaded Inset style cabinet.


*Max cutout widths

Cabinet width	Max cutout width
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.



BASE OVEN CABINET



PRODUCT CODE	LIST PRICE
BOC27	
BOC30	
BOC33	
BOC36	

NOTE: BOC cabinet cannot have decorative ends except for a standard flush finish when using maximum width cutout for the specific cabinet's overall width.

BASE OVEN CABINET

- Designed for under-counter ovens and appliances.
- Specify oven cutout width x height, and height off floor. Use of template page for BOC is recommended.
- Cutout will be centered unless otherwise specified.
- If a finished side is required, flush finished ends must be used, due to construction methods.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

BASE APPLIANCE PLATFORMS




BASE APPLIANCE PLATFORM DRAWER

- Full width functional drawer.
- Specify height dimension.
- Minimum overall height is 12 1/4".
- Top rail is 2 1/4" standard.
- Can also be used as dishwasher or microwave platform.
- 3/4" flush top that matches the cabinet interior.

PRODUCT CODE	LEVEL1	LEVEL2
BAPD24		
BAPD27		
BAPD30		

BAPD33

BAPD36



BASE APPLIANCE TOE PLATE


- BATP is 30" wide, 14" high.
- Specify if other dimension is needed.

BATP3014



BMOC

Base Microwave Oven Cabinet



Provide the following dimensions:		
A=	Overall cabinet width	
B=	Oven cutout height	
C*=	Oven cutout width	
D=from floor	Height cutout to start (recommended min. ht. = 14")	

*Max cutout widths

Cabinet width	Max cutout width
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"

- 3" middle rail standard unless specified.
- Minimum top rail width of 5/8".
- Cutout height cannot exceed 20" to allow for standard 4" high drawer box.
- *Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart.
- Cutout centered side to side unless specified.
- Appliance cutout opening not beaded for beaded Inset style cabinet.

**For figuring reveals for install kits, drawer fronts overlay the oven rail by the following standard amounts:


Hinge	Overlay	
FFA	1 3/8"	
FOL-C	1 1/4"	
SOL-C/SOL-K	1/2"	
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

***SOL-K Lipped overlays cannot be modified

NOTE: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.



BASE MICROWAVE OVEN CABINETS




PRODUCT CODE	LEVEL 1	LEVEL 2
BMOC24		
BMOC27		
BMOC30		


NOTE: BMOC cabinet cannot have decorative ends except for a standard flush finish when using maximum width cutout for the specific cabinet's overall width.

BASE MICROWAVE OVEN CABINET

- 3" middle rail standard.
- Specify oven cutout width x height and height off floor. Use of template page for BMOC is recommended.
- BMOC has functional drawer at bottom.
- Interior of cutout is same specie and stain as frame.
- To allow for standard 4" height drawer box, the cutout must start at least 14" off of floor.
- If a finished side is required, flush finished ends must be used, due to construction methods.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

BASE DOWN DRAFT CABINET





BDDC30
BDDC33
BDDC36
BDDC39
BDDC42
BDDC45
BDDC48


BASE DOWN DRAFT CABINET

- One adjustable, shallow depth shelf.
- Downdraft area clearance is 9 1/4".
- See base modifications for adding scooped top drawer modification.
- Functional, 1/2 depth drawers.
- Removable divider allows access to down draft area.
- Cabinets 39" wide or greater will have a fixed center stile as standard.



BWDC

Base Warming Drawer Cabinet



Provide the following dimensions:		
A=_	Overall cabinet width	
B=Oven cutout height		
C*=_	Oven cutout width	
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart		


Cabinet width	Max cutout width
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"

- 2" rails above and below warming drawer cutout.
- Top frame opening will be 5 1/4" high to align with standard Inset style base cabinets.
- Appliance cutout opening not beaded for beaded Inset style cabinet.

NOTE: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.



BASE WARMING DRAWER CABINET



PRODUCT CODE	LEVEL 1	LEVEL 2
BWDC24		
BWDC27		
BWDC30		
BWDC33		
BWDC36		

NOTE: BWDC cabinet cannot have decorative en s except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.

BASE WARMING DRAWER CABINET

- Warming drawer cabinet with functional drawer boxes above and below cutout.
- 2" center frame rails standard.
- Specify cutout width x height. Use of template page for BWDC is recommended.
- 1/2" floors above and below cutout.
- Cutout will be located so that the top drawer front aligns with adjacent top drawer fronts, as standard. Specify if another dimension is required.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

BASE COOKTOP CABINET, THREE DRAWER FRONTS



BCC3D30
BCC3D33
BCC3D36
BCC3D39
BCC3D42

BASE COOKTOP CABINET WITH TWO DRAWERS

- Top, false drawer front
- Two, 8" high lower drawer boxes
- Standard with 8 1/4" of clearance from top for Inset cabinets and 7 7/8" for all overlay style cabinets.



BASE RANGE TOP CABINETS






PRODUCT CODE	LEVEL 1	LEVEL 2
BRT2D30		
BRT2D36		
BRT4D48		
BRT4D60		

BASE RANGE TOP CABINET WITH DRAWERS

- Standard base height of 34 1/2" high unless specified.
- Cabinet height may be specified at no extra charge, minimum height is 25".
- This cabinet will have a recessed top (like a Wall cabinet).
- BRT2D will have 2 equal spaced, 8" high drawer boxes.
- BRT4D will have 4 equal spaced, 8" high drawer boxes.
- If height is less than 27", drawer boxes will reduce accordingly and will remain equal sizes.



BRT-2-30	
BRT-2-36	
BRT-2-48	
BRT-4-60	


BASE RANGE TOP CABINET WITH DOORS

- Standard base height of 34 1/2" high unless specified.
- Cabinet height may be specified at no extra charge, minimum height is 25".
- This cabinet will have a recessed top (like a Wall cabinet).
- Cabinets 39" wide or greater will have a fixed center stile as standard.
- 2-butt doors on 30", 36", and 48" wide cabinets, 4 doors (2 pair of butt doors) on 60" wide cabinet.
- Shelf quantity will be based on overall cabinet height. Minimum height for adjustable shelf is 25 1/2".



BASE COOKTOP CABINETS





PRODUCT CODE	LEVEL 1	LEVEL 2
BCC2D30		
BCC2D36		
BCC4D48		
BCC4D60		

BASE COOKTOP CABINET WITH DRAWERS


- Standard base height of 34 1/2" high unless specified.
- Cabinet height may be specified at no extra charge, minimum height is 25".
- This cabinet will be open from the top with scoop sides on the upper drawer(s).
- BCC2D will have 2 equal spaced, 8" high drawer boxes.
- BCC4D will have 4 equal spaced, 8" high drawer boxes.
- If height is less than 27", drawer boxes will reduce accordingly and will remain equal sizes.



NOTES



BASE PENINSULA CABINETS



	PRODUCT CODE	LEVEL 1 LEVEL 2
24" deep	BPSC2724	
_	BPSC2724FD	
24 1/2" deep	BPSC2724.5	
	BPSC2724.5FD	
24 3/4" deep	BPSC2724.75	
_	BPSC2724.75FD	

BASE PENINSULA STARTER CABINET

- Toe space and a 1/2" finished panel is applied to "kitchen" side of cabinet
- Standard overall depth is 24". (Accommodates adjacent peninsula cabinet.)
- Optional depths of 24 1/2" and 24 3/4" are offered to accommodate 1/2" or 3/4" back panels adjacent to this cabinet.
- One 3/4 depth, adjustable shelf for cabinet with top drawer.
- Full height door (FD) cabinets will have two 3/4 depth, adjustable shelves



PBB36	
PBB39	
PBB42	
PBB45	
PBB48	

DOOR OPENING

(blind side)

7 1/2"

10 1/2"

13 1/2"

16 1/2"

19 1/2"

BLIND PENINSULA

CABINET

PBB36

PBB39

PBB42

PBB45

PBB48


PENINSULA BASE BLIND CABINET

- Specify blind side left (L) or right (R), right is (R) shown.
- Two doors on back, one door on front hinged to blind side. Blind side door will have 90° hinging when FOL-C or SOL-C
- One drawer opens to front; one drawer opens to back.
- One full depth adjustable shelf.
- Inside 1/4" panel covers blind opening.
- Cabinets 39" wide or greater will have a fixed center stile as standard on back side of cabinet.
- See Base Blind cabinet for specific blind corner cabinet details and limitations.
- Blind side typically requires a 3" filler to adjoining cabinets, provided with cabinet. (Field installation required.)

NOTE: The adjacent cabinet at right angle to the Blind Base must have an extended stile or filler for proper door and drawer clearance. Hardware pulls will require additional clearance.




BASE PENINSULA CABINETS



PRODUCT CODE	LEVEL 1	LEVEL 2
PBFD18		
PBFD21		
PBFD24		
PBFD24-4		
PBFD27		
PBFD30		
PBFD33		
PBFD36		
PBFD39		
PBFD42		
PBFD45		
PBFD48-6*		

PENINSULA BASE, FULL HEIGHT DOOR(S)

- Two full depth, adjustable shelves.
- Hinge side specified on single door cabinets will be same on front and back unless otherwise specified (right shown).
- Cabinets 39" wide or greater will have fixed center stile.
- *PBFD48-6P will have partition behind the middle, offset stile with two adjustable, full depth shelves on either side
- *PBFD48-6 will have single door on the rear hinged opposite of front, single door. PBFD48-6L (left) shown.




One door, one drawer front per side PB18
PB21
PB1D24

PENINSULA BASE, 1 DOOR, 1 DRAWER

- One adjustable, full depth shelf
- Hinge side specified on single door cabinets will be same on front and back unless otherwise specified.
- Front of cabinet will have working drawer and the back of cabinet will be a false drawer unless otherwise specified.



BASE PENINSULA CABINETS




Two doors and one drawer front per side

PRODUCT CODE	LEVEL 1	LEVEL 2
PB1D24-2		
PB1D27		
PB1D30		
PB1D33		
PB1D36		
PB1D39		
PB1D42		
PB1D45		

PENINSULA BASE, 1 DRAWER


- Front of cabinet will have one working drawer and the back of cabinet will be a false drawer front unless otherwise specified.
- One adjustable, full depth shelf.
- Cabinets 39" wide or greater will have a fixed center stile as standard.



Two doors and two drawer fronts per side

PENINSULA BASE, 2 DRAWERS

- Front of cabinet will have two working drawers and the back of cabinet will be two false drawer fronts unless otherwise specified.
- One adjustable, full depth shelf.
- Cabinets 39" wide or greater will have a fixed center stile as standard.



Three doors and three drawer fronts per side

PB39-6	
PB42-6	
PB45-6	
PB48-6	
PB51-6	
PB54-6	

PENINSULA BASE, 6 DOORS


- Hinge side specified for single door opening (left shown) with opposite side hinging on back of cabinet.
- Front of cabinet will have three working drawers and the back of cabinet will be false drawer fronts unless otherwise specified.
- Partition behind the middle, offset stile with one adjustable, full depth shelf on either side.







BASE ANGLED INSIDE CORNER



PRODUCT LEVEL 1 LEVEL 2 CODE


BAIC11	
BAIC14	
BAIC17	

Product Code	Face frame width	Back width / wall space
BAIC11	11	21
BAIC14	14	24
BAIC17	17	27

BASE 135 DEGREE ANGLED CORNER CABINETS

- 34 1/2" high standard
- 24" deep standard
- 135 degree inside (BAIC) or outside (BAOC) angled front with full height doors hinged to the outside.
- Two full depth adjustable shelves.
- Modifications to width or depth will require a custom quote.

BASE ANGLED OUTSIDE CORNER





BAOC16	
BAOC19	
BAOC22	

Product Code	Face frame width	Back width / wall space
BAOC16	16	6
BAOC19	19	9
BAOC22	22	12



BASE ANGLED FRONT CABINET





PRODUCT CODE	LEVEL 1	LEVEL 2
BAFC13L		

BAFC13R

- 13" wide, 34 1/2" high standard
- Short side = 13" deep, long side = 24" deep
- Angled front with full height door.
- Specify left (L) or right (R) to indicate end of cabinet run for deeper cabinet side.
- Hinging will be to the shallower side (right (R) illustrated). If opposite hinging is required please specify on order.
- Two full depth adjustable shelves.
- 40 degree angled front.
- For a 45 degree angle on the front, the width of the cabinet will need to be 11" wide with 13" depth for the shallow side. Or, the depth of the shallow side will need to be 11" keeping the width at 13".







BASE ANGLED CABINETS


BAC-1-1313

- BAC-1 is 13" x 13" with 45 degree front.
- 1 door, specify left (L) or right (R) hinge
- 2 full depth adjustable shelves.



PRODUCT LEVEL 1 LEVEL 2 **CODE**

BAC-1-1313




BAC-1-2424

- BAC-1 is 24" x 24" with 45 degree front.
- 2 doors, no center style.
- 2 full depth adjustable shelves.



BAC-1 2424




BAC-2 1313

- BAC-2 is 13" x 13" with two 67.5 degree fronts.
- 2 full depth adjustable shelves.



BAC-2-1313



BAC-2 2424

- BAC-2 is 24" x 24" with two 67.5 degree fronts.
- 2 full depth adjustable shelves



BAC-2 2424






BASE ANGLE CABINET


PRODUCT LEVEL1 LEVEL2 CODE

BACA-3



Adjustable Shelf

- 24" wide, 24" deep standard
- BACA's have two adjustable shelves (not illustrated).
- Specify hinge side (all three doors will open from the same side)




BACR-3

- 24" wide, 24" deep standard
- BACR's have 2 adjustable shelves and 3 turn tables (not illustrated).
- Specify hinge side (all three doors will open from the same side)




BASE IRONING BOARD CABINET



PRODUCT CODE	LEVEL 1	LEVEL 2
BIRON18		
BIRON21		

- 24" deep standard
- Folding ironing board replaces top drawer box.
- Slab drawer front only available.
- Easy to use: open until gravity lock engages and unfold board.
- 24" deep cabinet: ironing surface will be approximately 12" W x 37 1/2" L.
- 18" and 21" deep cabinet: ironing surface will be approximately 12" W x 29 1/4" L.
- Minimum cabinet width = 18" (15" frame opening)
- One adjustable 4" rollout shelf in lower opening, standard. (Not illustrated)
- Includes a heat reflecting cover for the ironing board. (Replacement covers available, contact Customer Service)
- Specify hinge side for door.

BASE COMBINATION DOUBLE DRAWER CABINET




BCD30	
BCD33	
BCD36	

- Specify left (L) or right (R) for the side with two drawers (right shown).
- Two 4" drawers, and one 10" drawer, with two doors below.
- Includes clear sliding bread box lid in larger drawer.
- No shelf in bottom section.



BASE CANNED FOOD STORAGE CABINETS






PRODUCT CODE	LEVEL 1	LEVEL 2
BCGS624		
BCGS924		
BCGS1224		
BCGS1524		
BCGS1824		
BCGS2124		

BASE CAN GOOD STORAGE CABINET

- Pullout canned good storage rack with adjustable shelves
- One shelf for standard 34 1/2" height cabinets.
- Minimum width of 6"

NOTE: Base Canned Good Storage Units under 8" wide are not recommended to store cans. The shelf would only be wide enough for spices or other smaller items.





BMFS36

BASE MULTI FOOD STORAGE CABINET


- Two interior swing outs with adjustable shelves.
- Storage rack on each door with adjustable shelving.
- Two shallow, adjustable shelves on each side of centered partition, located behind swing outs.
- Doors must be able to open a minimum of 105° to allow access to the storage space in the rear. Adding hinge restrictors will impede access to the internal storage areas.
- Reducing the cabinet width is not recommended as this will limit the access space to the rear storage area.



NOTES



BASE APOTHECARY DRAWERS




	PRODUCT CODE	LIST PRICE
13" deep	BAD613	
24" deep	BAD624	
_		

- Two standard depths available, 24" deep illustrated.
- 5-piece drawer fronts are not available.
- 6" wide with five drawers.
- Knobs are for illustrative purposes only and must be purchased separately.



BASE WINE RACKS


ALL WINE RACKS ON THIS PAGE WILL BE THE SAME INTERIOR WOOD SPECIE AND FINISH AS EXTERIOR



BASE WINE LATTICE (BWL)

- 13" deep standard
- 11/16" X 11/16" wood lattice
- 4" bottle ports
- Interior finished in matching job species /stain


	PRODUCT CODE	LIST PRICE
-	BWL12	
	BWL15	
	BWL18	
	BWL21	
	BWL24	
	BWL27	
	BWL30	



BASE WINE BOTTLE SHELF (BWBS)


- 13" deep standard
- 4 1/2" centers on rail holders
- Three adjustable bottle shelves
- Interior finished in matching job species /stain

BWBS12
BWBS15
BWBS18
BWBS21
BWBS24
BWBS27
BWBS30



BASE WINE SOLID LATTICE (BWSL)

- 13" deep standard
- 1/2" edge banded plywood, full depth
- 4" bottle ports
- Interior finished in matching job species /stain



BASE WINE CUBBY VERTICAL (BWCV)


- 13" deep standard
- 1/2" plywood, framed construction
- Floors scooped so bottles do not roll
- Interior finished in matching job species /stain.
- Standard construction for units with multiple vertical columns will <u>not</u> have vertical dividers between them.
- BWCV6 illustrated

	Bottle Quantity
BWCV6	5
BWCV12	10
BWCV18	15



BASE WINE RACKS, 40 1/2" HIGH

ALL WINE RACKS ON THIS PAGE WILL BE THE SAME INTERIOR WOOD SPECIE AND FINISH AS EXTERIOR



PRODUCT CODE	(Bottle Quantity)	LIST PRICE
BWCV640.5	6	
BWCV1240.5	12	
BWCV1840.5	18	

BASE WINE CUBBY VERTICAL (BWCV), 40 1/2" HIGH


- 13" deep standard, 40 1/2" high
- 1/2" plywood, framed construction
- Floors scooped so bottles do not roll
- Interior finished in matching job species /stain.
- Standard construction for units with multiple vertical columns will <u>not</u> have vertical dividers between them.
- BWCV640.5 illustrated



NOTES



FREE STANDING ISLAND




PRODUCT LEVEL1 LEVEL2 CODE

FI42


FREE STANDING ISLAND WITHOUT TOP

- Overall width of island will be 42".
- Overall height will be 34 1/2".
- Overall depth will be 21".
- Wainscot panels left, right, and rear.
- 4"x4" corner post, BC018 style

ISLAND END PANELS



Island End Panel with False Door



IEPWP
Island End Panel with Wainscot Panel


- **IEPFD**
 - *+\$/ each additional door
- **IEPWP**
 - *+\$/ each additional panel

- One piece assembly for end-of-run, base application.
- Specify total width and height. Priced by overall square footage.
- Maximum width 51"
- 3" x 3" turned posts standard. Any other size post must be quoted.
- Specify post design; see ATPST in General Accessory section. This assembly will <u>not</u> work with post designs BC007, BC010, BC011, BC017, BC018 or BC020.
- Wainscot panel style (IEPWP) for mortise and tenon door designs only.
- Doors (panels for wainscot style) split into multiples at 24" intervals unless otherwise specified.
- *Add \$ to square foot price for additional door or center panel.
- LEVEL2 plus will be added per each door / center panel.



PLANNING DESK





Note: To align with standard base cabinet, drawer cabinet must be 7" high. To align with standard mini base cabinet, drawer cabinet must be 6" high.

- Standard height is 5 1/2" overall (1 1/2" top rail; no bottom rail).
- Specify height if aligning with other cabinets. (Add increase height modification from base section.)
- To accommodate most 5 piece drawer fronts a minimum height of 6" is required for full overlay drawer front. A minimum of 7" is required for semi overlay drawer fronts, with some exceptions (see specific door styles).

ONE
DRAWER

PRODUCT CODE	LEVEL 1	LEVEL 2
PD1D2421		
PD1D2721		
PD1D3021		
PD1D3321		
PD1D3621		
PD1D2424		
PD1D2724		
PD1D3024		
PD1D3324		
PD1D3624		•


PRODUCT

TWO **DRAWER**

PD2D3321	
PD2D3621	
PD2D3324	
PD2D3624	

PLANNING DESK MINI





- Standard height is 4 5/8" overall (1 1/4" top rail; no bottom
- Specify height if aligning with other cabinets. (Add increase height modification from base section.)
- 2" high drawer box standard.
- Cannot be reduced in height.
- Slab drawer fronts are the only drawer fronts available.

ONE
DRAWER

	PDM1D2421
2	PDM1D2721
	PDM1D3021
	PDM1D3321
	PDM1D3621
	PDM1D2424
	PDM1D2724
	PDM1D3024
	PDM1D3324
	PDM1D3624
	PDM2D3321
, '	DDM2D2C21

TWO DRAWER

PDM2D3321
PDM2D3621
PDM2D3324
PDM2D3624

PLANNING DESK LEGS






STYLE B

- Standard is 34 1/2" high, 21" or 24" deep.
- Finished on both sides and face edge.
- Front flat will equal height of Planning Desk.




SLIDE OUT KEYPAD DRAWERS



	PRODUCT CODE	LEVEL1	LEVEL2
21 " deep	KPD2421		
	KPD2721		
	KPD3021		
	KPD3321		
24" deep	KPD2424		
	KPD2724		
	KPD3024		
	KPD3324		

KEYPAD DRAWER

- Slide out keypad platform
- Single drawer only with fold down drawer front.
- Back and side fence rails attached to top of platform.
- Standard height is 5 1/2" overall. (4" high opening with a 1 1/2" bottom rail; no top rail)
- Specify height if aligning with other cabinets. (Add increase height modification from base section)
- To accommodate most 5 piece drawer fronts a minimum height of 6" is required for full overlay drawer front. A minimum of 7" is required for semi overlay drawer fronts. (See specific door styles for exceptions.)




21 " DEEP	KPDM2421
	KPDM2721
	KPDM3021
	KPDM3321
24" DEEP	KPDM2424
	KPDM2724
	KPDM3024
	KPDM3324

MINI KEYPAD DRAWER

- Slide out keypad platform
- Single drawer only with fold down drawer front.
- Back and side fence rails attached to top of platform.
- Standard height is 4 5/8" overall. (1 1/4" bottom rail; no top rail)
- Specify height if aligning with other cabinets. (Add increase height modification from base section)
- Cannot be reduced in height.
- Slab drawer front only available.




BASE SHELVES




PRODUCT CODE		LIST
BES6	L/R	
BES12	L/R	

BASE END SHELF

- Specify left [L] or right [R] end of cabinet run. (left shown)
- Standard widths of 6" and 12"
- Standard depth of 24"
- Standard height of 34 1/2"
- 3" radius on shelves
- Finished to match job specie/stain
- Top and back sides not finished.
- Use flush finished end modification, MBFFE, for exposed side. Use flush finished top modification, MPFFT, for exposed top.





BASE PENINSULA SHELF

- Standard width of 12"
- Standard depth of 24"
- Standard height of 34 1/2"
- 3" radius on shelves
- Finished to match job specie/stain
- Top and back sides not finished.
- Use flush finished end modification, MBFFE, for exposed side. Use flush finished top modification, MPFFT, for exposed top.



BASE FILLERS

BASE FILLER

- 3/4" solid wood frame stock
- Standard widths of 3" and 6"
- Standard ships finished on face and all four 3/4"edges
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

PRODUCT CODE	LIST PRICE
BF330	
BF334.5	
BF336	
BF340.5	
BF630	
BF634.5	
BF636	
BF640.5	

BASE OVERLAY FILLER STRIP

- Overlay only, does not include filler
- All four edges will be profiled to match door edges.
- Length will match height of door/drawer overlay.
- Finished on face and all four 3/4" edges.
- Madrid, Sardinia, and Valletta overlays cannot be any smaller than 2 7/8" wide.
- When adding flutes:
 - 2 flutes are standard on BOFS3 (2 3/4" wide)
 - 5 flutes are standard on BOFS6 (5 3/4" wide)

(2 3/4" W) BOFS3


(5 3/4" W) BOFS6

BASE CORNER FILLER

- 90 degree angle
- BCF330 spans 3" for each leg. BCF630 spans 6" for each leg.
- Finished on face and 3/4" edges
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



BCF330
BCF334.5
BCF336
BCF340.5
BCF630
BCF634.5
BCF636
BCF640.5



BASE FILLERS

BASE FILLER WITH RETURN

- 3" wide or 6" wide solid wood face frame with 3/4" plywood return.
- Available at 34 1/2" and 40 1/2" high
- 24" deep
- Specify L or R side for return (left shown).
- Return panel is finished on both sides.
- Add modification charge for flush finished end.
- Add modification charge for flush toe kick to create an end panel for dishwasher or other appliance.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.


PRODUCT CODE	LIST PRICE
BFR334.5	
BFR340.5	
BFR634.5	
BFR640.5	

BASE FILLER WITH RETURN, BOTH SIDES

- 3" wide or 6" wide solid wood face frame with two 3/4" plywood returns.
- Available at 34 1/2" and 40 1/2" high
- 24" deep
- Finished ends on both returns are standard.
- Add modification charge for flush finished ends.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



BFRB334.5 BFRB340.5 BFRB634.5 BFRB640.5

DISHWASHER END PANEL

- 34 1/2" high, 24" deep standard
- 3/4" x 3" solid wood face frame with 3/4" plywood return.
- No toe space cutout
- Finished return panel for SRDWEP (standard 1/4" side reveal)
- Flush finished return panel for FFDWEP (flush finish)



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.




Standard 1/4" reveal
SRDWEP

Flush finish end

FFDWEP

BASE FILLER SPICE PULLOUT

- 30" high wood pullout for 24" deep application. Dimensions cannot be modified.
- Available in 3" or 6" wide
- Toe kick not included.
- Organizer installs between two adjacent cabinets. (see illustration)
- 150# full extension glides
- 3 adjustable wood shelves with natural finish and chrome side rails.
- Ships with loose 29 7/8" high filler. If flush toe look is desired, <u>must</u> add MFTK (flush toe modification).
- **Ships with loose overlay filler, sized to match job specific overlay. Inset and SOLK lipped orders will ship with filler only, no overlay included.



3" wide

BFSP3

6" wide

BFSP6

Field install filler pullout

between adjacent cabinets.



BASE FILLERS

ANGLED FILLER

- 3/4" solid wood filler
- Edges cut for 45 degree installation
- Occupies 3" width of cabinet run
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



PRODUCT CODE	SPECIFY	LIST
BAF30	L/R	
BAF34.5	L/R	
BAF36	L/R	
BAF40.5	L/R	

ANGLED FILLER WITH RETURN

- 3/4" plywood return
- 45 degree angle
- Occupies 3" of cabinet run
- Specify left [L] or right [R] end of cabinet run.
- Overall depth is 24", return depth is 21"
- Finished side is standard on return
- Add modification charge for flush finished end.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



(left shown)


BAFR34.5	L/R	
BAFR40.5	L/R	

135 DEGREE ANGLE FILLER ONLY (not pictured)

- Two 3/4" solid wood frame stock joined to form a 135° angle.
- 2" wide face of each "wing".
- Edges are square with face of each section.
- Standard ships finished on face of inside angle and all 3/4" edges.
- See top view sketch for amount of run space covered.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



Top View


	FILLER ONLY
	B2AF30
	B2AF34.5
ļ	B2AF36
	B2AF40.5

135 DEGREE ANGLE FILLER WITH RETURN

- Two 3/4" solid wood frame stock joined to form a 135° angle with return.
- 2" wide face of each "wing".
- Return side depth is 24".
- Edges are square with face of each section.
- Specify (L) left or (R) right side for return. (Left shown)
- Finished face of inside angle is standard.
- Finished side is standard on return.
- Add modification charge for flush finished end.
- See top view sketch for amount of run space covered.




Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



FILLER WITH RETURN	
B2AFR34.5	L/R
B2AFR40.5	L/R



VALANCE TOE FILLERS




ARCHED VALANCE TOE FILLER

- 4 1/2" high
- 4" deep
- Valance toe fillers are made 1" wider than overall cabinet width, fits into toe space (see illustration below).
- Shipped loose

CODE	PRICE
AVTF25	
AVTF28	
AVTF31	
AVTF34	
AVTF37	
AVTF40	
AVTF43	
AVTF46	
AVTF49	

LIST

PRODUCT






FURNITURE VALANCE TOE FILLER

- 4 1/2" high
- 4" deep
- Valance toe fillers are made 1" wider than overall cabinet width, fits into toe space (see illustration).
- Shipped loose

FVTF25
FVTF28
FVTF31
FVTF34
FVTF37
FVTF40
FVTF43
FVTF46
FVTF49




FURNITURE PLATFORMS



TAPER FEET FURNITURE PLATFORM

- 6 3/4" overall height. (The platform is 2 1/4" taller than the standard toe space. To align with adjacent cabinets, the base cabinet used in conjunction with the platform will need the height reduced by 2 1/4". This height adjustment will not be made by the factory unless specified on the order.)
- The sizes shown are to match the corresponding cabinet sizes.
- If FOL and SOL, the platform will have a finished size of 1 1/2" deeper and 1 1/2" wider than listed. (Example: TAFP2421 will have overall dimensions of 25 1/2" wide by 22 1/2" deep.) If Inset, the platform will have a finished size of 3/4" deeper and 1 1/2" wider than listed. (Example: TAFP2421 will have overall dimensions of 25 1/2" wide by 21 3/4" deep.)
- Designed to be used with a base cabinet having NOTK (omit toe kick modification) applied.
- 3/4" plywood top with 3" wide solid wood edge on front and both sides. Machine edge profile as standard.
- 2" straight valances between the feet on front and both sides.



COUNTRY FRENCH FURNITURE PLATFORM

- 6 3/4" overall height. (The platform is 2 1/4" taller than the standard toe space. To align with adjacent cabinets, the base cabinet used in conjunction with the platform will need the height reduced by 2 1/4". This height adjustment will not be made by the factory unless specified on the order.)
- The sizes shown are to match the corresponding cabinet sizes.
- If FOL and SOL, the platform will have a finished size of 1 1/2" deeper and 1 1/2" wider than listed. (Example: CFFP2421 will have overall dimensions of 25 1/2" wide by 22 1/2" deep.) If Inset, the platform will have a finished size of 3/4" deeper and 1 1/2" wider than listed. (Example: CFFP2421 will have overall dimensions of 25 1/2" wide by 21 3/4" deep.)
- Designed to be used with a base cabinet having NOTK (omit toe kick modification) applied.
- 3/4" plywood top with 3" wide solid wood edge on front and both sides. PRS-2 edge profile as standard.
- 2" arched valances between the feet on front and both sides.

CODE	PRICE
TAFP2424	
TAFP2724	
TAFP3024	
TAFP3324	
TAFP3624	
TAFP3924	
TAFP4224	
TAFP4524	
TAFP4824	
TAFP5124	
TAFP5424	
TAFP5724	
TAFP6024	
3///" deeper and 1	1/2" wider

LIST

PRODUCT

CFFP2424
CFFP2724
CFFP3024
CFFP3324
CFFP3624
CFFP3924
CFFP4224
CFFP4524
CFFP4824
CFFP5124
CFFP5424
CFFP5724
CFFP6024



PRODUCT LIST CODE

SPICE RACK ON DOOR

ASROD

3 1/2" deep, wood rack with fixed shelves mounted on cabinet door.

Not available on cabinets less than 9" wide.

Spice shelf accessory interior depth is 2 1/2".

Height of each shelf section varies from approximately 5" to 7" depending on the height of the cabinet frame opening.



BASE CAN RACK (ATTACHED TO DOOR)

Pullout wood storage rack with adjustable shelves

SINGLE WASTE BASKET (ATTACHED TO DOOR)

AWBAS-W

ABCR

15" minimum cabinet width (12" wide minimum cabinet opening). Specify 'W' for white cans or 'P' for pewter cans. Pewter is not available for all inset cabinet configurations. Specific waste basket capacity varies based on cabinet details.

AWBAS-P

DOUBLE WASTE BASKET (ATTACHED TO DOOR)

AWBAD-W

18" minimum cabinet width (15" wide minimum cabinet opening). Specify 'W' for white cans or 'P' for pewter cans. Pewter is not available for all inset cabinet configurations. Specific waste basket capacity varies based on cabinet details.

AWBAD-P

FLIPPER (POCKET)DOOR GLIDES

AFDG

Installed mechanism for stowing door inside cabinet as in entertainment cabinets. Minimum AI cabinet depth is 13 1/2" to allow for hardware.

ALFDG

Add to cabinet price; priced per set of doors.

Adding flipper doors to a cabinet will cancel all adjustable shelves in that section. When needing adjustable shelves, a loose shelf accessory will need to be added to cabinet price for each adjustable shelf.

When needing finished interior, the matching wood interior modification will need to be added to cabinet price.

When adding flipper doors to cabinet, interior opening width will be 8" less than the overall cabinet width if FOL-C. If SOL or Inset, the interior opening width will be 9 1/4" less than the overall cabinet width. Example: 30" wide, FOL-C cabinet will have an interior opening size of 22" wide.

Doors larger than 26" wide or 72" tall require large flipper door glides (ALFDG).

CUTTING BOARD BEHIND DRAWER

ACB-BD

1 1/2" Pretreated hard rock maple cutting boards for cabinets up to 27" wide with single top drawer.

Includes scooped drawer box sides and full extension undermount glides as standard.

Cutting board will have feet attached to keep it in place while in cabinet drawer.

May be used in the drawer or on the counter top.

A bottle of Mystery Oil for retreating the cutting board will be included.

CUTTING BOARD OVER DRAWER

ACB-OD

1 1/2" Pretreated hard rock maple cutting boards for cabinets up to 27" wide with single top drawer.

These will extend out of the front of the cabinet to be flush with the drawer front.

Will not have feet attached.

We recommend that this style of cutting board be removed from the cabinet for counter top use.

A bottle of Mystery Oil for retreating the cutting board will be included.

BOTTLE OF MYSTERY OIL 15oz. bottle

ABMYOIL

For periodic re-oiling of cutting boards to preserve the beauty and durability of the natural wood surface.



PRODUCT CODE

LIST

BLUMOTION FULL EXTENSION UNDERMOUNT GLIDES

BMOT-FEUG

Pair

Minimum cabinet depth is 12". Minimum standard cabinet width is 12".

Shipped loose

90# per drawer capacity

NOTE: Cabinets less than 12" deep will have BLUM 7/8 extension undermount glides.

These glides give the appearance of full extension undermount glides but will not have the BluMotion mechanism.

150# FULL EXTENSION SIDE-MOUNT GLIDES

FEG150


Add to cabinet price for each drawer

HANGING FILE RAILS AHANGINGFILE

One pair hanging file rails installed in drawer. Front to back rails illustrated.

Standard guidelines for file rail direction:

Cabinets with a *frame opening* of less than 15" wide will have file rails that run side to side. Cabinets with a 15" wide frame opening or greater will have file rails that run front to back. Specify direction of file rails only if different from standard. (15" wide



BREAD BOX LID Plexi-glass sliding lid installed in drawer top DRAWER DIVIDER ADD Centered divider, dadoed into drawer box

DRAWER SPICE RACK **ADSR**

Wood spice rack drawer insert. 4 horizontal rows (in drawer box of standard 24" deep base cabinet) for storage of spice containers that are approximately 4 1/2" high.

CUTLERY DIVIDER ACD (A or B)

Specify A, B, or C- custom. (A & B have standard configurations. See illustrations)

If C is specified, send detailed drawing of divider.

Removable drawer insert with 1/2" soft maple wood partitions

2 or more dividers running front to back, evenly spaced approximately 3" apart.

NOTE: smaller width cabinets may have only one divider



ACD C (custom)

ACD D


ATSTP

DOUBLE CUTLERY DIVIDER

Two dividers in one drawer, priced per drawer.

Top divider (style 'A') slides back for access to lower divider (style 'B'). 1/2" soft maple dividers

Front to back dividers evenly spaced, approximately 3" apart.



WITHOUT TOP CUTLERY DIVIDER



PLASTIC TILT OUT SOAP TRAY

Plastic soap tray attached to tilt down drawer head

TILT OUT SOAP TRAY KIT—PLASTIC ATSTP KIT

Hinges included. State cabinet width for correct sizing.

STAINLESS STEEL TILT OUT SOAP TRAY **ATSTS**

Stainless steel soap tray attached to tilt down drawer head


TILT OUT SOAPTRAY KIT—STAINLESS STEEL ATSTS KIT

Hinges included. State cabinet width for correct sizing.



PRODUCI	CODE	LIST

DELUXE UNDERMOUNT ADJUSTABLE ROLLOUT SHELVES



2" HIGH (UP TO 24" WIDE)	ADUAROS2402
2" HIGH (UP TO 42" WIDE)	ADUAROS2502
4" HIGH (UP TO 24" WIDE)	ADUAROS2404
4" HIGH (UP TO 42" WIDE)	ADUAROS2504
6" HIGH (UP TO 24" WIDE)	ADUAROS2406
6" HIGH (UP TO 42" WIDE)	ADUAROS2506

Adjustable natural maple rollout shelves with Blumotion full extension, undermount drawer glides on wood pilasters. If the rollout and its components need to have the specie and finish match the interior of a cabinet with a MWI modification, a quote must be submitted prior to the order being placed for correct pricing and material availability.

- Price per rollout shelf
- 100# weight capacity
- Routed handpull centered in top edge of box front.
- Dovetail construction
- Fixed center frame stile is omitted when adding a full width rollout to a cabinet 39" wide and over or a sink base.
- Not recommended for cabinets less than 15" wide. Not available for cabinets less than 9" wide or 12" deep.
- **Note: when using combination of rollouts and adjustable shelves in the same opening, rollouts will always be located at bottom of section unless otherwise specified.

See below for additional guidelines.

Rollout Installation Guidelines

We have classified the addition of rollouts into two different categories based on usage. First, adding rollouts to wall cabinets or an upper portion of any cabinet, will be based on the same set of rules. (Upper portion is defined as any section of any cabinet which also has a lower opening.) Then, the addition of rollouts to base cabinets and the lower portion of tall cabinets will be based on another set of rules.

- 1. Rollouts in wall units and upper portions of tall/base units. (Sink base cabinets will follow this same set of rules.)
 - a. When adding a single rollout, the rollout will be permanently mounted to the floor in that section, utilizing our Blumotion full extension under-mount glides.
 - b. Also, when adding a single rollout, the quantity of adjustable shelves in that section will remain the same.
 - c. When adding **more than one rollout** to a section all adjustable shelves will be deleted. When adding adjustable shelves back into the opening, each shelf will be notched to accept the ladders which are installed for the rollouts.
 - d. Also, when adding **more than one rollout** to a section our standard rollout ladder configuration will be utilized by installing the ladders full height in the interior of that section. (Full height is full usable height determined by Brighton.)
- 2. Rollouts in lower openings of base/tall units. (Except sink base cabinets.)
 - a. When adding a single rollout or more than one rollout, our standard rollout ladder configuration will be utilized by installing the ladders in the complete interior height of that section.
 - b. Also when adding a single rollout or more than one rollout, all adjustable shelves will be deleted. When adding adjustable shelves back into the opening, each shelf will be notched to accept the ladders which are installed for the rollouts.
 - c. When adding **a single rollout only** in an opening <u>and</u> requesting that it be flush mount (not adjustable), the quantity of adjustable shelves in that section will remain the same.

These rules have been adopted as a standard practice for Brighton Cabinetry, Inc. Any deviation from this process must be in writing in the notes section of the order. All cabinets in our catalog with rollouts included will also follow the guidelines listed above.



NOTES



PRODUCT CODE ACDST LIST

CUTLERY DIVIDER - SILVERWARE TRAY

Removable silverware tray insert with 3/8" maple partitions. Exact configuration will vary depending on interior size of drawer box. For single top drawer cabinets 18" to 30" wide. For a cabinet with two side-by-side top drawers, fits into single drawer of a 36" wide cabinet or larger.

NOTE: Modifications to cabinets that affect drawer size may render openings less useful or prevent the use of standard configured divider entirely. Before adding to non-standard sized cabinets, contact customer service to be sure this divider will fit. For cabinets less than 18" wide, a custom divider is required. Non-standard dividers are priced as ACD-C.



CUTLERY DIVIDER - UTILITY TRAY

Removable utility tray insert with 3/8" maple partitions. Available only for 21" wide cabinet.

NOTE: Modifications to cabinets that affect drawer size may render openings less useful or prevent the use of standard configured divider entirely. Before adding to non-standard sized cabinets, contact customer service to be sure this divider will fit. Non-standard dividers are priced as ACD-C.

ACDUT

per drawer

SILVERWARE TRAY WITH KNIFE BLOCK

Removable silverware tray insert with 3/8" maple partitions and maple knife block combo. Exact tray configuration will vary depending on interior size of drawer box. For single top drawer cabinets 27" to 36" wide.

<u>NOTE</u>: Modifications to cabinets that affect drawer size may render tray openings less useful. Before adding to nonstandard sized cabinets, contact customer service to be sure this combo divider will fit. Custom pricing applies to nonstandard dividers.



ASTKB

per drawer

UTILITY TRAY WITH KNIFE BLOCK

Removable silverware tray insert with 3/8" maple partitions and maple knife block combo. Available only for 27" wide cabinet with single top drawer. Knife block is 6" wide.

<u>NOTE:</u> Modifications to cabinets that affect drawer size may render tray openings less useful. Before adding to nonstandard sized cabinets, contact customer service to be sure this combo divider will fit. Custom pricing applies to nonstandard dividers.



27" and 33" wide cabinets have 12" wide knife block (pictured) 30" and 36" wide cabinets have 6" wide knife block

AUTKB


per drawer



KNIFE BLOCK AKB

Block made of maple and will fit in top drawer of B15 and smaller. Or if the cabinet has two side-by-side top drawers, fits a single drawer of a 30" wide cabinet or smaller.

<u>Note:</u> If a larger knife block is wanted, contact Customer Service for pricing.





PRODUCT CODE LIST

TOE KICK STEP STOOL

TKSS

Minimum width of cabinet to install Toe Kick Step Stool is 18".

Added to cabinet price.

Recessed side toe and / or rear toe modifications may not allow enough space for this item.

TOE KICK DRAWER - 24" DEEP

Add to 24" deep cabinets.

Operational, 2" high drawer box added into toe kick space.


3/4" thick solid wood face frame at bottom and sides. Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been applied to adjacent cabinets.

Actual front to back depth of drawer box is 18" for 24" deep unit.

Drawer fronts are slab; 5 pc. not available.

Minimum overall cabinet depth is 18" due to limited access to the drawer box under the cabinet.

Illustration depicts B3D cabinet with ATKD accessory installed.



ATKD1824 ATKD2124

ATKD2424

ATKD2724

ATKD3024

ATKD3324

ATKD3624

TOE KICK DRAWER - 21" DEEP

Add to 21" deep cabinets.

Operational, 2" high drawer box added into toe kick space.


3/4" thick solid wood face frame at bottom and sides. Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been applied to adjacent cabinets.

Actual front to back depth of drawer box is 15" for 21" deep unit.

Drawer fronts are slab; 5 pc. not available.

Minimum overall cabinet depth is 18" due to limited access to the drawer box under the cabinet.

Illustration depicts B3D cabinet with ATKD accessory installed.



ATKD1821

ATKD2121

ATKD2421 ATKD2721

ATKD3021

ATKD3321

ATKD3621

TOE KICK DRAWER - 18" DEEP

Add to 18" deep cabinets.

Operational, 2" high drawer box added into toe kick space.


3/4" thick solid wood face frame at bottom and sides. Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been applied to adjacent cabinets.

Actual front to back depth of drawer box is 12" for 18" deep unit.

Drawer fronts are slab; 5 pc. not available.

Minimum overall cabinet depth is 18" due to limited access to the drawer box under the cabinet.

Illustration depicts B3D cabinet with ATKD accessory installed.



ATKD1818 ATKD2118

ATKD2418

ATKD2718

ATKD3018

ATKD3318

ATKD3618



PRODUCT CODE

LIST

POT AND PAN CADDY

20" width, 14 1/2" height, 22 1/8" depth

Birch veneer, wood platforms with heavy duty chrome-plated wire surrounds for storage of cook ware and lids.


Two shelves pull out individually using full extension ball-bearing slides.

Upper shelf has two side racks.

Maximum weight capacity of 25lb. per shelf

Will fit minimum of 24" wide, 24" deep cabinets. (Inset cabinet doors must be able to open fully.)

Inset Concealed has to be a 27" wide cabinet.



HAMPER BASKET ROLLOUT

Add to cabinet price

Epoxy coated steel wire basket on glides, mounted to bottom of cabinet.



AROHB

LIFT UP MIXER SHELF

3/4" plywood shelf installed on lift up mechanism.

Width of shelf equals face frame opening width minus 3".

When added to a cabinet, this accessory item omits the adjustable shelves from that cabinet.

The recommended cabinet width is 18".

Minimum frame opening height is 23 1/4" (will not fit in standard base cabinet with a top drawer.)

Minimum cabinet depth is 24" (shelf depth equals 20 1/2").



ATR

METAL TOWEL RACK

Pullout metal towel rack mounted inside cabinet. Specify installation location.

6" wide minimum opening necessary.

Not recommended for use on BDS or BRCS due to sink clearance.

BASE TRAY DIVIDER ABTD

1/2" UV Birch veneer plywood divider.

Specify location and spacing of multiple dividers.

Tray dividers will be equally spaced in the opening unless otherwise specified.

Adjustable shelves cannot be adjacent to tray dividers. A partition must be used if adjustable shelves are needed.

BASE PARTITION ABP

3/4" UV Birch veneer plywood, centered unless otherwise specified. When specified for cabinets with shelves, shelves are installed on both sides. Use when adding an accessory on one side of cabinet, shelves are installed on opposite side. Specify location of partition and side of accessory installation if required.

BASE END SKIN ABSKIN

1/4" panel matching specie and finish of order

SQ FT



PRODUCT CODE LIST

BASE WOOD REVOLVING SHELF

ABWRS

Revolving platter added to shelf for diagonal corner or pie cut base cabinet.

SINK BASE DRIP TRAY-INSTALLED ONLY

ASBDT

Almond colored, under sink drip tray for installation in NEW 36" wide x 24" deep base cabinet. Width can be cut down to fit in 33" wide x 24" deep NEW cabinet, also.

Cannot be installed around existing plumbing.

Cannot be installed in post notch or clip corner style cabinets.

Resistant to most household chemicals. Wipes clean.

Unique design funnels excessive water to the front of the cabinet and onto the floor as an alert to a leak.

Tray measures 11/16" high and holds up to 1.75 quarts of water.



PRODUCT LIST CODE

FRAME CHANGE MFC

Includes one or all changes made to frame configuration, excluding extended stiles and rails. Specify changes and dimensions, provide sketch.

INCREASE CASE DIMENSION MODIFICATION

MICDIM

Used to increase height, and/or width, and/or depth above the largest standard sizes.

Cabinet may be increased up to 6" larger for any or all dimensions. Dimension increases beyond 6" require a quote. Some restrictions apply due to material availability.

Any cabinet increased in width to 39" or above will have a fixed center stile as standard.

Drawer boxes and rollouts will increase with the cabinet depth up to 27" deep cabinets. Anything increasing over 27" in depth must be verified with Customer Service for availability before ordering.

Wall cabinets and sink cabinets can be increased in <u>depth only</u> up to a maximum of 3" beyond the standard cabinet depth for no up charge at all.

MATCHING WOOD INTERIOR

MMWI

Wood specie and finish match frame and doors.

Price % of list price.

When selecting matching wood interior on cabinets with more than one section (ie, tall cabinets or combined cabinets) the entire interior of all sections will be matching wood interior as standard. The grain on interior backs may be horizontal on cabinets larger than 48" wide.

COMBINE CABINET CHARGE

COMBINE

Used to combine two or more cabinets.

One charge per combination of two cabinets.

BASE FRONT ONLY MBFRO

Subtract from base price of cabinet.

Doors are hinged and working. Specify if fixed doors are required.

Floor not included. Unless specified, front will be shipped without sub-toe kick.

Overall frame height will be 4 1/2" less product height ordered unless MFTK (flush toe) is added.

Example: BFD21R (std. 34 1/2" high) + MBFRO ordered, shipped frame height = 30".

OMIT DOORS MOD

Interior remains standard finish unless matching wood interior modification is used.

ADD CENTER STILE MACSB

To add vertical center stile to any cabinet.

Standard 1 1/2" wide stile, specify width of stile if different dimension is desired.

ADD CENTER RAIL MACRB

To add a horizontal center rail and fixed floor to any cabinet.

Standard 1 1/2" wide rail, specify width of rail if different dimension is desired.

Include specific information for placement of rail, provide drawing if possible.

Charge includes cost for dividing doors into separate uppers and lowers.

APPLIED MOLDING CHARGE

MAMC

Charge to apply molding, ornaments, appliqué to cabinets.




PRODUCT	SPECIFY	LIST
CODE		

Furniture Ends-Locking Miter Joint

- True flush ends with no seams, making crown, base, and light rail moldings easier to attach, no scribe molding needed
- Not available on diagonal corner cabinets, angled cabinets, or clipped corners.

• Not available on diagonal corner cabinets, angled cabinets, or clipped corners.			
Base Furniture Finished End (Left, Right, or Both ends)	MBFURNFE	L/R	SQFT
Base Furniture False Door Ends (Left, Right, or Both ends)	MBFURNFD	L/R	SQFT
 Base Furniture Wainscot End (Left, Right, Both ends) Not available with any miter doors. Also not available with Churchill, Madrid, Plainfield, Plainfield MDF, Sardinia, Valletta, or Verona door designs 	MBFURNWP	L/R	SQFT
Loose Furniture End Route A furniture end route modification for loose, field applied base panels may be added	MLFER	L/R	END
for one or both ends of the base wainscot panel. The route will be a locking miter and the piece that will be joined with the base wainscot in the field must also have the furniture end route modification added to the appropriate side. A locking strip will be attached to the routed end at the factory and must be removed before field installation.	MLFERB	В	PANEL






BRIGHTON Cabinetry	BASE MODIFICATIONS	PRODUCT	SPECIFY	LIST
Cathely		CODE	SI LCII I	LIST
BASE FINISHED END		MBFE	L/R	
Side of cabinet matches specie and stain Side retains 1/4" scribe reveal same as u				SQ FT
BASE FLUSH FINISHED END		MBFFE	L/R	
A 1/4" panel is applied creating a flush of Side of cabinet matches specie and stain				SQ FT
FINISHED BACKS 1/2"		MFBAH		
Back thickness does not affect overall de	epth of cabinet. Vertical grain is stand	ard.		SQ FT
BASE FALSE DOOR ON END		MBFDE	L/R	
Includes flush finished end.				SQ FT
BASE WAINSCOT END PANEL		MBWEP	L/R	
A 3/4" panel constructed from same mat Center panel will be divided to best align Bottom rail will be wider for toe space u Not available for mitered door styles.	n with doors on face of cabinet.			SQ FT
BASE BEAD BOARD END		MBBDE	L/R	
1/2" solid wood, tongue and groove bear	d board, factory installed on cabinet si	de.		SQ FT
BEAD BOARD INTERIOR BACK		MBDIB		
1/2" solid wood, tongue and groove bead	d board installed in the back of cabine	t.		SQ FT
BASE GROOVED PANEL LEFT / R	IGHT	MBGP	L/R	
1/4" veneered panel with MDF core app 1 1/2" apart. Other designs to match groffront frame and doors. Not available for Rustic Hickory: standard grade wood wi	oved doors are available upon request. r any finish with wear sanding. Not	. Matches specie ar	nd stain of	SQ FT
BASE GROOVED PANEL INTERIO	OR BACK	MBGPIB		
1/4" veneered panel with MDF core inst spaced 1 1/2" apart. Other designs to ma of front frame and doors. Use with MWI able for any finish with wear sanding. wood will be substituted.	tch grooved doors available upon required modification to finish the remainder	uest. Matches speci of cabinet interior.	e and stain Not avail-	SQ FT
BASE GROOVED PANEL BACK (1/	2")	MBGPBAH		
1/2" veneered panel with MDF core app apart. Other designs to match grooved do frame and doors. Back thickness does no wear sanding. Not available in Rustic A	oors are available upon request. Match of affect overall depth of cabinet. Not	nes specie and stain available for any f	of front	SQ FT
BASE FLUSH FINISHED TOP MPFFT				
Flush panel matches specie and finish of				SQ FT





	PRODUCT CODE	SPECIFY	LIST
BASE EXTENDED STILE OUT UP TO 3" (see next page for illustrations)	MBESO3	L/R	
Stile extends outward from cabinet, increasing overall frame width by the amount specified Overlay filler strips are available for full-overlay flush look. (See base cabinet accessories)	for the extension	on.	
BASE EXTENDED STILE OUTUP TO 6" (see next page for illustrations)	MBESO6	L/R	
Stile extends outward from cabinet, increasing overall frame width by the amount specified Overlay filler strips are available for full-overlay flush look. (See base cabinet accessories)	for the extension	on.	
BASE EXTENDED STILE INUP TO 3" (see next page for illustrations)	MBESI3	L/R	
Stile extends inward, overall frame width does not change. Overlay filler strips are available for full-overlay flush look. (See base cabinet accessories)			
BASE EXTENDED STILE INUP TO 6" (see next page for illustrations)	MBESI6	L/R	
Stile extends inward, overall frame width does not change. Overlay filler strips are available for full-overlay flush look. (See base cabinet accessories)			
BASE EXTENDED STILE DOWN	MBESD	L/R	
Extends stile (specify left or right) down into the toe kick space to meet the floor.			
EXTEND TOP OR BOTTOM RAIL UP (see next page for illustrations)	METRU		
Add to cabinet price.	MEBRU		
Indicate overall dimension.			
EXTEND TOP RAIL DOWN (see next page for illustrations)	METRD		
Add to cabinet price. Indicate overall dimension.			
VALANCE TOP RAIL	MVTR		
Extends a standard 1 1/2" wide top rail down for an overall rail width of 5". Price for cabinets up to 42" wide. Specify shape: Classic Arch, Elegant Arch, Straight, Arched, Furniture, Shaker style A or S Provide a sketch or template for custom pattern, requires quote.	haker style C.		
VALANCE BOTTOM RAIL	MVBR		
Price for cabinets up to 42" wide. Specify shape: Classic Arch, Elegant Arch, Arched, Furniture, Shaker style A or Shaker style modification, when the Straight valance design is wanted. Provide a sketch or template for custom pattern, typically requires a quote. Base and tall cabinets with this bottom rail modification will still have the subtoe behind the ships finished and will not require a separate AMTK.			
BASE EXTEND SIDE BACK	MBESB	L/R	
Specify the length of the extension beyond the standard depth. 48" overall maximum depth Back edge will not be finished as standard. Please specify on order for finished edge and account of the extension beyond the standard depth.		EB charges.	
BASE RECESSED SIDE	MBRS	L/R	
Normally used when a recess allowance is needed for a field applied panel. The cabinet face frame and door reveals will not change with this modification. Most standard cabinets already have 1/4" recess behind the face frame, specify TOTAL amount needed. Maximum overall recess allowed = 7/8".			·//



EXTENDED RAIL AND STILE ILLUSTRATIONS









Cabinetry	PRODUCT	SPECIFY	LIST
	CODE	SI ECH I	LIST
BASE SIDE ANGLED	MBSA	L/R	
Side is angled, front frame is parallel to back. Include a top view sketch with dimensions of side and front. Specify a degree use widest dimension of finished cabinet as initial starting price then add		harge.	
BASE ANGLED SIDE ENTRY	MBAE	L/R	
This modification is like base side angled but with frame and working doo Include a top view sketch with dimensions of side and front. Specify degree of angle and hinging. Use widest dimension of finished cabinet as initial starting price then add		harge.	
BASE ANGLED FRONT	MBAF	L/R	
Front is angled, sides remain perpendicular to back. Include a top view sketch with dimensions of sides and front. Specify overall cabinet size. Indicate depth of right and left sides. Minimum depth is 4" for adjustable shelves. Use widest dimension of finished cabinet as initial starting price then add	modification c	harge.	
BASE END ENTRY	MBEE	L/R	
Specify door hinging. Add modification charge to initial starting price of cabinet.			
DOUBLE ENTRY	MDE		
Add modification charge to initial starting price of cabinet. Specify hinging on rear if different from front entry.			
BLIND BASE CUSTOM FRONT	MBBCF		
Use to make special size front and blind area Provide sketch of front opening and blind area dimensions			
BASE FINISHED BLIND SOLID	MBFBS		
3/4" wood fill-in of entire blind area in matching wood and finish			
FLUSH TOE KICK	MFTK		
Per cabinet front Note: When adding this to base or tall cabinets and also requesting that th there will be a subtoe behind the valance bottom rail. The subtoe piece sh rate AMTK.			
LOOSE TOE KICK	MLSTK		
Shipped loose. Overall shipped cabinet height is reduced 4 1/2".			
OMIT TOE KICK	NOTK		
Removes the toe kick area from the cabinet. Overall shipped cabinet heigh	ht is reduced 4	4 1/2".	
SIDE TOE KICK	MLTK	(Left)	
Add to cabinet price Specify left or right or left and right	MRTK MLRTK	(Right) (Left/Right)	
BACK TOE KICK	MBTK	(Back)	
Add to cabinet price Specify back or combination of back and side(s)	MBLTK MBRTK MBLRTK	(Back/Left) (Back/Right) (Back/Left/Right)	



PRODUCT CODE

MUATOE

SPECIFY


LIST

0

UNIVERSAL ACCESS TOE KICK SPACE

Modifies the cabinet's toe kick to 9" high x 6" deep as recommended by the Americans with Disabilities Act 2010 standards. Specify if other dimensions are needed.

Note: Using this modification can affect other aspects of the cabinetry and may cause some configurations to no longer be available. Examples of this include, but are not limited to, a B4D and a BM2DF.



BASE DUCT CUTOUT

Include a top view sketch with cutout dimensions and location.

SINK SIDE CUTOUT

6" high cutout at top edge of both sides. Starts and ends 2" from front and back edges.

MBDCO

MSSCO

L/R

BASE CLIPPED CORNERMBCC
Stile is angled at 45 degrees. The face frame is decreased by 3" per clipped corner.


This modification does not increase the width or depth of the cabinet.

Per side

RECESS POST CUTOUT

Post not included, accepts up to a 6" post. Specify size of cutout: width x depth

Cutout space will be 3/4" finished frame stock



MRPC L/R

Per side

BASE FLUTING MBFLUTE

Routed on filler or stile up to 6" wide. Three flutes are standard, based on 3"filler. Specify the number of flutes if different (1 flute per inch is recommended). Limits will normally align with adjacent cabinets. Standard is 3/8" flute with 3/8" space between flutes. Provide sketch on special fluting requirements. Minimum filler width is 1 1/2".


ROSETTE DESIGN

Routed into filler, usually accompanies fluting.

Style A (2 1/4") is for 3" filler or overlay filler (2 3/4") with machine or L149 edge. Minimum overlay filler width will be 3 1/8" for all other edge profiles

Style B (3 1/8") is for 6" filler.

MROSETTE





PRODUCT CODE

LIST

FLIP DOWN DOOR STAY

Supports a door hinged to the bottom of a cabinet opening

Priced per piece (2 doors maximum)

Will not fit frame opening less than 7" high

MFDDS

(2 doors max.)

90 DEGREE HINGING (concealed hinge only)

Hinge with restricted swing of approximately 90 degrees.

Available for concealed hinges only.

Priced per cabinet side Specify side: L or R

MB90DEG-L

MB90DEG-R

BASE ADDITIONAL DRAWER, STANDARD

Use this modification to add a drawer that would require a frame opening

SLAB

SOL/Inset FOL/FFA

Blumotion glides standard: other glide styles will be substituted when the frame opening for the drawer boxes are under 6" wide or cabinet is less than 12" deep.

1INSLAB

Specify:

5-PIECE This price includes drawer box, hardware, drawer front, and frame change.

BASE ADDITIONAL DRAWER, DEEP

MBADD

MBADS

SOL/Inset FOL/FFA Specify:

1INSLAB

Use this modification to add a drawer that would require a frame opening **SLAB**

greater than 6" high.

Blumotion glides standard: other glide styles will be substituted when the frame opening for the drawer boxes are under 6" wide or cabinet is less than 12" deep.

This price includes drawer box, hardware, drawer front, and frame change. 5-PIECE

5-PIECE DRAWER HEAD

Price per drawer head.

Drawer head made in a 5-piece configuration.

The top and bottom rails of the drawer head are cut down for most designs.

5-P(RAIS)-FOL/FFA

5-P(FLAT)-FOL/FFA

5-P(RAIS)-SOL/INSET 5-P(FLAT)-SOL/INSET

1" THICK, SLAB DRAWER FRONT UPGRADE 1-INSLAB-FOL

Price per drawer head.

Not available to match all designs. Not recommended with slab doors or designs with flat center panels. See Introduction for more information.

1-INSLAB-SOL/INSET

MDSDF

DRY SEED SEE THROUGH DRAWER FRONT

Wood frame and a plexi-glass center panel with divider positioned behind the clear panel.

per drawer

SCOOPED DRAWER SIDES

Standard scoop is 2" down from top edge and begins 1-1/4" back from front edge unless otherwise specified. Minimum drawer box height is 4".

OMIT OPERATING DRAWER BOX

MOODB

Omits the operating drawer box and hardware from a standard cabinet. The drawer front will be attached to the cabinet as a false front. If the cabinet has more than one drawer top-to-bottom, this modification will remove the top drawer box unless otherwise specified. If the cabinet has multiple drawers side-to-side, you must specifically note on the order which box is to be removed, such as 'omit left drawer box'.


per drawer

U-SHAPE DRAWER BOX MODIFICATION

Modifies an existing drawer box to have a cutout centered, side to side, allowing space for pipe work. <u>Drawer box</u> width must be at least 12" (12 3/8" frame opening). Must specify dimensions 'A' and 'B' as shown on the template. 'C' can be no less than 3".

MUDRBOX

per drawer






NOTES

SPECIFICATIONS


TALL CABINETS

(See "Cabinet Construction Specifications" and "Pricing Procedures" for options.) 84''', 90''', 93''', 96''' Tall are standard

Tall Cabinet Nomenclature



STANDARD TOE KICK HEIGHT: 4 1/2"; DEPTH: 3 1/2" STANDARD LOWER OPENING HEIGHT = 57"





Tall Contents

CABINETS		MODIFICATIONS (CONTINUED)	
3 DRAWER UTILITY CABINET	13-14	ANGLED SIDE ENTRY	46
ANGLED CABINETS	17	APPLIED MOLDING CHARGE	42
CANNED GOOD STORAGE CABINET	15	BACK TOE KICK	46
MULTI-FOOD STORAGE CABINET	16	BEAD BOARD END	45
OVEN CABINET SINGLE CUTOUT		CLIPPED CORNER	47
1 DRAWER AT BOTTOM/DOORS TOP	20-21	COMBINED CABINET CHARGE	42
2 DRAWER AT BOTTOM/DOORS TOP	22-23	DOOR STAY	48
3 DRAWER AT BOTTOM/DOORS TOP	24-25	DOUBLE ENTRY	46
DOORS TOP AND BOTTOM	18-19	DRAWER HEAD UPGRADE	48
OVEN CABINET TWO CUTOUTS		DUCT CUTOUT	47
MICROWAVE/OVEN CABINET	26-27	END ENTRY	46
OVEN/WARMING DRAWER CABINET	28-29	EXTEND BOTTOM RAIL UP	41
REFRIGERATOR SURROUND CABINET	8A	EXTEND SIDE BACK	41
UTILITY CABINETS 13" DEEP	3-4	EXTEND STILE	40-41
UTILITY VERTICAL STACK CABINETS 13"	9-10	EXTEND TOP RAIL UP OR DOWN	41
UTILITY CABINETS 24" DEEP	5-6	FALSE DOOR ON END	45
UTILITY VERTICAL STACK CABINETS 24"	11-12	FINISHED BACK	45
UTILITY CABINETS W/ ROLLOUT SHELVES.	7-8	FINISHED END	45
WINE RACK CABINET	16	FINISHED TOP	45
		FLUSH FINISHED END	45
		FLUSH FINISHED TOP	45
ACCESSORIES		FLUSH TOE KICK	46
CLOSET RODS	35	FLUTING	47
END SKIN, LOOSE	35	FRAME CHANGE	42
FLIPPER DOOR GLIDES	35	FRONT ONLY	42
REFRIGERATOR LEGS	34-34A	FURNITURE END	44
ROLLOUT SHELVES	37	GROOVED PANEL APPLIED	45
TALL PARTITION	35	INCREASE CASE DIMENSION CHARGE	42
TALL SHELF ON DOOR	35	INTEGRATED TOE KICK	46
TOE KICK DRAWER	39	INWARD EXTENDED STILE	41
TRAY DIVIDER	35	LOOSE TOE BASE	46
FILLERS		MATCHING WOOD INTERIOR	42
OVERLAY FILLER STRIP	30	OMIT DOORS	42
TALL FILLERS	30	OMIT OPERATING DRAWER BOX	48
TALL FILLER WITH RETURN	31-32B	OMIT TOE KICK	46
TALL ANGLED FILLER WITH RETURN	33	RECESSED SIDE	41
TALL ANGLED FILLER	33	ROSETTE DESIGN	47
MODIFICATIONS		SCOOPED DRAWER SIDES	48
90 DEGREE HINGE	48	SIDE TOE KICK	46
ADD CENTER RAIL	42	UNIVERSAL ACCESS TOE KICK SPACE	46
ADD CENTER STILE	42	U-SHAPE DRAWER BOX MODIFICATION	47
ADDITIONAL DRAWER	48	VALANCE BOTTOM RAIL	41
ANGLED FRONT	46	VALANCE TOP RAIL	41
ANGLED SIDE	46	WAINSCOT END PANEL	45



TALL UTILITY CABINET, 13" DEEP



84" TALL CABINETS

- Full depth shelves.
- One adjustable shelf in upper section.
- Four adjustable shelves in lower section

90" TALL CABINETS

- Full depth shelves.
- Two adjustable shelf in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

93" TALL CABINETS

- Full depth shelves
- Two adjustable shelves in upper section
- Four adjustable shelves in lower section
- Toe base shipped loose

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TUC128413		
•	TUC158413		
•	TUC188413		
•	TUC218413		
•	TUC248413-2		
•	TUC248413-4		
•	TUC278413		
•	TUC308413		
•	TUC338413		
•	TUC368413		
•			
90" tall	TUC129013		
•	TUC159013		
•	TUC189013		
·	TUC219013		
	TUC249013-2		
	TUC249013-4		
	TUC279013		
	TUC309013		
	TUC339013		
	TUC369013		
·			
93" tall	TUC129313		
·	TUC159313		
	TUC189313		
	TUC219313		
	TUC249313-2		
	TUC249313-4		
	TUC279313		
	TUC309313		
	TUC339313		
	TUC369313		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL UTILITY CABINET, 13" DEEP



96"	TALL.	CABIN	ETS
20	IALL	CADIII	טבעו

- Full depth shelves.
- Two adjustable shelves in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

102" TALL CABINETS

- Full depth shelves.
- Three adjustable shelves in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

	PRODUCT CODE	LEVEL 1	LEVEL 2
96" tall	TUC129613		
, , , ,,,,,	TUC159613		
	TUC189613		
	TUC219613		
	TUC249613-2		
	TUC249613-4		
	TUC279613		
	TUC309613		
	TUC339613		
	TUC369613		
102" tall	TUC1210213		
	TUC1510213		
	TUC1810213		
	TUC2110213		
	TUC2410213-2		
	TUC2410213-4		
	TUC2710213		
	TUC3010213		
	TUC3310213		
	TUC3610213		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL UTILITY CABINET, 24" DEEP



84" TALL CABINETS

- Full depth shelves.
- One adjustable shelf in upper section.
- Four adjustable shelves in lower section

90" TALL CABINETS

- Full depth shelves.
- Two adjustable shelf in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

93" TALL CABINETS

- Full depth shelves
- Two adjustable shelves in upper section
- Four adjustable shelves in lower section
- Toe base shipped loose

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TUC128424		
•	TUC158424		
•	TUC188424		
•	TUC218424		
•	TUC248424-2		
•	TUC248424-4		
•	TUC278424		
•	TUC308424		
•	TUC338424		
•	TUC368424		
·			
90" tall	TUC129024		
	TUC159024		
	TUC189024		
•	TUC219024		
•	TUC249024-2		
•	TUC249024-4		
•	TUC279024		
•	TUC309024		
•	TUC339024		
•	TUC369024		
•			
93" tall	TUC129324		
•	TUC159324		
•	TUC189324		
•	TUC219324		
•	TUC249324-2		
•	TUC249324-4		
•	TUC279324		
•	TUC309324		
•	TUC339324		
•	TUC369324		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same section.



TALL UTILITY CABINET, 24" DEEP



6" TALL	CABINETS	

- Two adjustable shelves in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

102" TALL CABINETS

• Full depth shelves.

• Full depth shelves.


- Three adjustable shelves in upper section.
- Four adjustable shelves in lower section.
- Toe base shipped loose

	PRODUCT	LEVEL 1	LEVEL 2
	CODE		
96" tall	TUC129624		
•	TUC159624		
•	TUC189624		
•	TUC219624		
•	TUC249624-2		
•	TUC249624-4		
·	TUC279624		
	TUC309624		
•	TUC339624		
	TUC369624		
•			
102" tall	TUC1210224		
	TUC1510224		
	TUC1810224		
·	TUC2110224		
	TUC2410224-2		
	TUC2410224-4		
•	TUC2710224		
· · · · · · · · · · · · · · · ·	TUC3010224		
<u>-</u>	TUC3310224		
•	TUC3610224		_

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same section.



TALL UTILITY CABINET WITH ROLLOUT SHELVES



- 24" deep standard
- Four adjustable, full width, 4" high rollouts.
- Specify left (L) or right (R) for hinge side on two door cabinets.

84" TALL CABINETS

• One full depth, adjustable shelf in upper section.

90" TALL CABINETS

- Two full depth, adjustable shelf in upper section.
- Toe base shipped loose

93" TALL CABINETS

- Two full depth, adjustable shelves in upper section.
- Toe base shipped loose


NOTE: See Rollout Shelves listed in Tall accessory section for more specific rollout details.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TUC128424+RO4		
•	TUC158424+RO4		
•	TUC188424+RO4		
•	TUC218424+RO4		
•	TUC248424-2+RO4		
4 doors	TUC248424-4+RO4		
	TUC278424+RO4		
	TUC308424+RO4		
	TUC338424+RO4		
	TUC368424+RO4		
90" tall	TUC129024+RO4		
•	TUC159024+RO4		
	TUC189024+RO4		
	TUC219024+RO4		
•	TUC249024-2+RO4		
4 doors	TUC249024-4+RO4		
	TUC279024+RO4		
	TUC309024+RO4		
	TUC339024+RO4		
	TUC369024+RO4		
93" tall	TUC129324+RO4		
	TUC159324+RO4		
	TUC189324+RO4		
	TUC219324+RO4		
	TUC249324-2+RO4		
4 doors	TUC249324-4+RO4		
	TUC279324+RO4		
	TUC309324+RO4		
	TUC339324+RO4		
	TUC369324+RO4		



TALL UTILITY CABINET WITH ROLLOUT SHELVES

4



•	24"	deep	standard
---	-----	------	----------

- Four adjustable, full width, 4" high rollouts.
- Specify left (L) or right (R) for hinge side for two door cabinets.

96" TALL CABINETS

- Two full depth, adjustable shelves in upper section.
- Toe base shipped loose

102" TALL CABINETS


- Three full depth, adjustable shelves in upper section.
- Toe base shipped loose

NOTE: See Rollout Shelves listed in Tall accessory section for more specific rollout details.


	PRODUCT CODE	LEVEL 1	LEVEL 2
6" tall	TUC129624+RO4		
•	TUC159624+RO4		
•	TUC189624+RO4		
•	TUC219624+RO4		
•	TUC249624-2+RO4		
doors	TUC249624-4+RO4		
•	TUC279624+RO4		
•	TUC309624+RO4		
•	TUC339624+RO4		
•	TUC369624+RO4		
•			
2" tall	TUC1210224+RO4		
•	TUC1510224+RO4		
•	TUC1810224+RO4		
•	TUC2110224+RO4		
•	TUC2410224-2+RO4		
doors	TUC2410224-4+RO4		
•	TUC2710224+RO4		
•	TUC3010224+RO4		
•	TUC3310224+RO4		
•	TUC3610224+RO4		
•			




TALL REFRIGERATOR SURROUND CABINET



	PRODUCT CODE	LEVEL 1	LEVEL 2
24" deep	TRS408424		
•	TRS409024		
•	TRS409324		
•	TRS409624		
•	TRS4010224		
· ·	TRS4010824		
•			
30" deep	TRS408430		
•	TRS409030		
•	TRS409330		
•	TRS409630		
•	TRS4010230		
•	TRS4010830		






Note: When beaded Inset—Both leg version will be beaded around the lower appliance opening. Single Leg version will not have a bead around the lower opening unless specifically requested on the order by the designer.

TRS409624R (Right Leg)

- 40" wide, standard
- Available at 24" and 30" deep.
- Lower opening is 37" wide, sized for 36" wide refrigerator unit.
- Standard with Furniture Flush Ends, Matching Wood Interior and Finished Wall Bottom.
- Lower opening is 73" high. Add MFC (frame change) with a note on the order for a taller lower opening.
- 1 1/2" full length framing on face of return.
- Specify B (both legs), L (left leg) or R (right leg).
- Cabinets that are 84" high, or any with an upper frame opening of less than 9" high, cannot have doors that are hinged left and right. Instead, these cabinets will have their doors hinged to the top, opening upwards.
- One 3/4 depth adjustable shelf in upper of 96" H cabinet.
- Two 3/4 depth adjustable shelves in upper of 102" H and 108" H cabinet.
- Shipped with bracing that must be removed before installation.
- Verify ceiling height clearances for installation.
- Products over 96" tall may require a splice due to material limitations.



VERTICAL STACK CABINET SPECIFICATIONS



- Cabinets that have the look of two cabinets that have been stacked one on top of the other.
- Wall cabinets have two frame openings, one top and one bottom, with a center frame rail and fixed center floor dividing the two sections.
- Tall cabinets have three frame openings, one top, one middle, and one bottom, with a center frame rail and fixed center floor dividing each section.
- Offered standard with top doors equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height equal to first set of numbers listed in the nomenclature. See example above.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening.
- Specify L or R for hinge side when applicable.
- Shelf quantities are dependent on the specific opening height of each section. A minimum of 18" frame height opening is required for an adjustable shelf.
- Matching wood interior modification (MMWI) will change the entire cabinet interior to have a finished interior.
- For vertical stacked wall cabinets: Any height change will modify the cabinet in the <u>lower section</u>. The <u>upper frame opening height</u> will not change unless specified on the order and will require a frame change charge (MFC).
- For vertical stacked tall cabinets: Any height change will modify the cabinet in the <u>middle section</u>. The <u>top and bottom frame opening heights</u> will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail below the top section. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in each section as standard.



TALL UTILITY, VERTICAL STACK CABINET, 13" DEEP




- See Vertical Stack Cabinet Specifications on page W12 for more information.
- Toe base shipped loose
- Full depth shelves
- Four adjustable shelves in lower section.
- T21VS cabinets have one adjustable shelf in the top section.
- Shelf quantity in the center section can vary depending on overall cabinet height and height of top section.
- Minimum frame opening must be 18" high for adjustable shelf.


	PRODUCT CODE	LEVEL 1	LEVEL 2
102" tall	T_VS1210213		
	T_VS1510213		
	T_VS1810213		
	T_VS2110213		
	T_VS2410213-2		
	T_VS2410213-4		
	T_VS2710213		
	T_VS3010213		
	T_VS3310213		
	T_VS3610213		
105" tall	T_VS1210513		
	T_VS1510513		
	T_VS1810513		
	T_VS2110513		
	T_VS2410513-2		
	T_VS2410513-4		
	T_VS2710513		
	T_VS3010513		
	T_VS3310513		
	T_VS3610513		
108" tall	T_VS1210813		
	T_VS1510813		
	T_VS1810813		
	T_VS2110813		
	T_VS2410813-2		
	T_VS2410813-4		
	T_VS2710813		
	T_VS3010813		
	T_VS3310813		
	T_VS3610813		

NOTE: When adding rollouts to a cabinet section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL UTILITY CABINET, VERTICAL STACK 13" DEEP






- See Vertical Stack Cabinet Specifications on page W12 for more information.
- Toe base shipped loose
- Full depth shelves
- Four adjustable shelves in lower section.
- T21VS cabinets have one adjustable shelf in the top section.
- Shelf quantity in the center section can vary depending on overall cabinet height and height of top section.
- Minimum frame opening must be 18" high for adjustable shelf.


	PRODUCT CODE	LEVEL 1	LEVEL 2
111" tall	T_VS1211113		
	T_VS1511113		
	T_VS1811113		
	T_VS2111113		
	T_VS2411113-2		
	T_VS2411113-4		
	T_VS2711113		
	T_VS3011113		
	T_VS3311113		
	T_VS3611113		
114" tall	T_VS1211413		
	T_VS1511413		
	T_VS1811413		
	T_VS2111413		
	T_VS2411413-2		
	T_VS2411413-4		
	T_VS2711413		
	T_VS3011413		
	T_VS3311413		
	T_VS3611413		
117" tall	T_VS1211713		
	T_VS1511713		
	T_VS1811713		
	T_VS2111713		
	T_VS2411713-2		
	T_VS2411713-4		
	T_VS2711713		
	T_VS3011713		
	T_VS3311713		
	T_VS3611713		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL UTILITY CABINET, VERTICAL STACK 24" DEEP






- See Vertical Stack Cabinet Specifications on page W12 for more information.
- Toe base shipped loose
- Full depth shelves
- Four adjustable shelves in lower section.
- T21VS cabinets have one adjustable shelf in the top section.
- Shelf quantity in the center section can vary depending on overall cabinet height and height of top section.
- Minimum frame opening must be 18" high for adjustable shelf.


	PRODUCT CODE	LEVEL 1	LEVEL 2
102" tall	T_VS1210224		
	T_VS1510224		
	T_VS1810224		
	T_VS2110224		
	T_VS2410224-2		
	T_VS2410224-4		
	T_VS2710224		
	T_VS3010224		
	T_VS3310224		
	T_VS3610224		
105" tall	T_VS1210524		
	T_VS1510524		
	T_VS1810524		
	T_VS2110524		
	T_VS2410524-2		
	T_VS2410524-4		
	T_VS2710524		
	T_VS3010524		
	T_VS3310524		
	T_VS3610524		
108" tall	T_VS1210824		
	T_VS1510824		
	T_VS1810824		
	T_VS2110824		
	T_VS2410824-2		
	T_VS2410824-4		
	T_VS2710824		
	T_VS3010824		
	T_VS3310824		
	T_VS3610824		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL UTILITY CABINET, VERTICAL STACK 24" DEEP






- See Vertical Stack Cabinet Specifications on page W12 for more information.
- Toe base shipped loose
- Full depth shelves
- Four adjustable shelves in lower section.
- T21VS cabinets have one adjustable shelf in the top section.
- Shelf quantity in the center section can vary depending on overall cabinet height and height of top section.
- Minimum frame opening must be 18" high for adjustable shelf.

	PRODUCT CODE	LEVEL 1	LEVEL 2
111" tall	T_VS1211124		
	T_VS1511124		
	T_VS1811124		
	T_VS2111124		
	T_VS2411124-2		
	T_VS2411124-4		
	T_VS2711124		
	T_VS3011124		
	T_VS3311124		
	T_VS3611124		
114" tall	T_VS1211424		
	T_VS1511424		
	T_VS1811424		
	T_VS2111424		
	T_VS2411424-2		
	T_VS2411424-4		
	T_VS2711424		
	T_VS3011424		
	T_VS3311424		
	T_VS3611424		
117" tall	T_VS1211724		
	T_VS1511724		
	T_VS1811724		
	T_VS2111724		
	T_VS2411724-2		
	T_VS2411724-4		
	T_VS2711724		
	T_VS3011724		
	T_VS3311724		
	T_VS3611724		

NOTE: When adding rollouts to lower section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same opening.



TALL 3 DRAWER UTILITY CABINET



- 24" deep standard
- One fixed shelf and center rail between lower drawers and upper door(s).
- Drawers align with standard 34 1/2" high base configuration.
- 4" high standard top drawer box, two 8" high lower drawer boxes
- Specify left (L) or right (R) for hinge side for single door cabinets.

84" TALL CABINETS

• Three full depth, adjustable shelves in upper section.

90" TALL CABINETS

- Four full depth, adjustable shelves in upper section.
- Toe base shipped loose

93" TALL CABINETS


- Four full depth, adjustable shelves in upper section.
- Toe base shipped loose

NOTE: When adding rollouts to upper section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same section.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	T3DUC128424		
•	T3DUC158424		
•	T3DUC188424		
•	T3DUC218424		
•	T3DUC248424		
2 doors	T3DUC248424-2		
•	T3DUC278424		
•	T3DUC308424		
•	T3DUC338424		
•	T3DUC368424		
•			
90" tall	T3DUC129024		
•	T3DUC159024		
•	T3DUC189024		
•	T3DUC219024		
•	T3DUC249024		
2 doors	T3DUC249024-2		
•	T3DUC279024		
•	T3DUC309024		
•	T3DUC339024		
•	T3DUC369024		
93" tall	T3DUC129324		
	T3DUC159324		
	T3DUC189324		
•	T3DUC219324		
•	T3DUC249324		
2 doors	T3DUC249324-2		
•	T3DUC279324		
•	T3DUC309324		
•	T3DUC339324		
•	T3DUC369324		
•			



TALL 3 DRAWER UTILITY CABINET



•	24"	deep	standard
---	-----	------	----------

- One fixed shelf and center rail between lower drawers and upper door(s).
- Drawers align with standard 34 1/2" high base configuration.
- 4" high standard top drawer box, two 8" high lower drawer boxes
- Specify left (L) or right (R) for hinge side for single door cabinets.

96" TALL CABINETS

- Five full depth, adjustable shelves in upper section.
- Toe base shipped loose

102" TALL CABINETS


- Five full depth, adjustable shelves in upper section.
- Toe base shipped loose

NOTE: When adding rollouts to upper section all adjustable shelves will be deleted in that section. Specify when wanting adjustable shelves and rollouts in same section.

	PRODUCT CODE	LEVEL 1	LEVEL 2
96" tall	T3DUC129624		
· · · · · · · · · · · · · · · · · · ·	T3DUC159624		
_	T3DUC189624		
_	T3DUC219624		
	T3DUC249624		
2 doors	T3DUC249624-2		
	T3DUC279624		
_	T3DUC309624		
_	T3DUC339624		
	T3DUC369624		
_			
102" tall	T3DUC1210224		
•	T3DUC1510224		
•	T3DUC1810224		
•	T3DUC2110224		
•	T3DUC2410224		
2 doors	T3DUC2410224-2		
•	T3DUC2710224		
•	T3DUC3010224		
•	T3DUC3310224		
•	T3DUC3610224		
•		•	•



TALL CANNED GOOD STORAGE




- 24" deep standard
- Two separate pullout canned good storage racks
- One adjustable canned good shelf per pullout
- Top opening does not have pullout but instead will have full depth adjustable shelves based on overall cabinet height.
- 90", 93", 96" and 102" tall cabinets will ship with loose toe base.
- Specify hinge side for top door.

NOTE: Tall Canned Good Storage Units under 8" wide are not recommended to store cans. The shelf would only be wide enough for spices or other smaller items.



TALL CABINETS



PRODUCT	LEVEL 1	LEVEL 2
CODE		

Two door TMFS188424

TMFS189024

TMFS189324

TMFS189624

TMFS1810224

Four door TMFS368424

TMFS369024

TMFS369324

TMFS369624

TMFS3610224

TALL MULTI-FOOD STORAGE

- 24" deep standard
- Wood shelf units
- Lower section has four adjustable shelves on each swing out and door mounted storage rack. Four shallow adjustable shelves at back
- 36" wide cabinet has center partition in lower section.
- 84" tall cabinet: one shelf in upper section.
- 90", 93", & 96" tall cabinet: two shelves in upper section.
- 102" tall cabinet: three shelves in upper section.
- Toe base shipped loose for cabinets over 84" tall.
- Door(s) must be able to open a minimum of 105° to allow access to the storage space in the rear. Adding hinge restrictors will impede access to the internal storage areas.

TWCV684	
TWCV690	
TWCV693	
TWCV696	
TWCV6102	

TALL WINE CUBBY VERTICAL

- 13" deep standard
- 1/2" plywood, framed construction
- Floors scooped so bottles do not roll
- Interior finished in matching job specie /stain.
- Toe base shipped loose for cabinets over 84" tall.




TALL ANGLED CABINETS







TAC-1



TAC-1 248424	
TAC-1 249024	
TAC-1 249324	
TAC-1 249624	
TAC-1 2410224	
TAC-2 248424	
TAC-2 249024	
TAC-2 249324	
TAC-2 249624	
TAC-2 2410224	

LEVEL 1


LEVEL 2

PRODUCT

CODE

1 FRONT AND 2 FRONT ANGLED CABINETS

- 24" wide and 24" deep standard
- Four adjustable shelves in lower section.
- 84" tall cabinets: one shelf in upper section
- 90", 93", & 96" tall cabinets: two shelves in upper section
- 102" tall cabinets: three shelves in upper section.
- Toe base shipped loose for cabinets over 84" tall.



TAFC1384
TAFC1390
TAFC1393
TAFC1396
TAFC13102

TALL ANGLED FRONT CABINET

- 13" wide with 40 degree angled front frame
- Short side = 13" deep, long side = 24" deep
- Specify left (L) or right (R) to indicate end of cabinet run for deeper cabinet side.
- Hinging will be to the shallower side (left (L) illustrated). If opposite hinging is required please specify on order.
- Four adjustable shelves in lower section.
- 84" tall cabinets: one shelf in upper section
- 90", 93", & 96" tall cabinets: two shelves in upper section
- 102" tall cabinets: three shelves in upper section.
- Toe base shipped loose for cabinets over 84" tall.
- For a 45 degree angle on the front, the width of the cabinet will need to be 11" wide with 13" depth for the shallow side. Or, the depth of the shallow side will need to be 11" keeping the width at 13".



TOC

Tall Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.


**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge	Overlay
FFA	1 3/8"
FOL-C	1 1/4"
SOL-C/SOL-K	1/2"
SOL-K LIPPED 5/16" ***	
Specify if another dimension is desired ***	

^{***}SOL-K Lipped overlays cannot be modified


Provide the following dimensions:	
A=	Overall cabinet width
B=	Overall cabinet height
`	Ht. cutout to start mmended ht. of 36" to se height cabinets)
D*=	Oven cutout width
E=	Oven cutout height
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart	

Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"





TALL OVEN CABINET, 4 DOORS



- 24" deep standard
- Specify the cutout size (width X height) and distance from floor to bottom of cutout. Use of template page for TOC is recommended.
- To allow for doors equal to standard base height, cutout must start at 36" off floor.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for
 - each frame stile (left and right). Example: 30" wide cabinets, the largest cutout width allowable is 28 1/2".
- 3" rail above and below cutout standard.
- Number of shelves in the upper section of Tall Oven Cabinets will vary according to the opening size.
 This
 - opening is determined by the oven cutout and height off
 - the floor specifications.
- Cutout back at oven opening.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry.
 Designer must specify in writing if the appliance opening is to have a bead.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TOC248424		
	TOC278424		
•	TOC308424		
•	TOC338424		
	TOC368424		
90" tall	TOC249024		
	TOC279024		
	TOC309024		
	TOC339024		
	TOC369024		
93" tall	TOC249324		
	TOC279324		
	TOC309324		
	TOC339324		
	TOC369324		
96" tall	TOC249624		
	TOC279624		
	TOC309624		
	TOC339624		
	TOC369624		
102" tall	TOC2410224		
	TOC2710224		
	TOC3010224		
	TOC3310224		
	TOC3610224		

NOTE: TOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



T1DOC

Tall One Drawer Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.


**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge Overlay		
FFA 1 3/8"		
FOL-C	1 1/4"	
SOL-C/SOL-K 1/2"		
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

^{***}SOL-K Lipped overlays cannot be modified


Provide the following dimensions:		
A=	Overall cabinet width	
B=	Overall cabinet height	
C=from floor (recomm	Ht. cutout to start ended min. height = 14")	
D*=	Oven cutout width	
E=	Oven cutout height	
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart		

Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"





TALL OVEN CABINET 1 DRAWER, 2 DOORS



- 24" deep standard
- Specify the cutout size (width X height) and distance from floor to bottom of cutout. Use of template page for T1DOC is recommended.
- To allow for a standard size drawer box at the bottom, the cutout must start at least 14" off of floor.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for each frame stile (left and right). Example: 30" wide cabinets, the largest cutout width allowable is 28 1/2".
- 3" rail above and below cutout.
- Number of shelves in the upper section of Tall Oven Cabinets will vary according to the opening size. This opening is determined by the oven cutout and height off the floor specifications.
- Cutout back at oven opening.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

84" tall T1DOC248424 T1DOC308424 T1DOC338424 T1DOC368424 90" tall T1DOC249024 T1DOC309024 T1DOC309024 T1DOC369024 T1DOC369024 T1DOC279324 T1DOC279324 T1DOC279324
T1DOC308424 T1DOC338424 T1DOC368424 90" tall T1DOC249024 T1DOC309024 T1DOC339024 T1DOC369024 T1DOC369024 T1DOC279324 T1DOC279324
T1DOC338424 T1DOC368424 90" tall T1DOC249024 T1DOC309024 T1DOC339024 T1DOC369024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC368424 90" tall T1DOC249024 T1DOC309024 T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
90" tall T1DOC249024 T1DOC309024 T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC279024 T1DOC309024 T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC279024 T1DOC309024 T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC309024 T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC339024 T1DOC369024 93" tall T1DOC249324 T1DOC279324
T1DOC369024 93" tall T1DOC249324 T1DOC279324
93" tall T1DOC249324 T1DOC279324
T1DOC279324
T1DOC279324
-
T1D0C200224
T1DOC309324
T1DOC339324
T1DOC369324
96" tall T1DOC249624
T1DOC279624
T1DOC309624
T1DOC339624
T1DOC369624
_
102" tall T1DOC2410224
T1DOC2710224
T1DOC3010224
T1DOC3310224
T1DOC3610224

NOTE: T1DOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



T2DOC

Tall Two Drawer Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.


**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge Overlay		
FFA 1 3/8"		
FOL-C 1 1/4"		
SOL-C/SOL-K 1/2"		
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

^{***}SOL-K Lipped overlays cannot be modified


Provide the following dimensions:	
A=	Overall cabinet width
B=	Overall cabinet height
`	Ht. cutout to start commended ht. of 20 1/2" to d. 4" drawer boxes)
D*=	Oven cutout width
E=	Oven cutout height
•	be no wider than 1 1/2" less cabinet width, see chart

Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"





TALL OVEN CABINET 2 DRAWERS, 2 DOORS



- 24" deep standard
- Specify the cutout size (width X height) and distance from floor to bottom of cutout. Use of template page for T2DOC is recommended.
- To allow for two standard size drawer boxes, the cutout must start at least 20 1/2" off of floor.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for each frame stile (left and right). Example: 30" wide

cabinets, the largest cutout width allowable is 28 1/2".

- 3" rail above and below cutout.
- Number of shelves in the upper section of Tall Oven Cabinets will vary according to the opening size.
 This opening is determined by the oven cutout and height off the floor specifications.
- Drawers will be equal height unless otherwise specified.
- Cutout back at oven opening.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry.
 Designer must specify in writing if the appliance opening is to have a bead.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	T2DOC248424		
	T2DOC278424		
	T2DOC308424		
	T2DOC338424		
	T2DOC368424		
90" tall	T2DOC249024		
	T2DOC279024		
	T2DOC309024		
	T2DOC339024		
	T2DOC369024		
93" tall	T2DOC249324		
	T2DOC279324		
	T2DOC309324		
	T2DOC339324		
	T2DOC369324		
96" tall	T2DOC249624		
	T2DOC279624		
	T2DOC309624		
	T2DOC339624		_
	T2DOC369624		
102" tall	T2DOC2410224		
	T2DOC2710224		
	T2DOC3010224		
	T2DOC3310224		
	T2DOC3610224		
			_

NOTE: T2DOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



T3DOC

Tall Three Drawer Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.


**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge Overlay		
FFA 1 3/8"		
FOL-C 1 1/4"		
SOL-C/SOL-K 1/2"		
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

^{***}SOL-K Lipped overlays cannot be modified

Provide the following dimensions:	
A=	Overall cabinet width
B=	Overall cabinet height
`	Ht. cutout to start mmended ht. of 36" to base height cabinets)
D*=	Oven cutout width
E=	Oven cutout height
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart	

Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"





TALL OVEN CABINET 3 DRAWERS, 2 DOORS



- 24" deep standard
- Specify the cutout size (width X height) and distance from floor to bottom of cutout. Use of template page for T3DOC is recommended.
- To allow for drawers equal to standard height three drawer base, the cutout must start at 36" off of floor.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for each frame stile (left and right). Example: 30" wide cabinets, the largest cutout width allowable is 28 1/2".
- 3" rail above and below cutout.
- Number of shelves in the upper section of Tall Oven Cabinets will vary according to the opening size. This
 - opening is determined by the oven cutout and height off
 - the floor specifications.
- Drawers will be equal height unless otherwise specified.
- Cutout back at oven opening.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry.
 Designer must specify in writing if the appliance opening is to have a bead.

84" tall T3DOC248424 T3DOC308424 T3DOC338424 T3DOC368424 T3DOC368424 90" tall T3DOC249024 T3DOC309024 T3DOC339024 T3DOC369024 T3DOC279324 T3DOC279324 T3DOC309324 T3DOC309324 T3DOC309324 T3DOC369324 T3DOC369324 T3DOC369324 T3DOC369324 T3DOC369324 T3DOC369324 T3DOC309624 T3DOC309624
T3DOC308424 T3DOC338424 T3DOC368424 90" tall T3DOC249024 T3DOC309024 T3DOC339024 T3DOC369024 T3DOC279324 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC338424 T3DOC368424 90" tall T3DOC249024 T3DOC309024 T3DOC339024 T3DOC369024 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC339324 T3DOC369324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC368424 90" tall T3DOC249024 T3DOC279024 T3DOC309024 T3DOC369024 T3DOC369024 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
90" tall T3DOC249024 T3DOC309024 T3DOC339024 T3DOC369024 T3DOC249324 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 T3DOC369324 T3DOC249624 T3DOC279624
T3DOC279024 T3DOC309024 T3DOC339024 T3DOC369024 93" tall T3DOC249324 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC279024 T3DOC309024 T3DOC339024 T3DOC369024 93" tall T3DOC249324 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC309024 T3DOC339024 T3DOC369024 93" tall T3DOC249324 T3DOC309324 T3DOC339324 T3DOC369324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC339024 T3DOC369024 93" tall T3DOC249324 T3DOC309324 T3DOC339324 T3DOC369324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC369024 93" tall T3DOC249324 T3DOC379324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
93" tall T3DOC249324 T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC279324 T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC309324 T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC339324 T3DOC369324 96" tall T3DOC249624 T3DOC279624
T3DOC369324 96" tall T3DOC249624 T3DOC279624
96" tall T3DOC249624 T3DOC279624
T3DOC279624
T3DOC279624
T3DOC309624
·
T3DOC339624
T3DOC369624
102"tall T3DOC2410224
T3DOC2710224
T3DOC3010224
T3DOC3310224
T3DOC3610224

NOTE: T3DOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



TMOC

Tall Microwave Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.


**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge Overlay		
FFA	1 3/8"	
FOL-C 1 1/4"		
SOL-C/SOL-K 1/2"		
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

^{***}SOL-K Lipped overlays cannot be modified


Provide the following dimensions:			
A=	Overall cabinet width		
B=	Overall cabinet height		
C=from floor (reco	Ht. cutout to start ommended min. height = 14")		
D*=	Oven cutout width		
E=	Oven cutout height		
F*=	Microwave cutout width		
G=	Microwave cutout height		
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart			

Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"





TALL MICROWAVE OVEN CABINET 1 DRAWER, 2 DOORS



- 24" deep standard
- Two appliance cutouts
- Specify both cutout sizes (width X height) and distance from floor to bottom of lower cutout. Use of template page for TMOC is recommended.
- To allow for a standard size drawer box at the bottom, the cutout must start at least 14" off of floor. A 3" rail will separate the cutouts unless otherwise specified.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for each frame stile (left and right). Example: 30" wide cabinets, the largest cutout width allowable is 28 1/2".
- 3" rail above and below cutout.
- Number of shelves in the upper section of Tall Oven
 Cabinets will vary according to the opening size. This
 opening is determined by the oven cutout and height off
 the floor specifications.
- Drawers will be equal height unless otherwise specified.
- Cutout back at oven opening only.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TMOC248424		
•	TMOC278424		
•	TMOC308424		
•	TMOC338424		
•	TMOC368424		
90" tall	TMOC249024		
	TMOC279024		
	TMOC309024		
	TMOC339024		
	TMOC369024		
93" tall	TMOC249324		
	TMOC279324		
	TMOC309324		
	TMOC339324		
	TMOC369324		
96" tall	TMOC249624		
	TMOC279624		
ı	TMOC309624		
ı	TMOC339624		
ı	TMOC369624		
·			
102" tall	TMOC2410224		
	TMOC2710224		
	TMOC3010224		
	TMOC3310224		
	TMOC3610224		

NOTE: TMOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.



TWDOC

Tall Warming Drawer Oven Cabinet

**Standard 3" wide rails above and below cutout, specify if another dimension is required

<u>NOTE</u>: Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry. Designer must specify in writing if the appliance opening is to have a bead.

**For figuring reveals for install kits, doors and drawer fronts overlay the oven rail by the following standard amounts:

Hinge	Overlay	
FFA	1 3/8"	
FOL-C 1 1/4"		
SOL-C/SOL-K 1/2"		
SOL-K LIPPED 5/16" ***		
Specify if another dimension is desired ***		

^{***}SOL-K Lipped overlays cannot be modified

Provide the following dimensions:		
A=	Overall cabinet width	
B=	Overall cabinet height	
C=from floor (see be	Height oven cutout to start elow for calculation of 'C')	
D*=	Oven cutout width	
E=	Oven cutout height	
F*=	_Warming drawer cutout width	
G=	_Warming drawer cutout height	
*Cutout may be no wider than 1 1/2" less the overall cabinet width, see chart		


Cabinet width	Max cutout width*
24"	22 1/2"
27"	25 1/2"
30"	28 1/2"
33"	31 1/2"
36"	34 1/2"

	A -		- 1
C	3"**	E	B 11/2"
<u> </u>	4 1/2" toe space	I	<u> </u>
	-		

To calculate dimension 'C' add:	(toe space height)	4 1/2
	(bottom frame rail)	+ 1 1/2
(warming	drawer cutout height)	+'G'
(mid-rail above w	arming drawer cutout)	+ 3
	total measurement for	'C'



TALL OVEN CABINET WITH WARMING DRAWER



- 24" deep standard
- Specify both cutout sizes (width X height) and distance from floor to bottom of lower cutout. Use of template page for TWDOC is recommended.
- Standard placement is 6" off of floor. A 3" rail will separate the cutouts unless otherwise specified.
- The cutout width can be no more than 1 1/2" less than the overall cabinet width, this leaves a minimum of 3/4" for each frame stile (left and right). Example: 30" wide

cabinets, the largest cutout width allowable is 28 1/2".

- 3" rail above and below oven cutout.
- Number of shelves in the upper section of Tall Oven Cabinets will vary according to the opening size.
 This

opening is determined by the oven cutout and height off

the floor specifications.

- Cutout back at oven opening only.
- Toe base shipped loose for cabinets over 84" tall.
- See template page for more details.
- Appliance openings in frames will not have a beaded perimeter when ordered on beaded inset cabinetry.
 Designer must specify in writing if the appliance opening is to have a bead.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TWDOC248424		
	TWDOC278424		
	TWDOC308424		
	TWDOC338424		
	TWDOC368424		
90" tall	TWDOC249024		
	TWDOC279024		
	TWDOC309024		
	TWDOC339024		
	TWDOC369024		
93" tall	TWDOC249324		
	TWDOC279324		
	TWDOC309324		
	TWDOC339324		
	TWDOC369324		
96" tall	TWDOC249624		
	TWDOC279624		
	TWDOC309624		
	TWDOC339624		
	TWDOC369624		
102" tall	TWDOC2410224		
	TWDOC2710224		
	TWDOC3010224		
	TWDOC3310224		
	TWDOC3610224		

NOTE: TWDOC cabinet cannot have decorative ends except for a standard finish end or standard flush finish when using maximum width cutout for the specific cabinet's overall width.

TALL FILLERS

TALL FILLER

- 3/4" solid wood frame stock
- Standard widths of 3" and 6"
- Standard ships finished on face and all four 3/4" edges.



Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.


PRODUCT LIST CODE	PRODUCT LIST CODE
3" wide filler	6" wide filler
TF379.5	TF679.5
TF384	TF684
TF385.5	TF685.5
TF388.5	TF688.5
TF390	TF 690
TF391.5	TF691.5
TF393	TF693
TF396	TF696
TF397.5	TF697.5
TF3102	TF6102
TF3103.5	TF6103.5
TF3108	TF6108

TALL OVERLAY FILLER STRIP

- Overlay only, does not include filler.
- Standard has all four edges profiled to match door edge.
- Length will match height of door/drawer overlay.
- Finished on face and all four 3/4" edges.
- Madrid, Sardinia, and Valletta overlays cannot be any smaller than 2 7/8" wide.
- When adding flutes:
 - 2 flutes are standard on TOFS3 (2 3/4" wide)
 - 5 flutes are standard on TOFS6 (5 3/4" wide)

	PRODUCT CODE	LIST
2 3/4" wide	TOFS 384	
•	TOFS 390	
•	TOFS 393	
•	TOFS 396	
•	TOFS 3102	
5 3/4" wide	TOFS 684	
	TOFS 690	
	TOFS 693	
	TOFS 696	
•	TOFS 6102	





PRODUCT LIST **CODE**

	13" deep
1.5" wide	TFR1.58413
	TFR1.59013
	TFR1.59313
	TFR1.59613
	TFR1.510213
3" wide	TFR38413
	TFR39013
	TFR39313
	TFR39613
	TFR310213
6" wide	TFR68413
	TFR69013
	TFR69313
	TFR69613
	TFR610213
	24" deep
	24 uccp

TFR1.59024

1.5" wide TFR1.58424

TFR1.59324 TFR1.59624

TFR1.510224

3" wide TFR38424

> TFR39024 TFR39324

TFR39624

TFR310224

6" wide TFR68424

> TFR69024 TFR69324

TFR69624

TFR610224

(30" deep continued on next page)


TALL FILLER WITH RETURN

- 1 1/2" wide, 3" wide, or 6" wide solid wood face frame with 3/4" return panel.
- 13"deep, 24" deep, or 30" deep
- Specify L or R side for return (left shown).
- Return panel is finished on both sides.
- Add modification charge for <u>flush</u> finished end.
- Add modification charge for flush toe kick.
- Products over 96" tall may require a splice due to material limitations.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.





1.5" wide TFR1.58430

TFR1.510230 3" wide TFR38430

PRODUCT

CODE

TFR1.59030 TFR1.59330 TFR1.59630

TFR39030

30" deep

LIST

TFR39330 TFR39630 TFR310230

6" wide TFR68430 TFR69030 TFR69330 TFR69630

TFR610230


TALL FILLER WITH RETURN

- 1 1/2" wide, 3" wide, or 6" wide solid wood face frame with 3/4" return panel.
- 13"deep, 24" deep, or 30" deep
- Specify L or R side for return (left shown).
- Return panel is finished on both sides.
- Add modification charge for <u>flush</u> finished end.
- Add modification charge for flush toe kick.
- Products over 96" tall may require a splice due to material limitations.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.





TALL FILLER WITH RETURN BOTH

- 3" wide or 6" wide solid wood face frame with two 3/4" return panels.
- 13"deep, 24" deep, or 30" deep
- Finished ends on both returns are standard.
- Add modification charge for flush finished ends.
- Add modification charge for flush toe kick.
- Products over 96" tall may require a splice due to material limitations.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.


	CODE	-
•	13" deep	
3" wide	TFRB38413	
•	TFRB39013	
	TFRB39313	
i	TFRB39613	
•	TFRB310213	
6" wide	TFRB68413	
o wide		
•	TFRB69013	
	TFRB69313	
	TFRB69613	
	TFRB610213	
	24" deep	
3" wide	TFRB38424	
•	TFRB39024	
•	TFRB39324	
•	TFRB39624	
	TFRB310224	
C?? 1.1.	TEDD (0.404	
6" wide	TFRB68424	
	TFRB69024	
	TFRB69324	
'	TFRB69624	
,	TFRB610224	

PRODUCT

LIST

(30" deep continued on next page)





	PRODUCT CODE	LIST
•	30" deep	
3" wide	TFRB38430	
•	TFRB39030	
	TFRB39330	
•	TFRB39630	
•	TFRB310230	
6" wide	TFRB68430	
	TFRB69030	
	TFRB69330	
	TFRB69630	
	TFRB610230	

TALL FILLER WITH RETURN BOTH


- 3" wide or 6" wide solid wood face frame with two 3/4" return panels.
- 13"deep, 24" deep, or 30" deep
- Finished ends on both returns are standard.
- Add modification charge for flush finished ends.
- Add modification charge for flush toe kick.
- Products over 96" tall may require a splice due to material limitations.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



TALL ANGLED FILLERS



PRODUCT CODE	LIST
TAFR384	
TAFR390	
TAFR393	
TAFR396	
TAFR3102	

TALL ANGLED FILLER WITH RETURN

- 3/4" return panel
- 45 degree angle
- Occupies 3" of cabinet run
- Specify left [L] or right [R] end of cabinet run (left shown).
- Overall depth is 24", return depth is 21"
- Return panel is finished on both sides.
- Add modification charge for flush finished end.
- Products over 96" tall may require a splice due to material limitations.



Fillers with returns are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

TALL ANGLED FILLER

- 3/4" solid wood filler
- Edges cut for 45 degree installation
- Occupies 3" of cabinet run
- Specify left [L] or right [R] end of cabinet run (left shown).




Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

TAF384	
TAF390	
TAF393	
TAF396	
TAF3102	



REFRIGERATOR LEGS



ARLS2490 illustrated

REFRIGERATOR LEGS (STRAIGHT)

- 3/4" panel
- Finished both sides.
- Edge banding on one long 3/4" edge.
- Products over 96" tall may require a splice due to material limitations.




These panels are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

	PRODUCT	LIST
	CODE	
13" wide	ARLS1384	
	ARLS1390	
•	ARLS1393	
•	ARLS1396	
•	ARLS13102	
•	ARLS13108	
•		
24" wide	ARLS2484	
•	ARLS2490	
•	ARLS2493	
•	ARLS2496	
•	ARLS24102	
•	ARLS24108	
•		
27" wide	ARLS2784	
•	ARLS2790	
•	ARLS2793	
•	ARLS2796	
•	ARLS27102	
•	ARLS27108	
•		
30" wide	ARLS3084	
•	ARLS3090	
•	ARLS3093	
•	ARLS3096	
•	ARLS30102	
•	ARLS30108	
,		



REFRIGERATOR LEGS



REFRIGERATOR LEGS

- 1 1/2" front frame with 3/4" return panel.
- Finish end standard.
- Add modification charge for flush finished end.
- For a Furniture flush end only on the ARL, add the Furniture Refrigerator Leg modification, MFURNARL.
- Products over 96" tall may require a splice due to material limitations.



These panels are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

	PRODUCT CODE	LIST
13" wide	ARL1384	
	ARL1390	
•	ARL1393	
•	ARL1396	
•	ARL13102	
•	ARL13108	
•		
24" wide	ARL2484	
•	ARL2490	
	ARL2493	
•	ARL2496	
•	ARL24102	
•	ARL24108	
•		
27" wide	ARL2784	
	ARL2790	
	ARL2793	
	ARL2796	
	ARL27102	
	ARL27108	
30" wide	ARL3084	
	ARL3090	
	ARL3093	
	ARL3096	
	ARL30102	
	ARL30108	
		_
Furniture Refrigerator Leg modification	MFURNARL	



NOTES



TALL ACCESSORIES

PRODUCT LIST **CODE**

TALL END SKIN, LOOSE

• 1/4" panel matching specie and finish of order.

CLOSET ROD

- 1 1/2" thick natural maple closet rod, removable.
- If cabinet has the MWI modification, the closet rod accessory will match the specie and finish of the order.



ATSKIN

ACR

METAL CLOSET ROD **AMR**

• 1 1/16" diameter steel closet rod with chrome finish, removable.







TALL TRAY DIVIDER ATTD

- 1/2" UV Birch veneer divider installed in upper section.
- Specify location and spacing of multiple dividers.
- Tray dividers will be equally spaced in the opening unless otherwise specified.
- Tray dividers are not removable.
- Adjustable shelves cannot be adjacent to tray dividers. A partition must be used if adjustable shelves are needed.

TALL PARTITION ATP

- 3/4" UV Birch veneer plywood, located in lower opening.
- When specified for cabinets with shelves, shelves are installed on both sides.
- Use when adding an accessory on one side of cabinet, shelves are installed on opposite side.
- Partition will be centered unless otherwise specified.
- Specify location of partition and side of accessory installation if desired.

TALL SHELF ON DOOR **ATSD**

Wood shelf rack with adjustable shelves mounted on cabinet door of lower section.

FLIPPER (POCKET) DOOR GLIDES

AFDG

Installed mechanism for stowing door inside cabinet as in entertainment cabinets. Mini-**ALFDG** mum cabinet depth is 13 1/2" to allow for hardware.

- Add to cabinet price; priced per set of doors.
- Adding flipper doors to a cabinet will cancel all adjustable shelves in that section. When needing adjustable shelves, a loose shelf accessory will need to be added to cabinet price for each adjustable shelf.
- When needing finished interior, the matching wood interior modification will need to be added to cabinet price.
- When adding flipper doors to cabinet, interior opening width will be 8" less than the overall cabinet width if FOL -C. If SOL or Inset, the interior opening width will be 9 1/4" less than the overall cabinet width. Example: 30" wide, FOL-C cabinet will have an interior opening size of 22" wide.
- Doors larger than 26" wide or 72" tall require large flipper door glides (ALFDG).

HANGING FILE RAILS **AHANGINGFILE**

• One pair hanging file rails installed in drawer. Front to back rails illustrated. Standard guidelines for file rail direction:

Cabinets with a *frame opening* of less than 15" wide will have file rails that run side to side. Cabinets with a 15" wide *frame opening* or greater will have file rails that run front to back. Specify direction of file rails only if different from standard. (15" wide cabinets cannot accept front to back file rails.)

• Cannot fit most standard cabinet configurations (needs a 10" deep box to accommodate, MFC will be needed on cabinet to make this change)





NOTES



TALL ACCESSORIES

2" HIGH (UP TO 24" WIDE) ADUAROS2402 2" HIGH (UP TO 42" WIDE) ADUAROS2502 4" HIGH (UP TO 24" WIDE) ADUAROS2404 4" HIGH (UP TO 42" WIDE) ADUAROS2504 6" HIGH (UP TO 24" WIDE) ADUAROS2406	DELUXE UNDERMOUNT ADJUSTABLE ROLLOUT SHELVES		
4" HIGH (UP TO 24" WIDE) ADUAROS2404 4" HIGH (UP TO 42" WIDE) ADUAROS2504		2" HIGH (UP TO 24" WIDE)	ADUAROS2402
4" HIGH (UP TO 42" WIDE) ADUAROS2504		2" HIGH (UP TO 42" WIDE)	ADUAROS2502
	Kanan	4" HIGH (UP TO 24" WIDE)	ADUAROS2404
6" HIGH (UP TO 24" WIDE) ADUAROS2406		4" HIGH (UP TO 42" WIDE)	ADUAROS2504
	parama	6" HIGH (UP TO 24" WIDE)	ADUAROS2406

6" HIGH (UP TO 42" WIDE)

PRODUCT CODE

ADUAROS2506

LIST

Adjustable natural maple rollout shelves with Blumotion full extension, undermount drawer glides on wood pilasters. If the rollout and its components need to have the specie and finish match the interior of a cabinet with a MWI modification, a quote must be submitted prior to the order being placed for correct pricing and material availability.

- Price per rollout shelf
- 100# weight capacity
- Routed handpull centered in top edge of box front.
- Dovetail construction
- Fixed center frame stile is omitted when adding a full width rollout to a cabinet 39" wide and over or a sink base.
- Not recommended for cabinets less than 15" wide. Not available for cabinets less than 9" wide or 12" deep.
- **Note: when using combination of rollouts and adjustable shelves in the same opening, rollouts will always be located at bottom of section unless otherwise specified.

See below for additional guidelines.

Rollout Installation Guidelines

We have classified the addition of rollouts into two different categories based on usage. First, adding rollouts to wall cabinets or an upper portion of any cabinet, will be based on the same set of rules. (Upper portion is defined as any section of any cabinet which also has a lower opening.) Then, the addition of rollouts to base cabinets and the lower portion of tall cabinets will be based on another set of rules.

- 1. Rollouts in wall units and upper portions of tall/base units. (Sink base cabinets will follow this same set of rules.)
 - a. When adding a single rollout, the rollout will be permanently mounted to the floor in that section, utilizing our Blumotion full extension under-mount glides.
 - b. Also, when adding a single rollout, the quantity of adjustable shelves in that section will remain the same.
 - c. When adding **more than one rollout** to a section all adjustable shelves will be deleted. When adding adjustable shelves back into the opening, each shelf will be notched to accept the ladders which are installed for the rollouts.
 - d. Also, when adding **more than one rollout** to a section our standard rollout ladder configuration will be utilized by installing the ladders full height in the interior of that section. (Full height is full usable height determined by Brighton.)
- 2. Rollouts in lower openings of base/tall units. (Except sink base cabinets.)
 - a. When adding a single rollout or more than one rollout, our standard rollout ladder configuration will be utilized by installing the ladders in the complete interior height of that section.
 - b. Also when adding a single rollout or more than one rollout, all adjustable shelves will be deleted. When adding adjustable shelves back into the opening, each shelf will be notched to accept the ladders which are installed for the rollouts.
 - c. When adding **a single rollout only** in an opening <u>and</u> requesting that it be flush mount (not adjustable), the quantity of adjustable shelves in that section will remain the same.

These rules have been adopted as a standard practice for Brighton Cabinetry, Inc. Any deviation from this process must be in writing in the notes section of the order. All cabinets in our catalog with rollouts included will also follow the guidelines listed above.



NOTES




TALL ACCESSORIES

Cabinetry	555 91425	PRODUCT CODE	LIST
TOE KICK DRAWER - 24" DEEP		ATKD1824	
Add to 24" deep cabinets. Operational 2" high drawer have added into too high.	24"	ATKD2124	
 Operational, 2" high drawer box added into toe kick space. 3/4" thick solid wood face frame at bottom and sides. 		ATKD2424	
 Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been 	-342	ATKD2724	
applied to adjacent cabinets.Actual front to back depth of drawer box is 18" for 24"	203"	ATKD3024	
 deep unit. Drawer fronts are slab, 5 pc. not available. Minimum overall cabinet depth is 18" due to limited 	3 1/4" SIDE VIEW	ATKD3324	
 access to the drawer box under the cabinet. Illustration depicts B3D cabinet with ATKD accessory installed. 		ATKD3624	
TOE KICK DRAWER - 21" DEEP		ATKD1821	
Add to 21" deep cabinets.Operational, 2" high drawer box added into toe kick	21"	ATKD2121	
space. • 3/4" thick solid wood face frame at bottom and sides.	34 <u>7</u> "	ATKD2421	
• Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been		ATKD2721	
applied to adjacent cabinets.Actual front to back depth of drawer box is 15" for 21" deep unit.	17 3/4"	ATKD3021	
 Drawer fronts are slab, 5 pc. not available. Minimum overall cabinet depth is 18" due to limited 	SIDE VIEW	ATKD3321	
 access to the drawer box under the cabinet. Illustration depicts B3D cabinet with ATKD accessory installed. 		ATKD3621	
TOE KICK DRAWER - 18" DEEP	18" ————————————————————————————————————	ATKD1818	
Add to 18" deep cabinets.Operational, 2" high drawer box added into toe kick		ATKD2118	
space. • 3/4" thick solid wood face frame at bottom and sides.	-342"-	ATKD2418	
• Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been	1. T-1. T-1. T-1. T-1. T-1. T-1. T-1. T-	ATKD2718	
applied to adjacent cabinets.Actual front to back depth of drawer box is 12" for 18" deep unit.	3 1/4" SIDE VIEW	ATKD3018	
 Drawer fronts are slab, 5 pc. not available. Minimum overall cabinet depth is 18" due to limited 		ATKD3318	
 Minimum overall cabinet depth is 18 due to finited access to the drawer box under the cabinet. Illustration depicts B3D cabinet with ATKD accessory installed. 		ATKD3618	





EXTENDED RAIL AND STILE ILLUSTRATIONS

* Tall cabinet top rail modifications will function like wall cabinets.



* Tall cabinet bottom rail modifications will function like base cabinets.







TALL MODIFICATIONS

	PRODUCT CODE	SPECIFY	LIST
TALL EXTENDED STILE OUT UP TO 3" (see previous page for illustrations)	MTESO3	L/R	
Stile extends outward from cabinet, increasing overall frame width by the amount specified Overlay filler strips are available for full-overlay flush look. (See tall cabinet accessories)	d for the extensi	on.	
TALL EXTENDED STILE OUTUP TO 6" (see previous page for illustrations)	MTESO6	L/R	
Stile extends outward from cabinet, increasing overall frame width by the amount specified Overlay filler strips are available for full-overlay flush look. (See tall cabinet accessories)	d for the extensi	on.	
TALL EXTENDED STILE INUP TO 3" (see previous page for illustrations)	MTESI3	L/R	
Stile extends inward, overall frame width does not change. Overlay filler strips are available for full-overlay flush look. (See tall cabinet accessories)			
TALL EXTENDED STILE INUP TO 6" (see previous page for illustrations)	MTESI6	L/R	
Stile extends inward, overall frame width does not change. Overlay filler strips are available for full-overlay flush look. (See tall cabinet accessories)			
TALL EXTENDED STILE DOWN	MTESD	L/R	
Extends stile (specify left or right) down into the toe kick space to meet the floor.			
EXTEND TOP OR BOTTOM RAIL UP (see previous page for illustrations)	METRU		
Add to cabinet price. Indicate overall dimension.	MEBRU		
EXTEND TOP RAIL DOWN (see previous page for illustrations)	METRD		
Add to cabinet price. Indicate overall dimension.			
VALANCE TOP RAIL	MVTR		
Extends a standard 1 1/2" wide top rail down for an overall rail width of 5". Price for cabinets up to 42" wide. Specify shape: Classic Arch, Elegant Arch, Straight, Arched, Furniture, Shaker style A or Provide a sketch or template for custom pattern, requires quote.	Shaker style C.		
VALANCE BOTTOM RAIL	MVBR		
Price for cabinets up to 42" wide. Specify shape: Classic Arch, Elegant Arch, Arched, Furniture, Shaker style A or Shaker st modification, when the Straight valance design is wanted. Provide a sketch or template for custom pattern, typically requires a quote. Base and tall cabinets with this bottom rail modification will still have the subtoe behind the ships finished and will not require a separate AMTK.			
TALL EXTEND SIDE BACK	MTESB	L/R	
Specify the length of the extension beyond the standard depth. 48" overall maximum dept Back edge will not be finished as standard. Please specify on order for finished edge and a		EB charges.	
TALL RECESSED SIDE	MTRS	L/R	
Normally used when a recess allowance is needed for a field applied panel. The cabinet face frame and door reveals will not change with this modification. Most standard cabinets already have 1/4" recess behind the face frame, specify TOTAL amount needed. Maximum overall recess allowed = 7/8".			



TALL MODIFICATIONS

PRODUCT LIST CODE TALL FRAME CHANGE **MFC** Includes one or all changes made to frame. (excluding extended stiles and rails) Specify changes and dimensions; provide sketch INCREASE CASE DIMENSION MODIFICATION **MICDIM** Used to increase height, and/or width, and/or depth above the largest standard sizes. Cabinet may be increased up to 6" larger for any or all dimensions. Dimension increases beyond 6" require a quote. Some restrictions apply due to material availability. Any cabinet increased in width to 39" or above will have a fixed center stile as standard. Drawer boxes and rollouts will increase with the cabinet depth up to 27" deep cabinets. Anything increasing over 27" in depth must be verified with Customer Service for availability before ordering. Wall cabinets and sink cabinets can be increased in depth only up to a maximum of 3" beyond the standard cabinet depth for no up charge at all. MATCHING WOOD INTERIOR **MMWI** Priced as % of list price, added to cabinet price. Wood specie and finish match frame and doors. When selecting matching wood interior on cabinets with more than one section (ie, tall cabinets or combined cabinets) the entire interior of all sections will be matching wood interior as standard. The grain on interior backs may be horizontal on cabinets larger than 48" wide. COMBINE CABINET CHARGE **COMBINE** Used to combine two or more cabinets. One charge per combination of two cabinets. TALL FRONT ONLY **MTFRO** Subtract from base price of cabinet. Doors are hinged and working. Specify if fixed doors are required. Floor not included. Unless specified, front will be shipped without sub-toe kick. Overall frame height will be 4 1/2" less product height ordered unless MFTK (flush toe) is added. Example: TUC1884R (std. 84" high overall) + MTFRO ordered, shipped frame height = 79 1/2". **OMIT DOORS** MOD Interior remains standard finish unless matching wood interior modification is used. ADD CENTER STILE **MACST** To add a vertical center stile to any cabinet. Standard 1 1/2" wide stile, specify width of stile if different dimension is desired. ADD CENTER RAIL **MACRT** To add a horizontal center rail and fixed floor to any cabinet. Standard 1 1/2" wide rail, specify width of rail if different dimension is desired. Include specific information for placement of rail, provide drawing if possible. Charge includes cost for dividing doors into separate uppers and lowers. APPLIED MOLDING CHARGE MAMC

Charge to apply molding, ornaments, and appliqué to cabinets.





PRODUCT SPECIFY LIST CODE

Furniture Ends-Locking Miter Joint

- True flush ends with no seams, making crown, base, and light rail moldings easier to attach, no scribe molding needed.
- Not available on diagonal corner cabinets, angled cabinets, or clipped corners.

Tall Furniture Finished End (Left, Right, or Both ends)

MTFURNFE L/R

Tall Furniture False Door Ends (Left, Right, or Both ends)

MTFURNFD L/R

Tall Furniture Wainscot End (Left, Right, Both ends)

MTFURNWP L/R

• Not available with any miter doors. Also not available with Churchill, Madrid, Plainfield, Plainfield MDF, Sardinia, Valletta, or Verona door designs





BRIGHTON	TALL MODIFICATIONS	PRODUCT	SPECIFY	LIST
		CODE	SPECIFY	LIST
TALL FINISHED END		MTFE	L/R	
Side of cabinet matches specie and sta Side retains 1/4" scribe reveal same as Note: When installing shallower cabin flush finished end modification to corr	s unfinished side. nets against the side of a tall cabinet, it	is recommended to	o use a	SQ FT
TALL FLUSH FINISHED END		MTFFE	L/R	
A 1/4" panel is applied creating a flus. Side of cabinet matches specie and sta				SQ FT
FINISHED BACKS 1/2"		MFBAH		
Back thickness does not affect overall	depth of cabinet. Vertical grain is stan	dard.		SQ FT
TALL FALSE DOOR ON END		MTFDE	L/R	
Includes flush finished end.				SQ FT
TALL WAINSCOT END PANEL		MTWEP	L/R	
Center panel will be divided to best al Bottom rail will be wider for toe space	naterial as cabinet doors, applied flush a ign with doors on face of cabinet. e unless cabinet ships with a side toe or		nil is wider	SQ FT
to allow for molding installation. Not available for mitered door style	s.			
TALL BEAD BOARD END	5.	MTBDE	L/R	
	ead board, factory installed on cabinet		Z, R	SQ FT
BEAD BOARD INTERIOR BACK	our court, income on cucinos.	MBDIB		~ ~ ~ ~ ~
	ead board installed in the back of cabin			SQ FT
TALL GROOVED PANEL LEFT /		MTGP	L/R	
1 1/2" apart. Other designs to match g	pplied, creating a flush end. 1/8" wide, rooved doors are available upon request le for any finish with wear sanding. od will be substituted.	st. Matches specie	and stain	SQ FT
TALL GROOVED PANEL INTER	IOR BACK	MTGPIB		
spaced 1 1/2" apart. Other designs to a stain of front frame and doors. Use wi	nstalled in the back of the cabinet. 1/8" match grooved doors available upon red th MWI modification to finish the remainding. Not available in Rustic Alder of	quest. Matches speainder of cabinet i	ecie and nterior. Not	SQ FT
TALL GROOVED PANEL BACK	(1/2")	MTGPBAH		
1/2" apart. Other designs to match gro front frame and doors. Back thickness	pplied to the case back. 1/8" wide, vert oved doors are available upon request. does not affect overall depth of cabine e in Rustic Alder or Rustic Hickory: sta	Matches specie and t. Not available for	nd stain of or any fin-	SQ FT
TALL FLUSH FINISHED TOP		MPFFT		
1/4" flush panel matches specie and fi To cover exposed side edges of flush	nish of cabinet. finished top, flush finished ends must b	e ordered.		SQ FT



PRODUCT SPECIFY LIST CODE TALL SIDE ANGLED MTSA L/RSide is angled, front frame is parallel to back. Include a top view sketch with dimensions of side and front. Specify a degree of angle. Use widest dimension of finished cabinet as initial starting price then add modification charge. TALL ANGLED SIDE ENTRY **MTAE** L/RThis modification is like tall side angled but with frame and working door. Include a top view sketch with dimensions of side and front. Specify degree of angle and hinging. Use widest dimension of finished cabinet as initial starting price then add modification charge. TALL ANGLED FRONT **MTAF** L/RFront is angled, sides remain perpendicular to back. Include a top view sketch with dimensions of sides and front. Specify overall cabinet size. Indicate depth of right and left sides. Minimum depth is 4" for adjustable shelves. Use widest dimension of finished cabinet as initial starting price then add modification charge. TALL END ENTRY L/R **MTEE** Specify door hinging. Add modification charge to initial starting price of cabinet. DOUBLE ENTRY **MDE** Add modification charge to initial starting price of cabinet. Specify hinging on rear if different from front entry. FLUSH TOE KICK **MFTK** Per cabinet front Note: When adding this to base or tall cabinets and also requesting that the flush toe is cut into a valance shape, there will be a subtoe behind the valance bottom rail. The subtoe piece ships finished and does not require a separate AMTK. LOOSE TOE KICK MLSTK Shipped loose. Overall shipped cabinet height is reduced 4 1/2". **OMIT TOE KICK** NOTK Removes the toe kick area from the cabinet. Overall shipped cabinet height is reduced 4 1/2". INTEGRATED TOE KICK **MINTTK** Toe kick area of tall cabinet is integrated into the case construction. Used on cabinets over 84" tall that ship standard with a loose toe base. Note: Adding this modification could interfere with installation of the cabinet. Allow for proper ceiling clearance. SIDE TOE KICK **MLTK** (Left) **MRTK** (Right) Add to cabinet price MLRTK (Left/Right) Specify left, or right, or left and right **BACK TOE KICK MBTK** (Back) MBLTK (Back/Left) Add to cabinet price (Back/Right) MBRTK Specify back or combination of back and side(s) MBLRTK (Back/Left/Right)



PRODUCT **SPECIFY** LIST CODE

L/R

0

Per side

UNIVERSAL ACCESS TOE KICK SPACE

Modifies the cabinet's toe kick to 9" high x 6" deep as recommended by the Americans with Disabilities Act 2010 standards. Specify if other dimensions are needed.

Note: Using this modification can affect other aspects of the cabinetry and may cause some configurations to no longer be available. Examples of this include, but are not limited to, a B4D and a BM2DF.



MUATOE

TALL DUCT CUTOUT **MTDCO**

Include a top view sketch with cutout dimensions and location.

TALL CLIPPED CORNER

Stile is angled at 45 degrees.

This modification does not increase the width or depth of the cabinet.

The face frame is decreased by 3" per clipped corner.



MTCC

TALL FLUTING **MTFLUTE**

Three flutes are standard, based on 3"filler

Routed on filler or stile up to 6" wide.

Specify the number of flutes. (1 flute per inch is recommended).

Standard is 3/8" flute with 3/8" space between flutes.

Limits will normally align with adjacent cabinets.

Minimum filler width is 1 1/2".

Provide sketch on special fluting requirements.


ROSETTE DESIGN

Routed into filler, usually accompanies fluting.

Style A (2 1/4") is for 3" filler or overlay filler (2 3/4") with machine or L149 edge. Minimum overlay filler width will be 3 1/8" for all other edge profiles.

Style B (3 1/8") is for 6" filler.


MROSETTE



U-SHAPE DRAWER BOX MODIFICATION

Modifies an existing drawer box to have a cutout centered, side to side, allowing space for pipe work. <u>Drawer box</u> width must be at least 12" (12 3/8" frame opening). Must specify dimensions 'A' and 'B' as shown on the template. 'C' can be no less than 3".

MUDRBOX





PRODUCT **SPECIFY** LIST **CODE**

TALL ADDITIONAL DRAWER, STANDARD

MTADS

SOL/INSET FOLC

Use this modification to add a drawer that would require a frame opening of

SLAB

6" H or less. Blumotion glides standard: other glide styles will be substituted when the frame opening for the

1INSLAB

drawer boxes are under 6" wide or cabinet is less than 12" deep.

5-PIECE

This price includes drawer box, hardware, drawer front, and frame change.

TALL ADDITIONAL DRAWER, DEEP

MTADD

SOL/INSET FOLC

Use this modification to add a drawer that would require a frame opening greater than 6" high. Blumotion glides standard: other glide styles will be substituted when the frame opening for the drawer boxes are under 6" wide or cabinet is less than 12" deep.

SLAB 1INSLAB

This price includes drawer box, hardware, drawer front and frame change.

5-PIECE

5-PIECE DRAWER HEAD UPGRADE

5-P(RAIS) -FOL/FFA 5-P(FLAT) -FOL/FFA

Drawer head made in a 5-piece configuration.

5-P(RAIS) -SOL/INSET

The top and bottom rails of the drawer head are cut down for most designs.

5-P(FLAT) -SOL/INSET

1" THICK, SLAB DRAWER FRONT UPGRADE

1-INSLAB-FOL

Price per drawer head.

1-INSLAB-SOL/INSET

Not available to match all designs. Not recommended with slab doors or designs with flat center panels. See Introduction for more information.

SCOOPED DRAWER SIDES

MSDS

Standard scoop is 2" down from top edge and begins 1-1/4" back from front edge unless otherwise specified. Minimum drawer box height is 4".

OMIT OPERATING DRAWER BOX

MOODB

Omits the operating drawer box and hardware from a standard cabinet. The drawer front will be attached to the cabinet as a false front. If the cabinet has more than one drawer top-tobottom, this modification will remove the top drawer box unless otherwise specified. If the cabinet has multiple drawers side-to-side, you must specifically note on the order which box is to be removed, such as 'omit left drawer box'.

FLIP UP DOOR STAY

MFUDS

- Supports a door hinged to the top of a cabinet opening
- Priced per cabinet (2 doors maximum)
- Will not fit frame opening less than 7" high

FLIP DOWN DOOR STAY

MFDDS

- Supports a door hinged to the bottom of a cabinet opening
- Priced per piece (2 doors maximum)
- Will not fit frame opening less than 7" high

90 DEGREE HINGING (concealed hinge only)

MT90DEG-L

• Hinge with restricted swing of approximately 90 degrees.

MT90DEG-R

- Available for concealed hinges only.
- Priced per cabinet side
- Specify side: L or R



Residential Interior Contents


ACCESSORIES AND MODIFICATIONS	27
BASE MINI FILLER	27
BASE MINI OVERLAY FILLER	27
PLANNING DESK LEG	6
BASE MINI CABINETS	
1 DRAWER, 1 DOOR CABINET	3
2 DRAWER 1 DOOR CABINET	3
2 DRAWER CABINET	4
3 DRAWER CABINET	5
FULL HEIGHT DOOR CABINET	2
BOOKCASES	
BASE BOOKCASE	8
COUNTERTOP BOOKCASE	10
TALL BOOKCASE	11-16
TALL DIAGONAL BOOKCASE	17
VERTICAL STACK BOOKCASE	10A
WALL BOOKCASE	9
DRESSER, 4 DRAWER	21
FILE CABINETS	
3 DRAWER FILE CABINET	7
4 DRAWER FILE CABINET	7
MINI 2 DRAWER FILE CABINET	4

MINI 3 DRAWER w/ FILE CABINET..... 5

FIREPLACE SURROUND	
CORNER FIREPLACE	26
FLAT FIREPLACE WITH APPLIQUE	25
FLAT FIREPLACE WITHOUT APPLIQUE	25
HUTCH	24
KEYPAD DRAWER, MINI	6
MANTLE SHELF	24
NIGHT STANDS	22
PLANNING DESK, MINI	6
WINDOW SEATS	
1 DRAWER SEAT	23
2 DRAWER SEAT	23
FULL HEIGHT DOOR SEAT	23
OPEN SEAT	23




BASE MINI FULL HEIGHT DOOR(S), 29" HIGH



BMFD, single door

- Two full depth adjustable shelves in 21" deep cabinet
- Two 3/4 depth adjustable shelves in 24" deep cabinet
- Single door, specify left (L) or right (R) for hinge side

	PRODUCT CODE	LEVEL 1	LEVEL 2
21" deep	BMFD1221		
	BMFD1521		
	BMFD1821		
	BMFD2121		
	BMFD2421-1		
24" deep	BMFD1224	- -	
	BMFD1524		
	BMFD1824		
	BMFD2124		
	BMFD2424-1	·	



BMFD, two doors

- Two full depth adjustable shelves in 21" deep cabinet
- Two 3/4 depth adjustable shelves in 24" deep cabinet

	Two Doors
21" deep	BMFD2421-2
24" deep	BMFD2424-2



BASE MINI 1 DRAWER, 1 DOOR, 29" HIGH



	PRODUCT CODE	LEVEL 1	LEVEL 2
21" deep	BM1221		
	BM1521		
	BM1821		
	BM2121		
	BM2421-1		
24" deep	BM1224		
	BM1524		
	BM1824		
	BM2124		

BM2424-1

- Top drawers full overlay height equals 5 3/4", semi overlay height equals 5".
- One adjustable shelf
- 3" high pencil drawer.
- 5 piece drawer fronts available in full overlay only. Not available with Hanover door style.

BASE MINI 2 DRAWER, 1 DOOR, 29" HIGH




	CODE	LEVEL I	LEVEL 2
21" deep	BM2D1221		
	BM2D1521		
	BM2D1821		
	BM2D2121		
	BM2D2421-1		
24" deep	BM2D1224		
	BM2D1524		
	BM2D1824		
	BM2D2124		

BM2D2424-1

- Top drawers full overlay height equals 5 3/4", semi overlay height equals 5".
- No adjustable shelf.
- Two 3" high pencil drawers.
- 5 piece drawer fronts available in full overlay only. Not available with Hanover door style



BASE MINI 2 DRAWER FILE, 29" HIGH



	PRODUCT CODE	LEVEL 1	LEVEL 2
21" deep	BM2DF15		
	BM2DF18		
	BM2DF21		
	BM2DF24		
24" deep	BM2DF15		
	BM2DF18		
	BM2DF21		
	BM2DF24		

- Both drawers are 10" high and accommodate hanging files with low profile tabs.
- 130# undermount full extension glides are standard on all file drawers.
- Height <u>cannot</u> be reduced.
- All top to bottom drawer front reveals will be 1/4", side reveals will be same as ordered.
- All cabinet will accept letter size files. Specify when wanting to use for legal files. (BM2DF1521, BM2DF1821 will not accept legal files.)

Standard guidelines for file rail direction:

Cabinets with a <u>frame opening</u> of less than 15" wide will have file rails that run side to side. Cabinets with a 15" wide <u>frame opening</u> or greater will have file rails that run front to back. Specify direction of file rails only if different from standard. (15" wide cabinets cannot accept front to back file rails.)

BASE MINI 2 DRAWER BASE, 29" HIGH




- Two equal height drawer fronts.
- Two 8" high drawer boxes
- Will not accommodate hanging file folders.

	PRODUCT CODE	LEVEL 1	LEVEL 2
21" deep	BM2ED1221		
	BM2ED1521		
	BM2ED1821		
	BM2ED2121		
	BM2ED2421		
24" deep	BM2ED1224		
	BM2ED1524		
	BM2ED1824		
	BM2ED2124		
	BM2ED2424		
	·		



BASE MINI THREE DRAWER, 29" HIGH




Note for 2 top drawers: 5 piece drawer fronts available in full overlay only. Not available with Hanover door style.

	PRODUCT CODE	LEVEL 1	LEVEL 2
21" deep	BM3D1221		
	BM3D1521		
	BM3D1821		
	BM3D2121		
	BM3D2421		
24" deep	BM3D1224		
	BM3D1524		
	BM3D1824		
	BM3D2124		
	BM3D2424		

- 2-3" high pencil drawers at top.
- 2 top drawer fronts: full overlay height equals 5 3/4", semi overlay height equals 5".
- Bottom drawer will accept letter size files (<u>not</u> available for Inset) but hanging file rails are not included with this
 cabinet. To order see BM3DF or base accessories.

BASE MINI THREE DRAWER w/ FILE, 29" HIGH



21" deep	BM3DF1221
	BM3DF1521
	BM3DF1821
	BM3DF2121
	BM3DF2421
24" deep	BM3DF1224
	BM3DF1524
	BM3DF1824
	BM3DF2124
	BM3DF2424

- Not available for Inset.
- Height <u>cannot</u> be reduced.
- Two 3" high pencil drawers at top.
- Two top drawer fronts: full overlay height equals 5 3/4", semi overlay height equals 5".
- Bottom drawer will accept letter size files. Specify when wanting to use for legal files. (BM3DF1221, BM3DF1521, BM3DF1821 will not accept legal files.)
- 12" and 15" wide cabinets will have file system side to side. 18" wide or wider cabinets will accept file system front to back.
- 130# undermount full extension glides are standard on all file drawers.


Standard guidelines for file rail direction:

Cabinets with a <u>frame opening</u> of less than 15" wide will have file rails that run side to side. Cabinets with a 15" wide <u>frame opening</u> or greater will have file rails that run front to back. Specify direction of file rails only if different from standard. (12" and 15" wide cabinets cannot accept front to back file rails.)



PLANNING DESK MINI





- Standard height is 4 5/8" overall (1 1/4" top rail, no bottom rail).
- Specify height if aligning with other cabinets. (Add increase height modification from base section.)
- 2" high drawer box.
- Cannot be reduced in height.
- Slab drawer fronts are the only drawer fronts available.

PRODUCT LEVEL 1 LEVEL 2 CODE

One drawer PDM1D2421

PDM1D2721

PDM1D3021

PDM1D3321

PDM1D3621

PDM1D2424

PDM1D2724

PDM1D3024


PDM1D3024

PDM1D3324

Two drawer PDM2D3321

PDM2D3621 PDM2D3324 PDM2D3624

SLIDE OUT KEYPAD DRAWERS MINI



21" deep KPDM2421

KPDM2721 KPDM3021 KPDM3321

PDM1D3624

24" deep KPDM2424


KPDM2724 KPDM3024

KPDM3324

PDLMB24

- Slide out keypad tray.
- Standard height is 4 5/8" overall. (1 1/4" bottom rail, no top rail)
- Specify height if aligning with other cabinets, add increase height modification from base section.
- Fold down drawer front.
- Cannot be reduced in height.
- Slab drawer fronts are the only drawer fronts available.
- Single drawer only.
- Back and side fence rails attached to top of keypad tray.

PLANNING DESK MINI LEGS



STYLE B

PDLMA21
PDLMA24
PDLMB21


- Standard is 29" high, 21" or 24" deep.
- Finished on both sides and face edge.
- Front flat will equal height of Mini Planning Desk.




BASE 3 DRAWER FILE, 45 3/4" HIGH

PRODUCT LEVEL 1 LEVEL 2 CODE

24" deep B3DF1845.75





Front to back rails


THREE DRAWER FILE CABINET


- 3/4" applied top with machine edge standard.
- Finished sides are standard.
- Flush toe base.
- All drawers are 10" high and accommodate hanging files, front to back.
- 130# undermount full extension glides are standard on all file drawers.
- This unit must be secured to wall to prevent it from tipping.
- This cabinet will accept letter size files only.
- All top to bottom drawer front reveals will be 1/4", side reveals will be same as ordered.

BASE 4 DRAWER FILE, 58 3/4" HIGH

PRODUCT LEVEL 1 LEVEL 2 CODE

24" deep B4DF1858.75





FOUR DRAWER FILE CABINET

- 3/4" applied top with machine edge standard.
- Finished sides are standard.
- Flush toe base.
- All drawers are 10" high and accommodate hanging files, front to back.
- 130# undermount full extension glides are standard on all file drawers.
- This unit must be secured to wall to prevent it from tipping.

Front to back rails

- This cabinet will accept letter size files only.
- All top to bottom reveals will be 1/4", side reveals will be same as ordered

BRIGHTON

BOOKCASES

All bookcases are 13" deep, with finished interiors as standard unless specifically noted. They are made from plywood veneers with solid wood face frames made of the same specie. Bookcases are standard with a straight, 5" top frame rail (6" for Inset orders) or valance top rails can be added at no additional charge for most designs. See Wall section for valance types or send drawing for custom valance. Bookcase shelves will all be made of 3/4" plywood with 1 1/2" frame stock attached to the front edge of the shelf. The frame stock will be flush with the top edge of the adjustable shelves. The entire shelf will then be behind the face frame of the cabinet. Desired finished end options must be selected when needed as all ends are built unfinished as standard.

Wall bookcases from 30" to 48" tall are wall cabinets that have had their doors removed and interiors finished with valance top rail.

Countertop bookcases are designed to rest on the countertop when installed. They do not have a bottom face frame rail or a floor. They are built with a shipping brace across the lower, front edge that is to be removed before installation.


Base bookcases are really no more than wall bookcases with flush toe kicks added.

Tall bookcases are built with a face frame rail installed at 34 1/2" above the floor. Standard full height base doors can be fitted to this opening. Additionally they are made with a flush toe bottom frame rail. All tall bookcases over 84" high come with a full height frame (including the flush toe) that must be tipped up from the back to stand in the room. They also ship with the sub-toe platform unattached. The sub-toe must be slid into position when the cabinet is in its installation spot. Finished ends must also be considered when ordering bookcases over 84" tall. The sub-toe sides are not finished at the factory. A finished covering must be applied in the field to the sides of the toe area when it will be exposed. The sub-toe can be integrated at the factory by request for no additional charge using the MINTTK modification. Contact Customer Service for other possible options.

See Wall, Tall, or Base sections for modifications and applicable pricing.

When ordering bookcases, please specify top rail valance type; straight valance is standard.

BASE BOOKCASE UNIT




PRODUCT CODE	LIST
BBU15	
BBU18	
BBU21	
BBU24	
BBU27	
BBU30	
BBU33	
BBU36	

- 13" deep, 34 1/2" high standard
- Two 3/4" adjustable shelves with 1 1/2" frame stock front edge
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- Bottom rail with flush toe is 6"wide.



WALL BOOKCASE UNIT, 13" DEEP






COUNTER TOP BOOKCASE UNITS, 13" DEEP



Three 3/4" adjustable shelves with 1 1/2" frame stock front edge. Straight valance top rail, specify if other valance design is desired (no upcharge).

	PRODUCT CODE	LIST
48" tall	CTBU1848	
	CTBU2148	
	CTBU2448	
	CTBU2748	
	CTBU3048	
	CTBU3348	
	CTBU3648	



Four 3/4" adjustable shelves with 1 1/2" frame stock front edge. Straight valance top rail, specify if other valance design is desired (no upcharge).

54" tall CTBU1854

CTBU2154


CTBU2454

CTBU2754

CTBU3054

CTBU3354

CTBU3654



Five 3/4" adjustable shelves with 1 1/2" frame stock front edge. Straight valance top rail, specify if other valance design is desired (no upcharge).

60" tall CTBU1860

CTBU2160


CTBU2460

CTBU2760

CTBU3060

CTBU3360

CTBU3660



Five 3/4" adjustable shelves with 1 1/2" frame stock front edge. Straight valance top rail, specify if other valance design is desired (no upcharge).

66" tall CTBU1866
CTBU2166
CTBU2466
CTBU2766
CTBU3066
CTBU3366
CTBU3666



VERTICAL STACK BOOKCASE UNITS, 13" DEEP



WBU12VS3048 shown

- 13" deep, standard
- Wall cabinet with the look of two cabinets that have been stacked one on top of the other.
- Two frame openings, one top and one bottom with a center frame rail and fixed center floor dividing the two sections.
- Offered with top doors only equal to 12", 15", 18" or 21" high cabinets. Upper door heights will align with cabinet height that is equal to the first set of numbers listed in the nomenclature. See page W12 in the Wall Section for more details.
- Lower section is open (no doors) with matching wood interior throughout the entire cabinet as standard.
- Lower openings tall enough for shelves will have 3/4" adjustable shelves with 1 1/2" frame stock front edge.
- "Single door" indicates one door across width for each opening. "Two doors" indicates 2 butt-doors for each opening. Butt-door version pictured.
- Specify L or R for hinge side when applicable.
- Any height change will modify the cabinet in the lower section. The upper frame opening height will not change unless specified on the order and will require a frame change charge (MFC).
- FOL-C overlay cabinet has a 3" face frame mid-rail. All other overlays have a 1 1/2" face frame mid-rail.
- Cabinets 39" wide or greater will have a fixed center stile in both sections as standard.
- Add MOBRF, omit bottom rail and floor modification, for a vertical stacked CTBU look.


	PRODUCT CODE	LEVEL 1	LEVEL 2
48" tall	WBU_VS1848		
•	WBU_VS2148		
•	WBU_VS2448		
•	WBU_VS2448-2		
•	WBU_VS2748		
•	WBU_VS3048		
•	WBU_VS3348		
•	WBU_VS3648		
•			
54" tall	WBU_VS1854		
•	WBU_VS2154		
•	WBU_VS2454		
•	WBU_VS2454-2		
•	WBU_VS2754		
•	WBU_VS3054		
•	WBU_VS3354		
•	WBU_VS3654		
•			
60" tall	WBU_VS1860		
•	WBU_VS2160		
•	WBU_VS2460		
•	WBU_VS2460-2		
•	WBU_VS2760		
•	WBU_VS3060		
•	WBU_VS3360		
•	WBU_VS3660		
•			
66" tall	WBU_VS1866		
•	WBU_VS2166		
•	WBU_VS2466		
•	WBU_VS2466-2		
•	WBU_VS2766		_
•	WBU_VS3066		
•	WBU_VS3366		_
•	WBU_VS3666		
•			



<u>NOTES</u>




TALL BOOKCASE UNITS, 13" DEEP



•	Bookcases up to 85" tall will have 2 shelves in the
	upper and 2 shelves in the lower. They are 3/4" ad-
	iustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 84" tall ships as illustrated with flush toe and integrated sub-toe. (Any over 84" tall ships with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.)


	PRODUCT CODE	LIST
84" tall	TBU188413	
	TBU218413	
	TBU248413	
	TBU278413	
	TBU308413	
	TBU338413	
	TBU368413	



 Bookcases over 85" and up to 91" tall will have 3 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 90" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

90" tall	TBU189013
	TBU219013
	TBU249013
	TBU279013
	TBU309013
	TBU339013
•	TBU369013




- Bookcases over 91" and up to 97" tall will have 4 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.
- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 96" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

96" tall	TBU189613
	TBU219613
	TBU249613
	TBU279613
	TBU309613
	TBU339613
	TBU369613

ED 11400640




TALL BOOKCASE UNITS, 16" DEEP



•	Bookcases up to 85" tall will have 2 shelves in the
	upper and 2 shelves in the lower. They are 3/4" ad-
	justable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 84" tall ships as illustrated with flush toe and integrated sub-toe. (Any over 84" tall ships with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.)


	PRODUCT CODE	LIST
84" tall	TBU188416	
	TBU218416	
	TBU248416	
	TBU278416	
	TBU308416	
	TBU338416	
	TBU368416	



 Bookcases over 85" and up to 91" tall will have 3 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 90" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

00" tall	TBU189016
	TBU219016
	TBU249016
	TBU279016
	TBU309016
	TBU339016
	TBU369016




• Bookcases over 91" and up to 97" tall will have 4 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 96" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

96" tall	TBU189616
•	TBU219616
·	TBU249616
	TBU279616
	TBU309616
	TBU339616
·	TBU369616




TALL BOOKCASE UNITS, 18" DEEP



•	Bookcases up to 85" tall will have 2 shelves in the
	upper and 2 shelves in the lower. They are 3/4" ad-
	iustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 84" tall ships as illustrated with flush toe and integrated sub-toe. (Any over 84" tall ships with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.)


	PRODUCT CODE	LIST
84" tall	TBU188418	
	TBU218418	
	TBU248418	
	TBU278418	
	TBU308418	
	TBU338418	
	TBU368418	



• Bookcases over 85" and up to 91" tall will have 3 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.

- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 90" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

90" tall	TBU189018
	TBU219018
	TBU249018
	TBU279018
	TBU309018
	TBU339018
	TBU369018




- Bookcases over 91" and up to 97" tall will have 4 shelves in the upper and 2 shelves in the lower. They are 3/4" adjustable shelves with 1 1/2" frame stock front edge.
- One fixed shelf and center rail at 34 1/2" above floor.
- Finish interior
- Flush toe kick bottom rail
- Straight valance top rail, specify if other valance design is desired (no upcharge).
- 96" tall ships as illustrated with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed.

96" tall	TBU189618
	TBU219618
	TBU249618
	TBU279618
	TBU309618
	TBU339618
	TBU369618



TALL BOOKCASE UNIT WITH LOWER DOOR(S)



	CODE	LEVEL 1`LEVEL 2
84" tall	TBUFD1884-1	
	TBUFD2184-1	
	TBUFD2484-1	
	TBUFD2484-2	
	TBUFD2784-2	
	TBUFD3084-2	
	TBUFD3384-2	
	TBUFD3684-2	


90" tall	TBUFD1890-1
	TBUFD2190-1
	TBUFD2490-1
	TBUFD2490-2
	TBUFD2790-2
	TBUFD3090-2
·	TBUFD3390-2
•	TBUFD3690-2

- Standard 13" deep
- One fixed shelf and center rail at 34 1/2" above floor.
- Door(s) over lower opening.
- Door(s) align with standard 34 1/2"H BFD configuration.
- Finished interior throughout.
- Flush toe kick bottom rail.
- Straight valance top rail. Specify if other valance design is desired (no upcharge).
- Lower section will have two 3/4" adjustable shelves.
- 84-85" tall units: two 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section.
- Over 85" to 91" tall units: three 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Over 91" to 97" tall units: four 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Illustration depicts any over 84" tall which ship with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed. If 84" tall or less, sub-toe is incorporated into the cabinet.

96" tall	TBUFD1896-1
d	TBUFD2196-1
	TBUFD2496-1
	TBUFD2496-2
,,	TBUFD2796-2
) .	TBUFD3096-2
) .	TBUFD3396-2
l	TBUFD3696-2



TALL BOOKCASE UNIT WITH DRAWER AND DOOR(S)



	PRODUCT CODE	LEVEL 1	LEVEL 2
84" tall	TBU1D1884-1		
	TBU1D2184-1		
	TBU1D2484-1		
	TBU1D2484-2		
	TBU1D2784-2		
·	TBU1D3084-2		
·	TBU1D3384-2		
·	TBU1D3684-2		

90" tall	TBU1D1890-1
	TBU1D2190-1
	TBU1D2490-1
	TBU1D2490-2
	TBU1D2790-2
	TBU1D3090-2
	TBU1D3390-2
	TBU1D3690-2


- Standard 13" deep
- One fixed shelf and center rail at 34 1/2" above floor.
- 4" drawer box above lower door(s).
- Door(s)/drawer align with standard 34 1/2"H base configuration.
- Finished interior throughout.
- Flush toe kick bottom rail.
- Straight valance top rail. Specify if other valance design is desired (no upcharge).
- Lower section will have one 3/4" adjustable shelf.
- 84-85" tall units: two 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section.
- Over 85" to 91" tall units: three 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Over 91"to 97" tall units: four 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Illustration depicts any over 84" tall which ship with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed. If 84" tall or less, sub-toe is incorporated into the cabinet.

96" tall	TBU1D1896-1
•	TBU1D2196-1
•	TBU1D2496-1
k	TBU1D2496-2
•	TBU1D2796-2
•	TBU1D3096-2
•	TBU1D3396-2
'	TBU1D3696-2

NOTE: Blumotion glides are not available on cabinets less than 12" deep. If depth is reduced below 12", other glides will be substituted.




TALL BOOKCASE UNIT WITH DOOR(S) AND DRAWER AT BOTTOM (INVERTED CONFIGURATION)



NOTE: Blumotion glides are not available on cabinets less than 12" deep. If depth is reduced below 12", other glides will be substituted.



TALL DIAGONAL BOOKCASE UNITS



_	PRODUCT CODE	LIST
	13" deep	
84" tall	TDBU248424	
90" tall	TDBU249024	
-		
96" tall	TDBU249624	
_	16" deep	
84" tall	TDBU278427	
90" tall	TDBU279027	
· · · · · · · · · · · · · · · · · · ·		
96" tall	TDBU279627	

- Standard 13" deep / 24" wide or 16"deep / 27" wide
- One fixed shelf and center rail at 34 1/2" above floor.
- Finished interior throughout.
- Flush toe kick bottom rail.
- Straight valance top rail. Specify if other valance design is desired (no upcharge).
- Lower section will have two 3/4" adjustable shelves with 1 1/2" frame stock edge.
- 84-85" tall units: two 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section.
- Over 85"to 91" tall units: three 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Over 91"to 97" tall units: four 3/4" adjustable shelves with 1 1/2" frame stock edge in upper, open section. Sub-toe base ships loose.
- Illustration depicts any over 84" tall which ship with flush toe and loose sub-toe platform. A finished covering must be applied in the field to the sides of the toe area when it will be exposed. If 84" tall or less, sub-toe is incorporated into the cabinet.
- Doors can be added with an upcharge.









4 DRAWER DRESSER UNIT



	PRODUCT CODE	LEVEL 1	LEVEL 2
36" tall	DU4D3036		
-	DU4D3636		
	DU4D4236		
42" tall	DU4D3042		
-	DU4D3642		
-	DU4D4242		
-			
48" tall	DU4D3048		
-	DU4D3648		
-	DU4D4248		
-			
54" tall	DU4D3054		
•	DU4D3654		
-	DU4D4254		

4 DRAWER DRESSER UNIT

- Built with 1 1/2" wood top and Crown A trim.
- One small top drawer and three large drawers.
- Specify choice of Bun feet, French legs or Tapered legs.
- Standard 21" deep.
- Finished sides
- This unit must be attached to the wall to prevent it from tipping over.



BASE NIGHT STANDS



PRODUCT LEVEL 1 LEVEL 2 CODE


18" deep BNS1518 N/A N/A BNS1818 BNS2118 N/A

21" deep

BNS1521	N/A
BNS1821	N/A
BNS2121	N/A

BASE NIGHT STAND OPEN

- Flush finish left and right standard.
- 30 1/2" tall night stand with finished interior.
- One full depth adjustable shelf with frame stock added to front edge.
- Flush toe with ABM3 applied.
- 1 1/2" wood top



18" deep BNS1D1518

BNS1D1818 BNS1D2118

21" deep BNS1D1521

BNS1D1821

BNS1D2121

BASE NIGHT STAND, DOOR AND DRAWER

- Flush finish left and right standard
- 30 1/2" tall night stand with finished interior.
- One full depth adjustable shelf for 18" deep night stands.
- One 3/4 depth adjustable shelf for 21" deep night stands.
- Flush toe with ABM-3 applied
- 1 1/2" wood top



18" deep BNS2D1518

BNS2D1818

BNS2D2118

21" deep BNS2D1521

BNS2D1821

BNS2D2121

BASE NIGHT STAND, TWO DRAWERS

- Flush finish left and right standard
- 30 1/2" Tall night stand with finished interior.
- Two equal height drawers with opening above drawers.
- Flush toe with ABM-3 applied.
- 1 1/2" wood top



BASE WINDOW SEATS


BASE WINDOW SEAT CABINETS

16 1/2" high, 24" deep


Offered in 4 versions: two full height doors (BWSFD), one 8" high drawer (BWS1D), two side-by-side 8" high drawers (BWS2D), and open to the floor (BWSOPEN).

Flush toe except for BWSOPEN.


No top is included, WTOP can be purchased separately.




BASE WINDOW SEAT WITH FULL HEIGHT DOORS two full height doors (BWSFD)



BASE WINDOW SEAT WITH ONE DRAWER one 8" high drawer (BWS1D)



BASE WINDOW SEAT WITH TWO DRAWERS two side-by-side 8" high drawers (BWS2D)



BASE WINDOW SEAT OPEN open to the floor (BWSOPEN)

PRODUCT CODE	LEVEL 1	LEVEL 2
BWSFD24		
BWSFD27		
BWSFD30		
BWSFD33		
BWSFD36		
BWSFD39		
BWSFD42		
BWS1D24		
BWS1D27		
BWS1D30		
BWS1D33		
BWS1D36		
BWS1D39		
BWS1D42		
BWS2D36		
BWS2D39		
BWS2D42		
BWS2D45		
BWS2D48		
BWSOPEN36		N/A
BWSOPEN39		N/A
BWSOPEN42		N/A
BWSOPEN45		N/A
BWSOPEN48		N/A

- BWSOPEN has no cabinet bottom and is open to the floor.
- Standard with 6" arched valance top rail
- Finished interior matching to specie /finish.
- Interior useable space is 13" only from front to back due to a fixed center partition that spans the width and is necessary for support.
- No finished top is included, WTOP can be purchased separately.




MANTLE SHELF

PRODUCT	LIST
CODE	PRICE
MNTLSH	Linear Foot

MANTLE SHELF

- Includes mounting plate
- 9" deep X 4 5/8" tall X specified length.
- Crown 6 placed around 3 sides.



- 1 1/2" wood top between upper and lower section
- 13" deep upper section
- Top, open section is equivalent to 18" high cabinet
- 21" deep, 34 1/2" high lower section
- Both ends finished
- Finished interior, flush toe, and arched valance rails standard


	PRODUCT CODE	LEVEL 1	LEVEL 2
84" high	THTC2484		
-	THTC2784		
Two adjustable shelves in upper	THTC3084		
-	THTC3384		_
-	THTC3684		
-	THTC3984		
-	THTC4284		
-			
90" high	THTC2490		
Three adjustable	THTC2790		
shelves in upper	THTC3090		
_	THTC3390		
_	THTC3690		
-	THTC3990		
_	THTC4290		
96" high	THTC2496		
Three adjustable	THTC2796		
shelves in upper	THTC3096		
_	THTC3396		
<u>-</u>	THTC3696		
_	THTC3996		
_	THTC4296		




FLAT FIRE PLACE UNITS **NOT AVAILABLE IN RED BIRCH**

FLAT FIRE PLACE UNIT #1

- Apply finish and species charges as necessary.
- Specify choice of large rope, large dentil, or large egg and dart moldings below mantle, see example.
- Specify choice of appliqués: Shell, Grape, Acanthus, etc.
- Specify overall height and width.
- Specify height and width of opening.
- Overall height must be at least 20 1/4" more than opening height.
- Overall width must be at least 14" more than opening width, each column leg can be no less than 7" wide.
- Depth is 5 3/4" at bottom, 7 7/8" at the top with molding extension.
- Columns standard with flutes and rosettes.
- Large crown with insert will be shipped loose.
- Not available in Red Birch.





PRODUCT


CODE


FFPU1


LIST

FLAT FIRE PLACE UNIT #2

- Apply finish and species charges as necessary.
- Specify choice of large rope, large dentil, or large egg and dart moldings below mantle, see example.
- Specify overall height and width.
- Specify height and width of opening.
- Overall height must be at least 20 1/4" more than opening height.
- Overall width must be at least 14" more than opening width, each column leg can be no less than 7" wide.
- Depth is 5 3/4" at bottom, 7 7/8" at the top with molding extension.
- Columns standard with flutes and rosettes.
- Large crown with insert will be shipped loose.
- Not available in Red Birch.












CORNER FIREPLACE **NOT AVAILABLE IN RED BIRCH**

- **Please ensure that your specific fireplace insert will fit in the unit with the dimensions specified.**
- **Satisfaction of local and state building and fire code is YOUR responsibility.**







- Apply finish and species charges as necessary.
- Overall height is 59 3/4 inches including moldings.
- Specify opening height and width
- Max opening height is 37 in.
- Max opening width is 40 1/2 in.
- The front panel above opening flips down to reveal a hidden storage area.
- Columns standard with flutes
- Not available in Red Birch.



RESIDENTIAL ACCESSORIES / MODIFICATIONS

BASE MINI FILLER

- 3/4" solid wood frame stock
- Standard widths of 3" and 6"
- Standard ships finished on face and all four 3/4" edges.
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.

PRODUCT CODE	LIST
BMF324.5	
BMF329	
BMF624.5	
BMF629	

BASE MINI OVERLAY FILLER STRIP

- Overlay only, does not include filler
- All four edges will be profiled to match door edges.
- Length will match height of door/drawer overlay.
- Finished on face and all four 3/4" edges.
- Madrid, Sardinia, and Valletta overlays cannot be any smaller than 2 7/8" wide.
- When adding flutes:
 - 2 flutes are standard on BOFS3 (2 3/4" wide)
 - 5 flutes are standard on BOFS6 (5 3/4" wide)

2 3/4" wide	BMOFS3	
5 3/4" wide	BMOFS6	

OTHER RESIDENTIAL ACCESSORIES & MODIFICATIONS

- Please see Modifications and Accessories in the Base section as needed for Base-Mini and File Cabinets and Dresser units.
- Please see Modifications and Accessories in the Base section as needed for Base Bookcase Cabinets.
- Please see Modifications and Accessories in the Wall section as needed for Wall Bookcase Cabinets.
- Please see Modifications and Accessories in the Tall section as needed for Tall Bookcase Cabinets.






SPECIFICATIONS

VANITY CABINETS 31" HIGH BASE HEIGHT (BH) VANITY CABINETS 34 1/2" HIGH


(See "Cabinet Construction Specifications" and "Pricing Procedures" for options.)

Vanity Cabinet Nomenclature



STANDARD CABINET DEPTHS: 18" AND 21" (Sink cabinets can be increased in <u>depth only</u> up to a maximum of 3" beyond the standard cabinet depth for no up charge.)

STANDARD TOE KICK HEIGHT: 4 1/2"; DEPTH: 3 1/2"



^{*}Cabinets less than 9" wide will have reduced face frame stile widths.




Vanity Contents

31" HIGH VANITY CABINETS	SHAKER VANITY (BH, 34 1/2")	22
BASES WITH DOOR/DRAWERS	SINK BASE DOOR/DRAWERS (BH, 34 1/2")	
FULL WIDTH TOP DRAWER 4	OFFSET COMBINATION DRAWER (BH)	18
SIDE BY SIDE TOP DRAWERS 4	TWO TOP DRWS W/ CENTER FALSE DRW	19
DRAWER BASES	VANITY SINK COMBO BASE	19
2 DRAWER BASE 6	SINK BASE DRAWER BASE COMBINATIONS (BH, 3	4 1/2")
3 DRAWER BASE 6	ONE 4 DRAWER BASE/TWO SINK BASES	20
4 DRAWER BASE	TWO 3 DRAWER BASES/ONE SINK BASE	20
FLOATING VANITIES 12C-F	ONE 3 DRAWER BASE/TWO SINK BASES	20
FULL HEIGHT DOOR BASE 5	SINK BASES-FALSE DRAWER HEAD (BH, 34 1/2")	
HAMPER BASE 7	FULL WIDTH DRAWER HEAD	13
IRONING BOARD CABINET 8B	SIDE BY SIDE	13
INVERTED BASE CABINETS 8	SINK BASE W/ FULL HEIGHT DOORS (BH, 34 1/2").	14
PLANNING DESK9	SPA VANITY BASES (BH, 34 1/2")	20A-C
PLANNING DESK MINI9	TAPER LEG VANITY CABINET	22
SHAKER VANITY	WASTE CABINET (BH, 34 1/2")	20D
SINK BASE WITH DRAWERS		
TWO TOP DRWS W/ CENTER FALSE DRW 10		
VANITY SINK COMBO BASE 10	VANITY WALL AND TALL CABINETS	
SINK BASE/DRAWER BASE COMBINATIONS	MEDICINE CABINETS	
ONE 4 DRAWER BASE/TWO SINK BASES 11	SINGLE	23
TWO 3 DRAWER BASES/ONE SINK BASE 11	BI-VIEW	24
ONE 3 DRAWER BASE/TWO SINK BASES 11	RECESSED CENTER MIRROR	23
SINK BASES-FALSE DRAWER HEAD	TRI-VIEW	24
FULL WIDTH DRAWER HEAD 3	SQUARE FRAME WITH MIRROR	25
SIDE BY SIDE	TALL CABINETS	
SINK BASE W/ FULL HEIGHT DOORS 4	84", 90", 93", & 96" TALL	12A-B
WASTE CABINET 16	TALL CABINETS TO MATCH BH VANITIES	
	84", 90", 93", & 96" TALL	20F, 21
	WALL CABINETS WITH DRAWERS	24A-C
	WALL OPEN SHELF CABINET	24D
BASE HEIGHT (BH, 34 1/2") CABINETS	WALLETTE	25
BASES WITH DOOR/ DRAWERS (BH, 34 1/2")		
FULL WIDTH TOP DRAWER 14	VANITY ACCESSORIES	
SIDE BY SIDE TOP DRAWERS 14	FILLERS	
DRAWER BASES (BH, 34 1/2")	CORNER FILLER	28
2–DRAWER BASE	FILLER	28
3–DRAWER BASE	FILLER WITH RETURN	28
4-DRAWER BASE 16	OVERLAY FILLER	
FULL HEIGHT DOOR BASE (BH, 34 1/2") 15	FURNITURE PLATFORMS	27
HAIR APPLIANCE PULLOUT (BH, 34 1/2") 14A	PLANNING DESK LEG	
HAMPER BASE (BH, 34 1/2") 16	TOE KICK DRAWER ACCESSORY	26
IRONING BOARD CABINET (BH, 34 1/2") 18		
INVERTED BASE CABINETS (BH, 34 1/2") 17	MODIFICATIONS, OTHER ACCESSORIES, AND BH FILLERS: SEE BASE AND / OR TALL SECTIONS	(34 1/2"




VANITY SINK BASES DOOR/FALSE DRAWER 31" HIGH



18" Deep

21" Deep


VANITY SINK BASES DOOR/ 2 FALSE DRAWERS 31" HIGH



VSB2D3018
VSB2D3318
VSB2D3618
VSB2D3918
VSB2D4218
VSB2D4518
VSB2D4818
VSB2D3021
VSB2D3321
VSB2D3621
VSB2D3921
VSB2D4221
VSB2D4521
VSB2D4821



VANITY BASES SINK CABINET, FULL HEIGHT DOOR, 31" HIGH



VSFD4221

VSFD4521

VSFD4821


- 1/4" apron panel attached at the top, behind the frame
- The apron panel will match the frame specie and finish, and will have the same approximate height as a false top drawer front

NOTES






VANITY BASES DOOR / DRAWER, 31" HIGH



VANITY BASE CABINET FULL WIDTH DRAWER. • Top functioning drawer.



PRODUCT

LEVEL 1 LEVEL 2




VANITY BASE 2 DRAWER SIDE BY SIDE.

• Top functioning drawer.

18" Deep	VB2D3018
1-Full depth	VB2D3318
adjustable shelf	VB2D3618
	VB2D4218
	VB2D4518
	VB2D4818
21" Deep	VB2D3021
1-3/4 depth	VB2D3321
adjustable shelf	VB2D3621
	VB2D4221
	VB2D4521
	VB2D4821



VANITY BASES FULL HEIGHT DOOR, 31" HIGH



18" deep Full depth, adjustable shelves

21" deep

3/4 depth,

adjustable

shelves

VFD1818 VFD2118 VFD2418-1

PRODUCT LEVEL 1 LEVEL 2

VFD2718 VFD3018 VFD3318 VFD3618

VFD2418-2

VFD1821 VFD2121 VFD2421-1

VFD2421-2 VFD2721 VFD3021 VFD3321 VFD3621

VANITY BASE CABINET WITH FULL HEIGHT DOOR (S)

- 18" or 21" deep, standard
- Two adjustable shelves
- Specify hinge side for single door cabinets



VANITY 2-DRAWER BASE 31" HIGH



VANITY 2 DRAWER BASE.


• 2-10" Drawer boxes.

	PRODUCT CODE	LEVEL 1	LEVEL 2
18" Deep	V2DB1218		
	V2DB1518		
	V2DB1818		
	V2DB2118		
	V2DB2418		
21" Deep	V2DB1221		
	V2DB1521		
	V2DB1821		
	V2DB2121		
	V2DB2421		

18" Deep

21" Deep

VANITY 3-DRAWER BASE 31" HIGH



VANITY 3 DRAWER BASE.

- 1-4" Drawer box
- 2-6" Drawer boxes

V3DB1218
V3DB1518
V3DB1818
V3DB2118
V3DB2418
V3DB1221
V3DB1521
V3DB1821
V3DB2121
V3DB2421



VANITY 4-DRAWER BASE 31" HIGH



18"	Deep
-----	------

21" Deep

PRODUCT CODE	LEVEL 1	LEVEL 2
V4DB1218		
V4DB1518		
V4DB1818		
V4DB2118		
V4DB2418		
V4DB1221		
V4DB1521		
V4DB1821		
V4DB2121		


V4DB2421

VANITY 4 DRAWER BASE.

- 4-4" H drawer boxes standard
- Not recommended for inset

Note for Inset configuration: The Inset frame configuration is different from an overlay frame; see frame configurations located in the Introduction section of the catalog. Top and bottom drawer boxes will be 4" high, two middle drawer boxes will be 3" high. The two center drawer fronts will always be slab.

VANITY HAMPER BASE 31" HIGH



21" Deep


VHB1521		
VHB1821		

VANITY HAMPER BASE, 31" HIGH.

- White epoxy coated steel wire basket.
- Specify right (R) or left (L) hinge.




INVERTED VANITY BASE 1 DRAWER, 2 DOORS—31" HIGH, 18" DEEP



PRODUCT CODE	LEVEL 1	LEVEL 2
VBI1D2418-2		
VBI1D2718		
VBI1D3018		
VBI1D3318		
VBI1D3618		

- 4" drawer box at the bottom of the cabinet with 2 doors above
- Fixed floor between door area and drawer box
- One adjustable shelf

INVERTED VANITY BASE 1 DRAWER, 2 DOORS—31" HIGH, 21" DEEP



PRODUCT CODE	LEVEL 1	LEVEL 2
VBI1D2421-2		
VBI1D2721		
VBI1D3021		
VBI1D3321		
VBI1D3621		


- 4" drawer box at the bottom of the cabinet with 2 doors above
- Fixed floor between door area and drawer box
- One adjustable shelf

NOTES





VANITY IRONING BOARD CABINET



	PRODUCT CODE	LEVEL 1	LEVEL 2
18" Deep	VIRON1818		
	VIRON2118		
21" Deep	VIRON1821		
	VIRON2121		

Note:

- Counter overlays CANNOT exceed 1-1/4" (32 mm)
- Not compatible with inset cabinetry
- Folding ironing board replaces top drawer box.
- Slab drawer front only available.
- Easy to use: open until gravity lock engages and unfold board.
- 18" and 21" deep cabinet = ironing surface will be approximately 12" W x 29 1/4" L.
- Minimum cabinet width = 18" (15" frame opening)
- 1-adjustable 4" rollout shelf in lower opening, standard. (Not illustrated)
- Includes a heat reflecting cover for the ironing board. (Replacement cover available)
- Specify hinge side for door.



PLANNING DESK One Drawer One Drawer PD1D2421 PD1D2721 PD1D3021 PD1D3321 PD1D3621 Two Drawer PD2D3321 PD2D3621

- Standard height is 5 1/2" overall (4" opening with a 1 1/2" top rail. No bottom rail.)
- Specify height if aligning with other cabinets. (Add increase height modification from base section)
- To accommodate most 5 piece drawer fronts a minimum height of 6" is required for full overlay drawer front. a minimum of 7" is required for semi overlay drawer fronts. With some exceptions (See specific door styles).

Note: To align with standard base cabinet, drawer cabinet must be 7" high.

To align with standard mini base cabinet, drawer cabinet must be 6" high.

PLANNING DESK MINI	One Drawer	PDM1D2421
		PDM1D2721
		PDM1D3021
		PDM1D3321
		PDM1D3621
	Two Drawer	PDM2D3321
		PDM2D3621

- Standard height is 4 5/8" overall (A 1 1/4" top rail. No bottom rail.)
- Specify height if aligning with other cabinets. (Add increase height modification from base section)
- 2" High drawer box.
- Cannot be reduced in height.
- Slab drawer fronts are the only drawer fronts available.


VANITY PLANN	ING DESK LEGS	VPDLA21
STYLE A	STYLE B	VPDLA24
		VPDLB21
		VPDLB24
	Finished on both	high, 21" or 24" deep. sides and face edge. qual height of Planning Desk.



DRAWER

be substituted.

VANITY SINK BASES DOOR/ DRAWERS 31" HIGH



PRODUCT	LEVEL 1	LEVEL 2
CODE		

18" Deep VSB3D3618

VSB3D3918

VSB3D4218

VSB3D4518

VSB3D4818

21" Deep


VSB3D3621

VSB3D3921

VSB3D4221

VSB3D4521

VSB3D4821



18" Deep

VBCD2418

VBCD2718

VBCD3018

VBCD3318

VBCD3618

VBCD3918

VBCD4218

21" Deep

VBCD2421

VBCD2721

VBCD3021

VBCD3321

VBCD3621

VBCD3921

VBCD4221

VANITY BASE COMBINATION DRAWER

• Designate left (L) or right (R) for drawer side. Right shown.

• Working drawers to the left and right of an 18" standard center opening.

• **NOTE:** If the frame openings for the drawer boxes are modified to be smaller than the standard opening on a VSB3D36, then solo glides must

- Hinged to outside unless specified.
- The door / drawer split as shown in the chart can be modified without an upcharge if specified on the order.

CABINET WIDTH	DOOR SPLIT	DRAWER SPLIT
24"	15"	9"
27"	18"	9"
30"	18"	12"
33"	21"	12"
36"	21"	15"
39"	24"	15"
42"	24"	18"


NOTE:

When modifying overall width please choose next larger standard width cabinet and reduce. The door area will reduce along with the cabinet width unless specified.



VANITY SINK BASE DOORS/ DRAWERS COMBINATIONS 31" HIGH

NOTE: When modifying the overall width of vanity sink combos, please choose the next larger standard width cabinet, when available, and reduce. The drawer area will reduce along with the cabinet width unless specified.



18" Deep

PRODUCT LEVEL 1 LEVEL 2
CODE

VSBC3D6018

VSBC3D7218


VSBC3D6618

VANITY SINK BASE COMBINATION 3 DRAWER

21"Deep

- For double bowl applications.
- 60" Unit has two 24" sink base sections and one 12"- 3 drawer center section.
- 66" Unit has two 24" sink base sections and one 18"- 3 drawer center section.
- 72" Unit has two 24" sink base sections and one 24"- 3 drawer center section.
- The door / drawer split can be modified without an upcharge if specified on the

VSBC3D6021	
VSBC3D6621	
VSBC3D7221	



18" Deep

VSBC4D6018

VSBC4D6618

VSBC4D7218

21" Deep

VSBC4D6021


VSBC4D6621

VSBC4D7221

VANITY SINK BASE COMBINATION 4 DRAWER

- For double bowl applications.
- 60" Unit has two 24" sink base sections and one 12"- 4 drawer center section.
- 66" Unit has two 24" sink base sections and one 18"- 4 drawer center section.
- 72" Unit has two 24" sink base sections and one 24"- 4 drawer center section.
- The door / drawer split can be modified without an upcharge if specified on the order.
- Not recommended for inset

Note for Inset configuration: The Inset frame configuration is different from an overlay frame; see frame configurations located in the Introduction section of the catalog. Top and bottom drawer boxes will be 4" high, two middle drawer boxes will be 3" high. The two center drawer fronts will always be slab.



18" Deep

VSBC6D4818 VSBC6D5418

VSBC6D6018 VSBC6D6618

VSBC6D7218


VANITY SINK BASE COMBINATION 6 DRAWER

- For single bowl applications.
- 48" Unit has two-12"- 3 drawer sections and one center 24" sink" basep
- 54" Unit has two 15"- 3 drawer sections and one center 24" sink base.
- 60" Unit has two 18"- 3 drawer sections and one center 24" sink base.
- 66" Unit has two 21"- 3 drawer sections and one center 24" sink base.
- 72" Unit has two 24"- 3 drawer sections and one center 24" sink base.
- The door / drawer split can be modified without an upcharge if specified on the order.

VSI	BC6D4821		
VSI	BC6D5421		
VSI	BC6D6021		
VSI	BC6D6621		
VSI	BC6D7221		




SHAKER VANITY CABINET, VANITY WASTE CABINET



PRODUCT CODE	LIST PRICE
SHV2418-2	
SHV2718	
SHV3018	
SHV3318	
SHV3618	
SHV3918	
SHV4218	
SHV2421-2	
SHV2721	
SHV3021	
SHV3321	
SHV3621	
SHV3921	
SHV4221	

SHAKER VANITY, 31" HIGH

- 18' or 21" deep, 31" high standard
- Top front is false
- Choice of straight or arched valance bottom rail.
- Only available with **Shaker** doors
- Only available as Inset with a "standard frame". FOL, SOL, and Beaded Inset NOT available.
- · Both sides finished
- Only modifications allowed are changes to width, height, or depth. Any other changes must be quoted in advance. (Furniture End construction is NOT available.)



Full Height Door	V]
with white basket	V

Full Height Door with pewter basket

PRODUCT CODE	LEVELI	LEVEL 2

BSW1521FDW VBSW1821FDW

VBSW1521FDP

18" Deep

21" Deep

VBSW1821FDP

Cabinet	Bin Qty./Size
VBSW1521FD	One 35 Qt bin
VBSW1821FD	One 35 Qt bin

VANITY BASE WASTE CABINET, 31" HIGH


- 21" deep, 31" high
- Undermount soft close glides on pullout.
- Pullout attached to door.
- Specify basket color; W = white, P = pewter.
- Minimum cabinet depth = 21".
- Minimum single waste basket cabinet width = 15". Reduced widths may be available by quote only.
- 30 lbs. maximum per waste can. Not intended for bulk storage.
- One 35 quart bin only.
- Drawer above trash pullout not available.
- All illustrations are of FOL-C style waste basket cabinets.



Single 35qt. pullout (Vanity depth unit does not have storage cubby behind waste bin.)



VANITY TALL CABINETS



	PRODUCT CODE	LEVEL 1	LEVEL 2
84" Tall	VTUC158421		
Two-Door	VTUC188421		
	VTUC218421		
84" Tall	VTUC248421-4		
Four-Door	VTUC278421		
	VTUC308421		
	VTUC338421		
	VTUC368421		
90" Tall	VTUC159021		_
Two-Door	VTUC189021		
	VTUC219021		
90" Tall	VTUC249021-4		
Four-Door	VTUC279021		
	VTUC309021		
	VTUC339021		
	VTUC369021		
93" Tall	VTUC159321		
Two-Door	VTUC189321		
	VTUC219321		
93" Tall	VTUC249321-4		
Four-Door	VTUC279321		
	VTUC309321		
	VTUC339321		
	VTUC369321		
96" Tall	VTUC159621		
Two-Door	VTUC189621		
1 wo-Door	VTUC219621		
0.62 Tr. 11	VTUC249621-4		
96" Tall	VTUC 279621		
Four-Door	VTUC 279621 VTUC309621		
	VTUC309621 VTUC339621		
	VTUC359021		


VTUC369621

VANITY TALL UTILITY CABINET

- 1 Adjustable shelf in lower section.
- 3 Adjustable shelves in upper section in 84" tall units.
- 4 Adjustable shelves in upper section in 90" and 93" tall units.
- 5 Adjustable shelves in upper section in 96" tall units.
- Bottom door half is 31" high. (standard vanity height)
- Toe space shipped loose as standard on 90" and 96" tall units unless otherwise specified.



VANITY TALL, 1 DRAWER CABINETS




VANITY '	TALL	UTILITY,	ONE I	DRAW	ER
CARINET	r				

- 1 Adjustable shelf in lower section.
- 3 Adjustable shelves in upper section in 84" tall units.
- 4 Adjustable shelves in upper section in 90" and 93" tall units.
- 5 Adjustable shelves in upper section in 96" tall units.
- Bottom door / drawer aligns with 31" high.cabinet (standard vanity height)
- Toe space shipped loose as standard on units over 84" high unless otherwise specified.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" Tall	VTUC1D158421		
Two-Door	VTUC1D188421		
	VTUC1D218421		
84" Tall	VTUC1D248421-4		
Four-Door	VTUC1D278421		
	VTUC1D308421		
	VTUC1D338421		
	VTUC1D368421		
	-		
90" Tall	VTUC1D159021		
Two-Door	VTUC1D189021		
	VTUC1D219021		
90" Tall	VTUC1D249021-4		
Four-Door	VTUC1D279021		
	VTUC1D309021		
	VTUC1D339021		
	VTUC1D369021		
93" Tall	VTUC1D159321		
Two-Door	VTUC1D189321		
	VTUC1D219321		
93" Tall	VTUC1D249321-4		
Four-Door	VTUC1D279321-4		
Tour Door	VTUC1D309321		
	VTUC1D339321		
	VTUC1D369321		
96" Tall	VTUC1D159621		
Two-Door	VTUC1D189621		
	VTUC1D219621		
96" Tall	VTUC1D249621-4		
Four-Door	VTUC1D279621		
	VTUC1D309621		
	VTUC1D339621		
	VTUC1D369621		



FLOATING VANITY SINK BASE



•	18"	or 21"	deen	standard
•	10	$OI \subseteq I$	ucco.	Standard

- 24" high, standard
- Specify hinge side for single door cabinet
- 3/4" thick back
- "Floating" vanity has no toe base and <u>MUST</u> have adequate wall support.
- 1/4" apron panel attached at the top, behind the frame
- The apron panel will match the frame specie and finish, and will have the same approximate height as a false top drawer front

	PRODUCT CODE	LEVEL 1	LEVEL 2
18" Deep	VSFLT1818		
One Door	VSFLT2118		
	VSFLT2418-1		
18" Deep	VSFLT2418-2		
Two Door	VSFLT2718		
	VSFLT3018		
	VSFLT3318		
	VSFLT3618		
	VSFLT3918		
	VSFLT4218		
	VSFLT4518		
	VSFLT4818		
21" Deep	VSFLT1821		
One Door	VSFLT2121		
	VSFLT2421-1		
21" Deep	VSFLT2421-2		
Two Door	VSFLT2721		
	VSFLT3021		
	VSFLT3321		
	VSFLT3621		
	VSFLT3921		
	VSFLT4221		
	VSFLT4521		
	VSFLT4821	_	


NOTE

Customer MUST provide adequate wall support for the installation of this style vanity cabinet.



FLOATING VANITY SINK, DOORS/ DRAWERS COMBINATIONS

NOTE: When modifying the overall width of vanity sink combos, please choose the next larger standard width cabinet, when available, and reduce. The drawer area will reduce along with the cabinet width unless specified.




	PRODUCT CODE	LEVEL 1	LEVEL 2
18" Deep	VSFLTC3D6018		
	VSFLTC3D6618		
	VSFLTC3D7218		
21" Deep	VSFLTC3D6021		
	VSFLTC3D6621		
	VSFLTC3D7221		

FLOATING VANITY SINK COMBINATION 3 DRAWER

- 18" or 21" deep, standard
- 24" high, standard
- 3/4" thick back
- "Floating" vanity has no toe base and MUST have adequate wall support.
- For double bowl applications.
- 60" Unit has two 24" sink base sections and one 12"- 3 drawer center section.
- 66" Unit has two 24" sink base sections and one 18"- 3 drawer center section.
- 72" Unit has two 24" sink base sections and one 24"- 3 drawer center section.
- The door / drawer split can be modified without an upcharge if specified on the order.

NOTE

Customer MUST provide adequate wall support for the installation of this style vanity cabinet.



FLOATING VANITY SINK COMBINATION 6 DRAWER


- 18" or 21" deep, standard
- 24" high, standard
- 3/4" thick back
- "Floating" vanity has no toe base and MUST have adequate wall support.
- For single bowl applications.
- 48" Unit has two-12"- 3 drawer sections and one center 24" sink base.
- 54" Unit has two 15"- 3 drawer sections and one center 24" sink base.
- 60" Unit has two 18"- 3 drawer sections and one center 24" sink base.
- 66" Unit has two 21"- 3 drawer sections and one center 24" sink base.
- 72" Unit has two 24"- 3 drawer sections and one center 24" sink base.
- The door / drawer split can be modified without an upcharge if specified on the order.

	VSFLTC6D5418
	VSFLTC6D6018
	VSFLTC6D6618
	VSFLTC6D7218
21" Deep	VSFLTC6D4821
	VSFLTC6D5421
	VSFLTC6D6021
	VSFLTC6D6621
	VSFLTC6D7221

18" Deep VSFLTC6D4818



FLOATING VANITY SINK



	PRODUCT CODE	LEVEL 1 LEVEL 2
Two false	VS2DFLT2418	
fronts	VS2DFLT3018	
18" deep	VS2DFLT3618	
	VS2DFLT2421	
21" deep	VS2DFLT3021	
	VS2DFLT3621	
Four false drawer	VS4DFLT3018	
fronts	VS4DFLT3618	
18" deep	VS4DFLT4818	
	VS4DFLT3021	_
21" deep	VS4DFLT3621	
	VS4DFLT4821	

NOTE


Customer MUST provide adequate wall support for the installation of this style vanity cabinet.

FLOATING VANITY SINK WITH FALSE DRAWER FRONTS

- 18" or 21" deep standard
- 18" high standard
- No functional drawers
- Drawer fronts are equal size
- 3/4" thick back
- $\bullet\,\,$ "Floating" vanity has no toe base and \underline{MUST} have adequate wall support



FLOATING VANITY SINK COMBINATION



	PRODUCT CODE	LEVEL 1	LEVEL 2
Two functional	VSFLTC2D5418		
drawers, four	VSFLTC2D6018		
fronts	VSFLTC2D7218		
	VSFLTC2D5421		
	VSFLTC2D6021		
	VSFLTC2D7221		

FLOATING VANITY SINK CABINETS WITH TWO FUNCTIONAL DRAWERS

- 18" or 21" deep, standard
- 18" high, standard
- 3/4" thick back
- Drawer fronts are equal heights
- Two center functional drawers, four outer false drawer fronts
- "Floating" vanity has no toe base and MUST have adequate wall support


NOTE

Customer MUST provide adequate wall support for the installation of this style vanity cabinet.

Four

functional

false drawer fronts




VSFLTC4D5418 drawers, two VSFLTC4D6018 VSFLTC4D7218 VSFLTC4D5421 VSFLTC4D6021 VSFLTC4D7221

FLOATING VANITY SINK CABINETS WITH FOUR FUNCTIONAL DRAWERS


- 18" or 21" deep, standard
- 18" high, standard
- 3/4" thick back
- Drawer fronts are equal heights
- Four outer functional drawers, two center false drawer fronts
- "Floating" vanity has no toe base and MUST have adequate wall support



BASE HEIGHT VANITY SINK BASES DOOR/FALSE DRAWER 34 1/2" HIGH




VANITY SINK BASES DOOR/ 2 FALSE DRAWERS 34 1/2" HIGH



18" Deep	VSB2D3018BH
	VSB2D3318BH
	VSB2D3618BH
	VSB2D3918BH
	VSB2D4218BH
	VSB2D4518BH
	VSB2D4818BH
21" Deep	VSB2D3021BH
	VSB2D3321BH
	VSB2D3621BH
	VSB2D3921BH
	VSB2D4221BH
	VSB2D4521BH
	VSB2D4821BH



VANITY BASE SINK, FULL HEIGHT DOOR, 34 1/2" HIGH



VSFD4221BH


VSFD4521BH

VSFD4821BH

- 18" or 21" deep, standard
- Specify hinge side for single door cabinet
- 1/4" apron panel attached at the top, behind the frame
- The apron panel will match the frame specie and finish, and will have the same approximate height as a false top drawer front




VANITY BASE WITH HAIR APPLIANCE PULLOUT, 34 1/2" HIGH



PRODUCT LEVEL 1 LEVEL 2 CODE

18" deep VHAP1518-BH

21" deep VHAP1521-BH



Top view of pullout


VANITY BASE WITH HAIR APPLIANCE PULLOUT

- 18" or 21" deep, 34 1/2" high, standard
- Changes to any cabinet dimensions or pullout configuration <u>must</u> be quoted.
- Full height door attached to pullout
- Storage cubbies for various hair accessories such as blow dryer, curling iron, flat iron, brushes, combs, etc. Hot appliance bins may be stainless steel instead of black (shown in pic) due to supplier availability.
- Fixed floor for additional storage at bottom of pullout





VANITY BASES DOOR / DRAWER, 34 1/2" HIGH



18" Deep 1-Full depth adjustable shelf VB1D1218BH
VB1D1518BH
VB1D1818BH
VB1D2118BH
VB1D2418-1BH
VB1D2418-2BH
VB1D2718BH

LEVEL 1 LEVEL 2

PRODUCT

CODE

VB1D3018BH VB1D3318BH VB1D3618BH

VB2D3018BH

21" Deep 1-3/4 depth adjustable shelf VB1D1221BH

VB1D1521BH

VB1D1821BH

VB1D2121BH

VB1D2421-1BH

VB1D2421-2BH

VB1D2721BH

VB1D3021BH

VB1D3321BH

VB1D3621BH

VANITY BASE CABINET FULL WIDTH DRAWER.

• Top functioning drawer.



VANITY BASE 2 DRAWER SIDE BY SIDE.

• Top functioning drawers.

18" Deep 1-Full depth adjustable shelf


shelf

21" Deep 1-3/4 depth adjustable

VB2D3318BH	
VB2D3618BH	
VB2D4218BH	
VB2D4518BH	
VB2D4818BH	
VB2D3021BH	
VB2D3321BH	
VB2D3621BH	
LIDAD JAAADII	
VB2D4221BH	
VB2D4221BH VB2D4521BH	



VANITY BASES FULL HEIGHT DOOR 34 1/2" HIGH



18" Deep Full depth adjustable shelves CODE

VFD1818BH

VFD2118BH

VFD2418-1BH

VFD2418-2BH

VFD2718BH

VFD3018BH

VFD3618BH

LEVEL 1 LEVEL 2

PRODUCT

21" Deep 2-3/4 depth adjustable shelves VFD1821BH VFD2121BH VFD2421-1BH VFD2421-2BH

VFD2721BH

VFD3021BH


VFD3321BH

VFD3621BH

VANITY BASE CABINET WITH FULL HEIGHT DOOR

- 18" or 21" deep, standard
- Two adjustable shelves
- Specify hinge side for single door cabinets

VANITY 2-DRAWER BASE 34 1/2" HIGH



• 2–10" Drawer boxes.

18" Deep


V2DB1218BH
V2DB1518BH
V2DB1818BH
V2DB2118BH
V2DB2418BH

21" Deep

V2DB1221BH V2DB1521BH V2DB1821BH V2DB2121BH V2DB2421BH



PRODUCT LEVEL 1 LEVEL 2 **CODE** VANITY 3-DRAWER BASE 34 1/2" HIGH 18" Deep V3DB1218BH V3DB1518BH V3DB1818BH V3DB2118BH V3DB2418BH 21" Deep V3DB1221BH V3DB1521BH VANITY 3 DRAWER BASE. V3DB1821BH • One 4" Drawer box V3DB2121BH • Two 8" Drawer boxes V3DB2421BH VANITY 4-DRAWER BASE 34 1/2" HIGH 18" Deep V4DB1218BH V4DB1518BH V4DB1818BH V4DB2118BH V4DB2418BH 21" Deep V4DB1221BH V4DB1521BH **VANITY BASE 4 DRAWER CABINET** V4DB1821BH • Top 3 drawer boxes are 4" standard. • Larger 6" drawer box at bottom position is standard. V4DB2121BH • Specify location of larger drawer if other than bottom is V4DB2421BH required. (Add frame change modification) VANITY HAMPER BASE 34 1/2" HIGH 21" Deep




VHB1521BH VHB1821BH

VANITY HAMPER BASE, 34 1/2" HIGH

- White epoxy coated steel wire basket.
- Specify right (R) or left (L) hinge.




INVERTED VANITY BASE HEIGHT 1 DRAWER, 2 DOORS—34 1/2" HIGH, 18" DEEP



PRODUCT CODE	LEVEL 1	LEVEL 2
VBI1D2418-2 BH		
VBI1D2718BH		
VBI1D3018BH		
VBI1D3318BH		
VBI1D3618BH		

- 4" drawer box at the bottom of the cabinet with 2 doors above
- Fixed floor between door area and drawer box
- One adjustable shelf

INVERTED VANITY BASE HEIGHT 1 DRAWER, 2 DOORS—34 1/2" HIGH, 21" DEEP




PRODUCT CODE	LEVEL 1	LEVEL 2
VBI1D2421-2BH		
VBI1D2721BH		
VBI1D3021BH		
VBI1D3321BH		
VBI1D3621BH		

- 4" drawer box at the bottom of the cabinet with 2 doors above
- Fixed floor between door area and drawer box
- One adjustable shelf



VANITY OFFSET COMBINATION DRAWER



- Designate left (L) or right (R) for drawer side. Right shown.
- Hinged to outside unless specified.
- The door / drawer split as shown in the chart can be modified without an upcharge if specified on the order.

NOTE:

When modifying overall width please choose next larger standard width cabinet and reduce. The door area will reduce along with the cabinet width unless specified.

PRODUCT LEVEL 1 LEVEL 2 CODE

18" Deep VOC3018BH

VOC3318BH

VOC3618BH

VOC3918BH

VOC4218BH

21" Deep VOC3021BH

VOC3321BH


VOC3621BH

VOC3921BH

VOC4221BH

CABINET WIDTH	DOOR SPLIT	DRAWER SPLIT
30"	18"	12"
33"	21"	12"
36"	21"	15"
39"	24"	15"
42"	24"	18"

VANITY IRONING BOARD CABINET, 34 1/2" HIGH



18" Deep VIRON1818BH

VIRON2118BH

21" Deep VI

VIRON1821BH

VIRON2121BH

Note:

- Counter overlays CANNOT exceed 1-1/4" (32 mm)
- Not compatible with inset cabinetry
- Folding ironing board replaces top drawer box.
- Slab drawer front only available
- Easy to use: open until gravity lock engages and unfold board.
- 18" and 21" deep cabinet = ironing surface will be approximately 12" W x 29 1/4" L.
- Minimum cabinet width = 18" (15" frame opening)
- 1-adjustable 4" rollout shelf in lower opening, standard. (Not illustrated)
- Includes a heat reflecting cover for the ironing board. (Replacement cover available)
- Specify hinge side for door.

NOTES




NOTES





VANITY SINK BASES DOOR/ DRAWERS 34 1/2" HIGH




	PRODUCT CODE	LEVEL 1	LEVEL 2
18" Deep	VSB3D3618BH		
	VSB3D3918BH		
	VSB3D4218BH		
	VSB3D4518BH		
	VSB3D4818BH		
21" Deep	VSB3D3621BH		
	VSB3D3921BH		
	VSB3D4221BH		

VANITY SINK BASE 2 DRAWER AND FALSE CENTER DRAWER.

- Working drawers to the left and right of an 18" standard center opening.
- NOTE: If the frame openings for the drawer boxes are modified to be smaller than the standard opening on a VSB3D36, then solo glides must be substituted.

opening.	VSB3D4521BH
l to be les must	VSB3D4821BH



18" Deep

VBCD2418BH
VBCD2718BH
VBCD3018BH
VBCD3318BH
VBCD3618BH
VBCD3918BH
VBCD4218BH
_

21" Deep

VBCD2421BH

VBCD2721BH

VBCD3021BH

VBCD3321BH

VBCD3621BH VBCD3921BH

VBCD4221BH

VANITY BASE COMBINATION DRAWER

- Designate left (L) or right (R) for drawer side. Right shown.
- Hinged to outside unless specified.
- The door / drawer split as shown in the chart can be modified without an upcharge if specified on the order.

CABINET WIDTH	DOOR SPLIT	DRAWER SPLIT
24"	15"	9"
27"	18"	9"
30"	18"	12"
33"	21"	12"
36"	21"	15"
39"	24"	15"
42"	24"	18"


NOTE:

When modifying overall width please choose next larger standard width cabinet and reduce. The door area will reduce along with the cabinet width unless specified.



VANITY SINK BASE DOOR / DRAWER COMBINATIONS, 34 1/2" HIGH

NOTE: When modifying the overall width of vanity sink combos, please choose the next larger standard width cabinet, when available, and reduce. The drawer area will reduce along with the cabinet width unless specified.



CODE	PRODUCT	LEVEL I	LEVEL
0022	CODE		

18" Deep VSBC3D6018BH

VSBC3D6618BH

VSBC3D7218BH


VSBC3D6021BH

VSBC3D6621BH

VSBC3D7221BH

VANITY SINK BASE COMBINATION 3 DRAWER

- For double bowl applications.
- 60" Unit has two 24" sink base sections and one 12"- 3 drawer center section.
- 66" Unit has two 24" sink base sections and one 18"- 3 drawer center section.
- 72" Unit has two 24" sink base sections and one 24"- 3 drawer center section.
- The door / drawer split can be modified without an upcharge if specified on the order.



18" Deep

21" Deep

VSBC4D6018BH

VSBC4D6618BH

VSBC4D7218BH

21" Deep

VSBC4D6021BH

VSBC4D6621BH

VSBC4D7221BH

VANITY SINK BASE COMBINATION 4 DRAWER

- For double bowl applications.
- 60" Unit has two 24" sink base sections and one 12"- 4 drawer center section.
- 66" Unit has two 24" sink base sections and one 18"- 4 drawer center section.
- 72" Unit has two 24" sink base sections and one 24"- 4 drawer center section.
- The door / drawer split can be modified without an upcharge if specified on the order.



18" Deep

VSBC6D4818BH VSBC6D5418BH

VSBC6D6018BH VSBC6D6618BH

VSBC6D7218BH

VANITY SINK BASE COMBINATION 6 DRAWER

- For single bowl applications.
- 48" Unit has two-12"- 3 drawer sections and one center 24" sink base.
- 54" Unit has two 15"- 3 drawer sections and one center 24" sink base.
- 60" Unit has two 18"- 3 drawer sections and one center 24" sink base.
- 66" Unit has two 21"- 3 drawer sections and one center 24" sink base.
- 72" Unit has two 24"- 3 drawer sections and one center 24" sink base.
- The door / drawer split can be modified without an upcharge if specified on the order.

21" Deep

VSBC6D4821BH


VSBC6D5421BH VSBC6D6021BH

VSBC6D6621BH

VSBC6D7221BH




VANITY SPA CABINETS, 34 1/2" HIGH



Two false drawer fronts	PRODUCT CODE	LEVEL 1	LEVEL 2	
	VSPA2421-BH			
	VSPA3021-BH			
Four false drawer fronts	VSPA3621-BH			
	VSPA4821-BH			

VANITY SPA CABINETS WITH FALSE DRAWER FRONTS

- Standard height is 34 1/2", standard depth is 21"
- Not available as Beaded Inset.
- No functional drawers
- Drawer fronts are all equal height
- Finished interior and exterior is standard
- Furniture End construction is NOT available
- Square post leg at all four corners
- No floor in cabinet area
- Open slats at bottom for storage
- When ordered as concealed overlay hinging, the side-to-side overlap is 1/2".




functional	VSPA4D3621-BH
	VSPA4D4821-BH

VANITY SPA CABINETS WITH FUNCTIONAL DRAWERS

- Standard height is 34 1/2", standard depth is 21"
- Not available as Beaded Inset.
- Four functional, 4" drawer boxes
- Drawer fronts are all equal height
- Finished interior and exterior is standard
- Furniture End construction is NOT available
- Square post leg at all four corners
- Open slats at bottom for storage
- When ordered as concealed overlay hinging, the side-to-side overlap is 1/2".




VANITY SPA CABINETS, 34 1/2" HIGH



	PRODUCT CODE	LEVEL 1	LEVEL 2
false drawer	VSPA2D5421-BH		
	VSPA2D6021-BH		
	VSPA2D7221-BH		

VANITY SPA CABINETS WITH TWO FUNCTIONAL DRAWERS

- Standard height is 34 1/2", standard depth is 21"
- Not available as Beaded Inset.
- Two center functional, 4" drawer boxes and four outer false drawer fronts
- Drawer fronts are all equal height
- Finished interior and exterior is standard
- Furniture End construction is NOT available
- Square post leg at all four corners
- No floor at outer false drawer sections of cabinet
- Open slats at bottom for storage
- When ordered as concealed overlay hinging, the side-to-side overlap is 1/2".



	VSPA4D5421-BH
	VSPA4D6021-BH
	VSPA4D7221-BH


VANITY SPA CABINETS WITH FOUR FUNCTIONAL DRAWERS

- Standard height is 34 1/2", standard depth is 21"
- Not available as Beaded Inset.
- Four outer functional, 4" drawer boxes and two center false drawer fronts
- Drawer fronts are all equal height
- · Finished interior and exterior is standard
- Furniture End construction is NOT available
- Square post leg at all four corners
- No floor at center false drawer section of cabinet
- Open slats at bottom for storage
- When ordered as concealed overlay hinging, the side-to-side overlap is 1/2".



VANITY SPA CABINETS, 34 1/2" HIGH

Two Door




LEVEL 1	LEVEL 2
	LEVEL 1

VANITY SPA CABINETS WITH TWO DOORS

- Standard height is 34 1/2", standard depth is 21"
- Not available as Beaded Inset.
- Finished interior and exterior is standard
- Furniture End construction is NOT available
- Square post leg at all four corners
- Open slats at bottom for storage
- \bullet When ordered as concealed overlay hinging , the side-to-side overlap is 1/2".
- Fixed center frame stile when 42" wide or more.



VANITY BASE WASTE CABINET, 34 1/2" HIGH




PRODUCT CODE LEVEL LEVEL 1 2

Waste Cabinet w/ top dr. box and white basket VBSW1521W-BH VBSW1821W-BH

Waste Cabinet w/ top dr. box and pewter basket VBSW1521P-BH VBSW1821P-BH

- 21" Standard depth
- Undermount soft close glides on pullout.
- Pullout attached to door.
- Specify basket color; W = white, P = pewter.
- Fixed floor below the top drawer box (VBSW only)
- Minimum cabinet depth = 21".
- Minimum single waste basket cabinet width = 15". Reduced widths may be available by quote only.
- 30 lbs. maximum per waste can. Not intended for bulk storage.
- See chart for waste basket sizes.
- All illustrations are of FOL-C style waste basket cabinets.

NOTE: Standard size trash can will not fit into frame opening of reduced height VBSW, please use VBSWFD. Reduced height cabinet may receive smaller waste bins than standard.



Full Height Door with white basket

VBSW1521FDW-BH VBSW1821FDW-BH

Full Height Door with pewter basket

VBSW1521FDP-BH VBSW1821FDP-BH

Cabinet	Bin Qty./Size
VBSW1521-BH	One 35 Qt bin
VBSW1821-BH	One 35 Qt bin
VBSW1521FD-BH	One 50 Qt bin
VBSW1821FD-BH	One 50 Qt bin





Above Left: double 50qt. pullout (Vanity unit will have 1 waste bin only.)


Above Right: single 35qt. pullout (Vanity depth unit does not have storage cubby behind waste bin.)



NOTES



VANITY TALL, 1 DRAWER CABINETS, BASE HEIGHT




VANITY	TALL	UTIL	ITY,	ONE	DRAV	VER
CABINE'	Г					

- 1 Adjustable shelf in lower section.
- 3 Adjustable shelves in upper section in 84" tall units.
- 4 Adjustable shelves in upper section in 90" and 93" tall units.
- 5 Adjustable shelves in upper section in 96" tall units.
- Bottom door / drawer aligns with 34 1/2" high.cabinet (standard base cabinet height)
- Toe space shipped loose as standard on units over 84" high unless otherwise specified.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" Tall	VTUC1D158421BH		
Two-Door	VTUC1D188421BH		
	VTUC1D218421BH		
84" Tall	VTUC1D248421BH-4		
Four-Door	VTUC1D278421BH		
	VTUC1D308421BH		
	VTUC1D338421BH		
	VTUC1D368421BH		
90" Tall	VTUC1D159021BH		
Two-Door	VTUC1D189021BH		
	VTUC1D219021BH		
90" Tall	VTUC1D249021BH-4		
Four-Door	VTUC1D279021BH		
	VTUC1D309021BH		
	VTUC1D339021BH		
	VTUC1D369021BH		
93" Tall	VTUC1D159321BH		
Two-Door	VTUC1D189321BH		
	VTUC1D219321BH		
93" Tall	VTUC1D249321BH-4		
Four-Door	VTUC1D279321BH		
	VTUC1D309321BH		
	VTUC1D339321BH		
	VTUC1D369321BH		
	WELICID 150(21DH		
96" Tall	VTUC1D159621BH		
Two-Door	VTUC1D189621BH		
	VTUC1D219621BH		
0 (N T 11	VTIIC1D240621DII 4		
96" Tall	VTUC1D249621BH-4		
Four-Door	VTUC1D279621BH		
	VTUC1D309621BH		
	VTUC1D339621BH		
	VTUC1D369621BH		



VANITY TALL CABINETS TO MATCH 34 1/2" HIGH VANITIES




	VANITY	TALL	UTILITY	CABINET
--	--------	-------------	---------	---------

- 2 Adjustable shelf in lower section.
- 3 Adjustable shelves in upper section in 84" tall units.
- 4 Adjustable shelves in upper section in 90" and 93" tall units.
- 5 Adjustable shelves in upper section in 96" tall units.
- Bottom door half is 34 1/2" high. (Base height)
- Toe base shipped loose as standard on cabinets over 84" tall unless otherwise specified.

	PRODUCT CODE	LEVEL 1	LEVEL 2
84" Tall	VTUC158421BH		
Two-Door	VTUC188421BH		
	VTUC218421BH		
84" Tall	VTUC248421-4BH		
Four-Door	VTUC278421BH		
	VTUC308421BH		
	VTUC338421BH		
	VTUC368421BH		
90" Tall	VTUC159021BH		
Two-Door	VTUC189021BH		
	VTUC219021BH		
90" Tall	VTUC249021-4BH		
Four-Door	VTUC279021BH		
	VTUC309021BH		
	VTUC339021BH		
	VTUC369021BH		
93" Tall	VTUC159321BH		
Two-Door	VTUC189321BH		
	VTUC219321BH		
0.211 77 11			
93" Tall	VTUC249321-4BH		
Four-Door	VTUC279321BH		
	VTUC309321BH		
	VTUC339321BH		
	VTUC369321BH		
0.622 TF 11	VTUC159621BH		
96" Tall	VTUC139021BH VTUC189621BH		
Two-Door	VTUC219621BH		
	V10C219021B11		
06" Tall	VTUC249621-4BH		
96" Tall	VTUC 279621BH		
Four-Door	VTUC309621BH		
	VTUC339621BH		
	VTUC369621BH		
	, 100307021DII		-



SHAKER VANITY CABINETS, 34 1/2 HIGH



SHAKER VANITY, 34 1/2" HIGH

- 18" or 21" deep, 34 1/2" high standard
- Top front is false
- Choice of straight or arched valance bottom rail.
- Only available with **Shaker** doors
- Only available as Inset with a "standard frame". FOL, SOL, and Beaded Inset is NOT available.
- · Both sides finished
- Only modifications allowed are changes to width, height, or depth. <u>Any other changes must be quoted in advance.</u> (Furniture End construction is NOT available.)



TAPER LEG VANITY SINK, 34 1/2 HIGH



	PRODUCT CODE	LEVEL 1	LEVEL 2
34 1/2" tall	VTLC3021BH		
	VTLC3321BH		
	VTLC3621BH		
	VTLC3921BH		
	VTLC4221BH		

NOTE: When modifying overall width please choose next larger standard width cabinet and reduce. The door area will reduce along with the cabinet width unless specified.

VANITY TAPER LEG COMBINATION, 30"- 42" WIDE

- 2" Square tapered legs on all four corners
- Finished ends are standard.
- Furniture End construction is NOT available.
- Not available as Beaded Inset.
- 9" open space under cabinet to floor.
- Designate left (L) or right (R) for drawer side. Right shown.
- Hinged to outside unless specified.
- The door / drawer split as shown in the chart can be modified without an upcharge if specified on the order.

CABINET WIDTH	DOOR SPLIT	DRAWER SPLIT
30"	18"	12"
33"	21"	12"
36"	21"	15"
39"	24"	15"
42"	24"	18"



34 1/2" tall	VTLC4821BH
	VTLC5421BH
	VTLC6021BH

NOTE: When modifying the overall width of vanity sink combos, please choose the next larger standard width cabinet, when available, and reduce. The drawer area will reduce along with the cabinet width unless specified.

VANITY TAPER LEG COMBINATION, 48"- 60" WIDE

- 2" Square tapered legs on all four corners
- Finished ends are standard.
- Furniture End construction is NOT available.
- Not available as Beaded Inset.
- 9" open space under cabinet to floor.
- VTLC4821 unit has two 12"-3 drawer sections and one center 24" sink base section.
- VTLC5421 unit has two 15"-3 drawer sections and one center 24" sink base section.
- VTLC6021 unit has two 18"-3 drawer sections and one center 24" sink base section.
- The door / drawer split can be modified without an upcharge if specified on the order.

GHTON NOTES






MEDICINE CABINETS

The case dimensions of medicine cabinets are determined by the distance between wall studs set on 16" centers. The outside width of the case of a 16" medicine cabinet is 14 1/2" and the depth of the case behind the frame is approximately 3 1/2". 24", 36", and 42" medicine cabinets will have to be boxed in when recessed in the wall. Both sides, the top, and the bottom are finished so the cabinets can be either recessed in the wall or flush mounted. All medicine cabinets with standard width cabinet framing are 29" tall, while those with extended top rails are 32" tall.

SINGLE DOOR MEDICINE CABINETS




- 29" high, 4 1/4" deep
- finished exterior
- three 3/4" adjustable shelves
- framed mirror door



NOTE: If the mirror will be viewed from approximately 5 feet away or more, it is recommended that thicker glass is used because 1/8" thick glass can distort the reflected image. To achieve this when adding mirror into a door you must include the Beveled Edge Option in conjunction with the Mirror option.

with extended top

SDMET1632	
SDMET2432	




WITH EXTENDED TOP RAIL

- 32" high, 4 1/4" deep
- finished exterior
- three 3/4" adjustable shelves
- framed mirror door
- 5" top rail to accept customer supplied lighting. Includes separate compartment for wiring behind top rail.

RECESSED CENTER MIRROR MEDICINE CABINETS

Recessed center mirror medicine cabinets are constructed with both right and left medicine compartments that are hinged to the inside for a tri-view effect when opened. The center section is a fully recessed mirror that is surrounded with wood trim. Both the right and left compartment doors are framed doors with mirrors in place of center panels. The 48" wide cabinet has a 22" center mirror and the 42" wide cabinet has a 16" center mirror.



- 29" high, 4 1/4" deep
- finished exterior and interior
- three 3/4" adjustable shelves in left and right sections
- framed mirror doors on left and right sides

PRODUCT CODE	LEVEL 1	LEVEL 2
RCMMC4229		
RCMMC4829		


WITH EXTENDED TOP RAIL

- 32" high, 4 1/4" deep
- finished interior and exterior
- three 3/4" adjustable shelves in left and right side
- framed mirror doors on left and right sides
- 5" top rail to accept customer supplied lighting. Includes separate compartment for wiring behind top rail.

<u>NOTE</u>: If the mirror will be viewed from approximately 5 feet away or more, it is recommended that thicker glass is used because 1/8" thick glass can distort the reflected image. To achieve this when adding mirror into a door you must include the <u>Beveled Edge Option</u> in conjunction with the <u>Mirror</u> option.

RCMET4232 RCMET4832

with extended top






MEDICINE CABINETS

The case dimensions of medicine cabinets are determined by the distance between wall studs set on 16" centers. The outside width of the case of a 16" medicine cabinet is 14 1/2" and the depth of the case behind the frame is approximately 3 1/2". 24", 36", and 42" medicine cabinets will have to be boxed in when recessed in the wall. Both sides, the top, and the bottom are finished so the cabinets can be either recessed in the wall or flush mounted. All medicine cabinets with standard width cabinet framing are 29" tall, while those with extended top rails are 32" tall.


BI-VIEW MEDICINE CABI-



•	29"	high,	4	1/4"	deep
	-	0,			I

- finished exterior
- three 3/4" adjustable shelves
- flush mirror doors, hinged to the center

PRODUCT CODE	LIST PRICE
BMC3029	
BMC3629	



WITH EXTENDED TOP RAIL


- 32" high, 4 1/4" deep
- finished exterior
- three 3/4" adjustable shelves
- · flush mirror doors, hinged to the center
- 5" top rail to accept customer supplied lighting. Includes separate compartment for wiring behind top rail.

with extended top

BMET3032

BMET3632


TRI-VIEW MEDICINE CABI-



- 29" high, 4 1/4" deep
- finished exterior
- three 3/4" adjustable shelves
- three equal, flush mirror doors
- outer doors hinged to the center; center door hinged left, standard

TMC4229

TMC4829



WITH EXTENDED TOP RAIL

- 32" high, 4 1/4" deep
- finished exterior
- three 3/4" adjustable shelves
- three equal, flush mirror doors
- outer doors hinged to the center; center door hinged left, standard
- 5" top rail to accept customer supplied lighting. Includes separate compartment for wiring behind top rail.


with extended top

TMET4232

TMET4832



VANITY WALL 1 DRAWER




	PRODUCT CODE	LEVEL 1	LEVEL 2
48" high	VW1D1248		
3_adjustable shelves	VW1D1548		
	VW1D1848		
	VW1D2148		
	VW1D2448		
	VW1D2448-2		
54" high	VW1D1254		
3_adjustable shelves	VW1D1554		
	VW1D1854		
	VW1D2154		
	VW1D2454		
	VW1D2454-2		
60" high	VW1D1260		
4_adjustable shelves	VW1D1560		
	VW1D1860		
	VW1D2160		
	VW1D2460		
	VW1D2460-2		

VANITY WALL 1 DRAWER

- 11-1/4" deep, standard
- Reduced depth not available.
- Specify hinge side, left (L) or right (R) on single door cabinets.
- Matching 5 pc. Drawer fronts will not be available for all door styles. Slab fronts will be substituted.
- Drawer section occupies 6" of the overall cabinet height.
- Drawer box is 3" high.
- Blumotion undermount glides
- Finished ends are standard.
- Designed to sit on the countertop.



VANITY WALL 2 DRAWER MINI



VANITY WALL 2 DRAWER MINI

- 11-1/4" deep, standard
- Reduced depth not available
- Specify hinge side, left (L) or right (R) on single door cabinets.
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 12" of the overall cabinet height.
- Drawer boxes are 3" H.
- Designed to sit on the countertop.
- Finished ends are standard.
- Blumotion undermount glides.


	PRODUCT CODE	LEVEL 1	LEVEL 2
48" high	VW2DM1548		
2_adjustable shelves	VW2DM1848		
	VW2DM2148		
	VW2DM2448		
	VW2DM2448-2		
54" high	VW2DM1554		
3_adjustable shelves	VW2DM1854		
	VW2DM2154		
	VW2DM2454		
	VW2DM2454-2		
60" high	VW2DM1560		
3_adjustable shelves	VW2DM1860		
	VW2DM2160		
	VW2DM2460		


VW2DM2460-2

VW2D2460

VW2D2460-2

VANITY WALL 2 DRAWER





54" high
2_adjustab
shelves


48" high 2_adjustable shelves	VW2D1548	
	VW2D1848	
	VW2D2148	
	VW2D2448	
	VW2D2448-2	
54" high 2_adjustable shelves	VW2D1554	
	VW2D1854	
	VW2D2154	
	VW2D2454	
	VW2D2454-2	
60" high 3_adjustable shelves	VW2D1560	
	VW2D1860	
	VW2D2160	

VANITY WALL 2 DRAWER

- 11-1/4" deep, standard
- Reduced depth not available
- Specify hinge side, left (L) or right (R) on single door cabinets.
- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 18" of the overall cabinet height.
- Drawer boxes are 6" H.
- Designed to sit on the counter top.
- Finished ends are standard.
- Blumotion undermount glides.



VANITY WALL 3 DRAWER




	PRODUCT CODE	LEVEL 1	LEVEL 2
48" high	VW3D1548		
2_adjustable shelves	VW3D1848		
	VW3D2148		
	VW3D2448		
	VW3D2448-2		
54" high	VW3D1554		
2_adjustable shelves	VW3D1854		
	VW3D2154		
	VW3D2454		
	VW3D2454-2		
60" high	VW3D1560		
3_adjustable shelves	VW3D1860		
	VW3D2160		
	VW3D2460		
	VW3D2460-2		

VANITY WALL 3 DRAWER

- Matching 5 pc. Drawer fronts may not be available for all door styles, slab fronts will be substituted.
- Drawer section occupies 18" of the overall cabinet height.
- Drawer boxes are 3" high.
- Designed to sit on a counter top.
- Finished ends are standard.
- Blumotion undermount glides.



VANITY WALL OPEN SHELF CABINET



PRODUCT CODE	LEVEL 1	LEVEL 2
VWOSC2430		
VWOSC2730		
VWOSC2436		
VWOSC2736		
VWOSC2442		
VWOSC2742		
	CODE VWOSC2430 VWOSC2730 VWOSC2436 VWOSC2736	CODE VWOSC2430 VWOSC2730 VWOSC2436 VWOSC2736 VWOSC2442

- 10" deep, standard
- Standard opening is 12" high and 3" less than cabinet width.
- Specify custom openings, width and height.
- Finished interior for top and bottom openings of cabinet is standard.
- Quantity of listed adjustable shelves may vary if lower opening height is customized.



VANITY WALLS


VANITY WALLETTE




PRODUCT CODE	LEVEL 1	LEVEL 2
VWC2436		
VWC2736		
VWC2442		
VWC2742		

- 10" deep cabinet
- Open section is specie and stain matched.
- Upper section comes standard with UV Birch veneer interior.
- Flush finished hutch ends and bottom are standard.
- Towel bar under open shelf is solid wood.
- Open section including towel bar area is 12" high.
- One adjustable shelf in 36" tall cabinet and two adjustable shelves in 42" tall cabinet.

SQUARE FRAME WITH MIRROR









- 3/4" thick, open framed door with 1/8" mirror and 1/4" flush backer panel.
- Priced per square foot.
- Beveled mirror will require the BVLDEDGE upcharge.
- The mirror framing will match the door design on the order unless otherwise specified. Shaker door style illustrated. Inset orders will not include an outer frame (like a cabinet frame) surrounding the door.
- Maximum size of 48" wide x 36" tall <u>OR</u> 36" wide x 48" tall. SFM ordered over these dimensions will be made using mirror molding (AMM) and will <u>not</u> ship with a mirror included. AMM may not match exactly to the door design ordered.
- Two sets of ZCLIP hardware included loose for field install. (see picture) The ZCLIP will hold the SFM approximately 1/4" off the wall. Factory does not install the Z clips to the mirror frame.

NOTE: If the mirror will be viewed from approximately 5 feet away or more, it is recommended that thicker glass is used because 1/8" thick glass can distort the reflected image. To achieve this when adding mirror into a door you must include the Beveled Edge Option in conjunction with the Mirror option.



VANITY ACCESSORIES

Cabinetry			
		PRODUCT CODE	LIST PRICE
TOE KICK DRAWER - 21" DEEP		ATKD1821	
• Add to 21" deep cabinets.	21" ——	ATKD2121	
• Operational, 2" high drawer box added into toe kick space.	21	ATKD2421	
• 3/4" thick solid wood face frame at bottom and sides.		ATKD2721	
• Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been	342"_	ATKD3021	
applied to adjacent cabinets.		ATKD3321	
 Actual front to back depth of drawer box is 15" for 21" deep unit. 	1-12-11-11-11-11-11-11-11-11-11-11-11-11	ATKD3621	
 Drawer fronts are slab; 5 pc. not available. Minimum overall cabinet depth is 18" due to limited access to the drawer box under the cabinet. Illustration depicts B3D cabinet with ATKD accessory installed. 	17 3/4" — 17 3/4" — 3 1/4" SIDE VIEW		
TOE KICK DRAWER - 18" DEEP		ATKD1818	
• Add to 18" deep cabinets.	18"	ATKD2118	
• Operational, 2" high drawer box added into toe kick space.		ATKD2418	
• 3/4" thick solid wood face frame at bottom and sides.	342"	ATKD2718	
• Toe notch for side of cabinet remains the same height and depth as standard after the 1/4" AMTK has been	37	ATKD3018	


18" deep unit. • Drawer fronts are slab; 5 pc. not available.

applied to adjacent cabinets.

• Minimum overall cabinet depth is 18" due to limited access to the drawer box under the cabinet.

• Actual front to back depth of drawer box is 12" for

• Illustration depicts B3D cabinet with ATKD accessory installed.




ATKD1818
ATKD2118
ATKD2418
ATKD2718
ATKD3018
ATKD3318
ATKD3618



VANITY ACCESSORIES

TAPER FEET FURNITURE PLATFORM




•	6 3/4" overall height. (The platform is 2 1/4" taller than the standard toe space.
	To align with adjacent cabinets, the base cabinet used in conjunction with the
	platform will need the height reduced by 2 1/4". This cabinet height adjustment
	will not be made by Brighton unless specified on the order.)

- The sizes shown are to match the corresponding cabinet sizes.
- If FOL and SOL, the platform will have a finished size of 1 1/2" deeper and 1 1/2" wider than listed. (Example: TAFP2421 will have overall dimensions of 25 1/2" wide by 22 1/2" deep.) If Inset, the platform will have a finished size of 3/4" deeper and 1 1/2" wider than listed. (Example: TAFP2421 will have overall dimensions of 25 1/2" wide by 21 3/4" deep.)
- Designed to be used with a base cabinet having NOTK (omit toe kick modification) applied.
- 3/4" plywood top with 3" wide solid wood edge on front and both sides. Machine edge profile as standard.
- 2" straight valances between the feet on front and both sides.

PRODUCT CODE	LIST PRICE
TAFP2421	
TAFP2721	
TAFP3021	_
TAFP3321	
TAFP3621	
TAFP3921	
TAFP4221	
TAFP4521	
TAFP4821	
TAFP5121	
TAFP5421	
TAFP5721	
TAFP6021	

COUNTRY FRENCH FURNITURE PLATFORM



- 6 3/4" overall height. (The platform is 2 1/4" taller than the standard toe space. To align with adjacent cabinets, the base cabinet used in conjunction with the platform will need the height reduced by 2 1/4". This cabinet height adjustment will not be made by Brighton unless specified on the order.)
- The sizes shown are to match the corresponding cabinet sizes.
- If FOL and SOL, the platform will have a finished size of 1 1/2" deeper and 1 1/2" wider than listed. (Example: CFFP2421 will have overall dimensions of 25 1/2" wide by 22 1/2" deep.) If Inset, the platform will have a finished size of 3/4" deeper and 1 1/2" wider than listed. (Example: CFFP2421 will have overall dimensions of 25 1/2" wide by 21 3/4" deep.)
- Designed to be used with a base cabinet having NOTK (omit toe kick modification) applied.
- 3/4" plywood top with 3" wide solid wood edge on front and both sides. PRS-2 edge profile as standard.
- 2" arched valances between the feet on front and both sides.

CFFP2421
CFFP2721
CFFP3021
CFFP3321
CFFP3621
CFFP3921
CFFP4221
CFFP4521
CFFP4821
CFFP5121
CFFP5421
CFFP5721
CFFP6021



VANITY ACCESSORIES / MODIFICATIONS

VANITY BASE FILLER


- 3/4" solid wood frame stock
- Standard widths of 3" and 6"
- Standard ships finished on face and all four 3/4" edges.
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



PRODUCT CODE	LIST PRICE
VBF326.5	
VBF331	
VBF626.5	
VBF631	

VANITY BASE CORNER FILLER

- 90 degree angle
- VBCF330 spans 3" for each leg. VBCF630 spans 6" for each leg.
- Finished on face and 3/4" edges
- Fillers are shipped at the size indicated in the product nomenclature and are not cut down at the factory except by special request only.



VBCF326.5 VBCF626.5

VANITY BASE FILLER WITH RETURN


- 3" wide or 6" wide solid wood face frame with 3/4" plywood return
- 31" high, 21" deep standard
- Specify left (L) or (R) side for return (left shown).
- Finished side is standard on return.
- Add modification charge for flush finished end.



VBFR331 VBFR631

VANITY BASE FILLER WITH RETURN, BOTH SIDES

- 3" wide or 6" wide solid wood face frame with two 3/4" plywood returns
- 31" high, 21" deep standard
- Finished ends on both returns are standard.
- Add modification charge for flush finished ends.



VBFR B 331 VBFR B 631

VANITY BASE OVERLAY FILLER

- Overlay only, does not include filler.
- All 4 edges will be profiled to match door edge.
- Length will match height of door/drawer overlay.
- When adding flutes to standard 2 3/4" wide overlay, two flutes are standard.
- Finished on face and all four edges.

2 3/4" WIDE VOFS 3

5 3/4" WIDE VOFS 6

OTHER VANITY ACCESSORIES AND MODIFICATIONS

• For vanity modifications or other accessories refer to Base Cabinets and Tall cabinet modifications and accessories sections.



General Accessories Contents

86° ANGLE RESTRICTION CLIP	10	OUTLET PLATE	18B
APPLIQUES	26	PAINT QUARTS	19
BEAD BOARD 1/2"	18A	PANEL, CUT TO SIZE	17
BUMPERS	10	PLASTIC INSERT	10
BUN FEET	13	PLINTHE BLOCK MATERIAL	9
BUTCHER BLOCK COUNTER TOPS	18	POST / LEG	14-15
CARVINGS	24	PRIMED EXTERIOR	19
COLUMN	16	REFRIGERATOR PANELS	19
CORBELS	24-25	ROLLOUT LADDERS, LOOSE	11
CORNER SHAKER FOOT STYLES	16	ROUTED FINGER PULLS	10
COUNTRY FRENCH FEET	13	ROUTING	9
CUTTING BOARD, LOOSE	18	SALES AIDES	
DIAGONAL INSTALL KIT	9	BROCHURES	20
DISHWASHER PANELS	19	CROWN DISPLAY BOARD	20
DOOR, FALSE ON PANEL	17	DISPLAY UNIT	20
DOOR, LOOSE	10	DOOR DISPLAY BOARD	20
DOOR STAY, LOOSE	10B	DOOR SAMPLES	20
DRAWER FRONT, LOOSE	10	GLASS SAMPLES	20
DRAWER PLATE ORGANIZER	11	HINGE DISPLAY BOARD	20
EDGE BANDING	17	MOLDING CHAINS	20
FRAME STOCK	9	SHEEN SAMPLE DISPLAY	20
FRENCH LEGS	13	SIGNAGE	20
GLASS FOR DOORS	10A	STAIN BLOCK SAMPLES	20
GROMMET	18	SHAKER FEET	16B
GROOVED PANEL	18A	SHELVES	
HAMPER BASKET ROLLOUT	11	SHELF, BOOKCASE	12
HANGING FILE	11	SHELF, GLASS	12
HINGE, LOOSE	10B	SHELF, LOOSE	12
HUTCH ENDS	9	SHELF, MATCHING WOOD	12
KNIFE BLOCK	11	SHELF, WINE RACK BOTTLE	12
KNOBS, WOOD		,	
Kitobs, wood	10B	SHELF, WOOD FRAMED w/ GLASS	12
LOCKS	10B 10		12 12
<i>'</i>		SHELF, WOOD FRAMED w/ GLASS	
LOCKS	10	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPS	12
LOCKS MAGNETIC TOUCH LATCHES	10 10	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPSSHELF SUPPORTS, WOOD	12 12A-12B
LOCKS MAGNETIC TOUCH LATCHES MATCHING TOE KICK	10 10 3	SHELF, WOOD FRAMED w/ GLASS SHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE	12 12A-12B 10
LOCKS	10 10 3	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPSSHELF SUPPORTS, WOODSOFT CLOSE PLUNGER, LOOSESPICE RACK	12 12A-12B 10 10B
LOCKS MAGNETIC TOUCH LATCHES. MATCHING TOE KICK. MIRROR MOLDING*. MOLDINGS, 8 FOOT LENGTHS*	10 10 3 3	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPSSHELF SUPPORTS, WOODSOFT CLOSE PLUNGER, LOOSESPICE RACKSQUARE FOOT.	12 12A-12B 10 10B 13
LOCKS	10 10 3 3	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPSSHELF SUPPORTS, WOODSOFT CLOSE PLUNGER, LOOSESPICE RACKSQUARE FOOTSTAIN QUARTS	12 12A-12B 10 10B 13
LOCKS	10 10 3 3 5 6	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE SPICE RACK SQUARE FOOT STAIN QUARTS SWITCH PLATE	12 12A-12B 10 10B 13 19
LOCKS MAGNETIC TOUCH LATCHES. MATCHING TOE KICK. MIRROR MOLDING* MOLDINGS, 8 FOOT LENGTHS* BASE MOLDING* CASE MOLDING* CROWN MOLDING*	10 10 3 3 5 6 6A-6D	SHELF, WOOD FRAMED w/ GLASS SHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE SPICE RACK SQUARE FOOT STAIN QUARTS SWITCH PLATE TAPERED FEET	12 12A-12B 10 10B 13 19 18B 13
LOCKS MAGNETIC TOUCH LATCHES. MATCHING TOE KICK. MIRROR MOLDING*. MOLDINGS, 8 FOOT LENGTHS* BASE MOLDING* CASE MOLDING* CROWN MOLDING* LIGHT RAIL MOLDING*	10 10 3 3 5 6 6A-6D 6D-7	SHELF, WOOD FRAMED w/ GLASS SHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE SPICE RACK SQUARE FOOT STAIN QUARTS SWITCH PLATE TAPERED FEET TOUCH-UP KITS	12 12A-12B 10 10B 13 19 18B 13
LOCKS	10 10 3 3 5 6 6A-6D 6D-7 2-4	SHELF, WOOD FRAMED w/ GLASS SHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE SPICE RACK SQUARE FOOT STAIN QUARTS SWITCH PLATE TAPERED FEET TOUCH-UP KITS TV PULLOUT SWIVEL	12 12A-12B 10 10B 13 19 18B 13 19
LOCKS MAGNETIC TOUCH LATCHES. MATCHING TOE KICK. MIRROR MOLDING* MOLDINGS, 8 FOOT LENGTHS* BASE MOLDING* CASE MOLDING* CROWN MOLDING* LIGHT RAIL MOLDING* MISCELLANEOUS MOLDINGS* PANEL MOLDING*	10 10 3 3 5 6 6A-6D 6D-7 2-4 8	SHELF, WOOD FRAMED w/ GLASSSHELF CLIPSSHELF SUPPORTS, WOODSOFT CLOSE PLUNGER, LOOSESPICE RACKSQUARE FOOTSTAIN QUARTSSWITCH PLATETAPERED FEETTOUCH-UP KITSTV PULLOUT SWIVELUNFINISHED EXTERIOR.	12 12A-12B 10 10B 13 19 18B 13 19 12
LOCKS MAGNETIC TOUCH LATCHES. MATCHING TOE KICK. MIRROR MOLDING*. MOLDINGS, 8 FOOT LENGTHS* BASE MOLDING* CASE MOLDING* CROWN MOLDING* LIGHT RAIL MOLDING* MISCELLANEOUS MOLDINGS* PANEL MOLDING* MYSTERY OIL	10 10 3 3 5 6 6A-6D 6D-7 2-4 8 18	SHELF, WOOD FRAMED w/ GLASS SHELF CLIPS SHELF SUPPORTS, WOOD SOFT CLOSE PLUNGER, LOOSE SPICE RACK SQUARE FOOT STAIN QUARTS SWITCH PLATE TAPERED FEET TOUCH-UP KITS TV PULLOUT SWIVEL UNFINISHED EXTERIOR UTILITY BIN PULLOUT	12 12A-12B 10 10B 13 19 18B 13 19 12

^{*}Due to tolerances from our suppliers, 8' moldings may have an allowable minimum of 93" usable material.



MOLDINGS, 8' LENGTHS

8' MOLDINGS: Due to tolerances from our suppliers, 8' moldings may have an allowable minimum of 93" usable material. 8' moldings are not sold in lengths less than 8 foot. The 8' piece can be cut down at the factory to reduce common carrier shipping costs if a note is included with the order to do so.

	PRODUCT CODE	LIST PRICE
APPLIED MOLDING CHARGE Charge for factory applied moldings, ornaments, appliqué and doors to cabinets or panels.	MAMC	
INCREASE MOLDING TO 10' LENGTH	MIM10	
INCREASE MOLDING TO 12' LENGTH	MIM12	
Available on most 8' moldings. NOT available for Clear Alder, Red Birch or Red Customer Service in advance to verify availability of your specific molding befover 8' long may have an extended lead time. Additional charges for shipments apply.	ore placing the order	. Moldings
BATTEN MOLDING #1	ABATTEN-1	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted		
BATTEN MOLDING #2 5 16 in	ABATTEN-2	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted 14in		
DENTIL MOLDING	ADM	
Not available in Quarter Sawn White Oak, Red Birch, Walnut, Rustic Alder or Rustic Hickory. Standard grade wood will be substituted for rustic.		
DOUBLE BEAD MOLDING, 2"	ADBM	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted		



MOLDINGS, 8' LENGTHS


LIST **PRODUCT CODE PRICE** MATCHING TOE KICK **AMTK** Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted MATCHING TOE KICK - UNIVERSAL ACCESS **AUAMTK** 8 7/8" tall matching toe cover sized to fit the toe space of cabinets that have the 9" high, Universal Access Toe Modification (MUATOE) added. Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted MIRROR MOLDING **AMM296** AMM396 **AMM496** • 8' length, 3/4" thick solid wood • Double rout on back edge: 1/2" wide X 1/8" deep for mirror with second rout measuring 1/2" wide X 1/4" deep for 1/4" backer panel • One face edge routed to match frame bead of door style on order as closely as possible. Specify if different frame bead is desired. Ogee frame bead not available. ("Regular" frame bead is illustrated)

specified.			
OUTSIDE 45 DEGREE CORNER MOLDING	G 18in	AOC-45	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted	13in		
OUTSIDE CORNER MOLDING #1	$\frac{3}{4}$ ln	AOC-1	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted			
OUTSIDE CORNER MOLDING #2	lin	AOC-2	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted	310		
QUARTER ROUND		AQTRND	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted	3in 3in 4in		

• Opposite face edge = Machine Edge. Additional routing charges per linear foot applies if other profile is



MOLDINGS, 8' LENGTHS





BASE MOLDINGS, 8' LENGTHS

Cabinetry		PRODUCT CODE	LIST PRICE
BASE MOLDING #1	3 1 in	ABM1	
BASE MOLDING #2	3 ½ in	ABM2	
	T		
BASE MOLDING #3		ABM3	
	4 ain		
BASE MOLDING #4		ABM4	
	5 in f		
BASE MOLDING #5	27/1/2	ABM5	
	5 1/4 in		
BASE MOLDING #6	T	ABM6	
	4 1/2 in		
BASE MOLDING, OGEE EDGE 4	1/2" HIGH	ABM-OGEE4.5	
	4 1/2 in		
BASE MOLDING, OGEE EDGE 5	1/2" HIGH	ABM-OGEE5.5	
	5 1/2 in		



CASE MOLDINGS, 8' LENGTHS

		PRODUCT CODE	LIST PRICE
CASE MOLDING #1	S in	ACM1	
CASE MOLDING #2	7283in +	ACM2	
CASE MOLDING #3	-23 in	ACM3	
CASE MOLDING #4	2 1 in 7 in	ACM4	
CASE MOLDING #5	2 din	ACM5	



CROWN MOLDINGS, 8' LENGTHS

		PRODUCT CODE	LIST PRICE
CROWN MOLDING A	$\rightarrow \frac{3}{4}$ in \leftarrow	ACROWNA	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted	3in 1		
CROWN MOLDING #1	\rightarrow 1in \leftarrow \downarrow	ACROWN1	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted	1alin		
CROWN MOLDING #2	\rightarrow 1 $\frac{7}{8}$ in \leftarrow	ACROWN2	
	17/gin		
CROWN MOLDING #3	- $+$ $ +$ $ +$ $ +$ $ +$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$	ACROWN3	
CROWN MODELING #5	$\begin{array}{c} \leftarrow 2\frac{1}{18}\text{in} \rightarrow \downarrow \\ 1\frac{13}{18}\text{in} \end{array}$	ACKO WIG	
	<u> </u>		
CROWN MOLDING #4	→ 1¾in ++_	ACROWN4	
	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
CROWN MOLDING #5	→ 2§in +	ACROWN5	
	2.24 - 1.51 - 1.		
CROWN MOLDING #6	→ 2 ⁷ / ₈ in k	ACROWN6	
	3 ₈ in		
CROWN MOLDING #7	- 1" -	ACROWN7	
(Typical molding used on Brighton's hoods.)	13. 4 1.3.		



CROWN MOLDINGS, 8' LENGTHS

PRODUCT LIST **PRICE CODE CROWN MOLDING #8** ACROWN8 3 3/8" **CROWN MOLDING #9** ACROWN9 2 1/2" **CROWN MOLDING #10** ACROWN10 3 5/8" 3 3/8" **CROWN MOLDING #11** ACROWN11 **CROWN MOLDING, SHAKER STYLE (PLAIN) ACROWNSHKR** • Please quote if overall size or angles are to be changed from standard as pictured. 2 9/16" Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted. **ACROWNSHBD** CROWN MOLDING, SHAKER STYLE BEADED • Please quote if overall size or angles are to be changed from standard as pictured. 2 9/16' Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted. RISER FOR MOLDING **ARISER** • 3/4" thick, 8' long pieces pre-assembled riser for use when installing top molding, typically crown molding. • Bottom edge routed with same profile as door outside edge. Machine edge for Sardinia and Valletta doors. Note: Keep in mind that FOL-C upper cabinets include 1" additional reveal at

additional reveal at the top rail.

the top rail for molding application and Inset upper cabinets include 1 1/2"

Routed profile to match door outside edge




CROWN / INSERT MOLDINGS

PRODUCT CODE LIST PRICE

CROWN MOLDING WITH DENTIL

Not available in Quarter Sawn White Oak, Red Birch, Walnut, Rustic Alder or Rustic Hickory.

Standard grade Hickory will be substituted for rustic.




ADMCM

CROWN MOLDING WITH ROPE

Not available in Quarter Sawn White Oak, Red Birch, Walnut, Rustic Alder or Rustic Hickory.

Standard grade Hickory will be substituted for rustic.



ARMCM

LARGE CROWN MOLDING-AC-1621

• Accepts large decorative insert, ordered separately (see below).

Only available in Maple, Red Oak, and Cherry




AC-1621

LARGE CROWN MOLDING-AC-1622

• Accepts large decorative insert, ordered separately (see below).

Only available in Maple, Red Oak, and Cherry




AC-1622

LARGE CROWN MOLDING-AC-1623

• Accepts large decorative insert, ordered separately (see below).

Only available in Maple, Red Oak, and Cherry




AC-1623

LARGE DENTIL MOLDING

• Used as insert with AC-16 series crown moldings

Only available in Maple, Red Oak, and Cherry




ALDM

LARGE EGG & DART MOLDING

• Used as insert with AC-16 series crown moldings

Only available in Maple, Red Oak, and Cherry




ALEDM

LARGE ROPE MOLDING

• Used as insert with AC-16 series crown moldings


Only available in Maple, Red Oak, and Cherry



ALRM




CROWN MOLDINGS, 8' LENGTHS





LIGHT RAIL MOLDINGS, 8' LENGTHS





PANEL MOLDINGS, 8' LENGTHS

		PRODUCT CODE	LIST PRICE
PANEL MOLDING #1		APM1	_
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.	11/32"		
PANEL MOLDING #3		APM3	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.	25/32"		
PANEL MOLDING #4		APM4	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.	3/8"		
PANEL MOLDING #5	\bigcirc	APM5	
Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.	7/16"		



MOLDINGS, 8' LENGTHS / ACCESSORIES


PRODUCT CODE LIST PRICE

3/4" SQUARE MOLDING

• Edge routing is not available. If a routed profile is needed, please order FS1.5 and specify the width as 3/4" along with the desired profile and routing charges.

Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.

ASQM



FRAME STOCK -8' LENGTHS

- Priced per 8 foot length
- 3/4" solid wood
- Standard edge is square. Specify edge profile if required.
- Add routing charges **PER LINEAR FOOT.**
- Standard = finish on one face and two long edges.

FS1.596 (1 1/2" X 3/4")

FS296 (2" X 3/4")

FS396 (3" X 3/4")

FS4.596 (4 1/2" X 3/4")

FS596 (5" X 3/4")

FS696 (6" X 3/4")

FRAME STOCK PER LINEAR FOOT

- Priced per linear foot.
- 3/4" solid wood.
- Standard edge is square. Specify edge profile if required.
- Add routing charges per linear foot.
- Standard = finish on one face and two long edges.

FS1.5LF (1 1/2" X 3/4")

FS2LF (2" X 3/4")

FS3LF (3" X 3/4")

FS4.5LF (4 1/2" X 3/4")

FS5LF (5" X 3/4")

FS6LF (6" X 3/4")

ROUTING ROUTING

- Routing on frame stock is priced per linear foot and per edge.
- Available profiles include C2, PRS2, L149, V2, L059, MA-CHINE, LC2, E2, 297, and Ogee. See the door edge profile pages in the Introduction for representations of the shapes.


DIAGONAL INSTALL KIT

- Includes 1 piece of corner molding and 1 piece of 3/4" thick end panel, assembled and finished at the factory.
- Return depth is 35 1/2" including molding.
- Kit is shipped 96" tall and may be cut down in the field.
- Field attach to edge of cabinet frame.

ADIK

HUTCH ENDS

- 3/4" Plywood with edge-banding on the show edge.
- Hutch ends are finished on both sides to match specie and finish of order.
- Hutch ends are 18" tall plus cabinet height, specify if other dimensions are needed.
- When factory installed, the hutch ends sit behind the frame, flush with the outer face frame edges.



AHND

APBM

PLINTHE BLOCK MATERIAL

- Plinthe block material is 1 1/16" thick.
- Specify width X length, grain will run with the length.



Cabinetry		
	PRODUCT CODE	LIST PRICE
 LOOSE DOOR Minimum charge of one square foot applies for each piece ordered. Specify dimensions, W x L. Specify if for wall, base or tall. Standard has no hinge or hinge bore. Specify left or right for hinge side, if needed. No additional charge required for hinging. Specie and finish charges apply. Add pricing for mullions when ordered. Level 2+ door designs will receive the applicable +\$ upcharge per piece. LOOSE DRAWER FRONT No minimum square foot charge for loose drawer front. Specify by slab, 1 inch slab, 5-piece flat, or 5-piece raised. Specify dimensions, W x H. Specify and finish charges apply. 	ALBDP (base) ALTDP (tall) ALWDP (wall) ALDFSLAB ALDF1INSLAB ALDF5PC-F ALDF5PC-R	PRICE
 Specie and finish charges apply. Level 2+ designs will receive the applicable +\$ upcharge per piece. PLASTIC INSERT Retainer for glass windows added to doors with mullions or prepped 	PLASTIC INSERT	
for glass. BUMPER • Priced per 100	BUMPER	
MAGNETIC TOUCH LATCHES Must be used with free swing style hinge only. Will not function correctly with <u>self</u> closing hinge. All of Brighton's concealed hinges (cup hinges) and knife hinges are <u>self</u> closing.	ATL-L (Loose) ATL-I (Installed)	
LOCKS FOR CABINETS	LOCKS	QUOTE ONLY
ROUTED FINGER PULLS	AFINGERPULL	
 Priced per finger pull Due to very small gaps between doors and/or drawer fronts, finger pull Not available on Madrid, Sardinia, or Valletta door design or for doors Meadowview and Fairfield. Not available on Inset or SOLK-Lipped doors. 		
 SOFT CLOSE DOOR PLUNGER (loose) Priced per plunger Not available for use with inset hinge or knife hinge doors. Not recommended for use on pie cut doors. Please specify FOL or SOL 	ASCDP-FOL ASCDP-SOL	_
 86° ANGLE RESTRICTION CLIP (loose) Restricts door opening to 86 degrees. Priced per clip. (One clip per hinge.) Only for concealed hinges with the integrated soft close feature: full-overlay (FOL-C), semi-overlay (SOL-C), inset concealed (INS-CONC) 	A86ARC-OL overlay-concealed hinge A86ARC-INS inset-concealed hinge	



PRODUCT CODE LIST PRICE

GLASS INSERTS FOR DOORS

- 1/8" thick glass, ships in door
- Maximum door height of 42"
- All directional patterns will be vertical unless otherwise specified by the customer
- Priced per square foot
- <u>Must</u> select tempered, clear glass for base level applications. Contact customer service for tempered, patterned glass availability and pricing.
- Glass inserts other than clear, non-patterned glass or mirror may contain inconsistencies or imperfections. This occurs naturally during the glass manufacturing process and will not be considered cause for warranty.
- Brighton Cabinetry cannot replace glass under warranty that is received broken when ordered to be shipped loose.

CLEAR, DOUBLE STRENGTH GLASS **CLGLS PATTERN 62** P62GLS WATER GLASS WATERGLS **REED GLASS** (1/2" spacing) **REEDGLS CRSRDGLS** CROSS REED GLASS (1/2" squares) **THINRDGLS** THIN REED GLASS (1/8" spacing) SEEDED GLASS **SEEDGLS CRKLGLS** CRACKLED GLASS FROSTED GLASS **FROSTGLS** LEAF PRINT GLASS **LFPRGLS** MIRROR, 1/8" THICK MIRR18

If the mirror will be viewed from approximately 5 feet away or more, it is recommended that thicker glass is used because 1/8" thick glass can distort the reflected image. To achieve this when adding mirror into a door you must include the <u>Beveled Edge Option</u> in conjunction with the Mirror option.

TEMPERED, CLEAR GLASS

TEMPERED

All doors at base level with glass inserts shipped from the factory will be <u>clear</u> tempered glass. *Additional charges may apply if the diagonal measurement of the glass is less than 17".

BEVELED EDGE OPTION

BVLDEDGE

Beveled edge glass inserts are 1/4" thick beveled to 1/8" thick edges. Approximately 3/4" of bevel will be visible.



Cabinetry			
		PRODUCT CODE	LIST PRICE
WASTE BIN	20 qt / white	AWSTBIN20-WH	
Replacement waste bin container.	35 qt / white	AWSTBIN35-WH	
Priced individually. Shipped loose.	35 qt / pewter	AWSTBIN35-PT	
z.mpp eu reese.	50 qt / white	AWSTBIN50-WH	
	50 qt / pewter	AWSTBIN50-PT	
LOOSE HINGE	Full overlay concealed with soft close	FOLC	
Priced per individual hinge	Full overlay concealed, 90 degree	FOLC90	
	Semi overlay concealed with soft close	SOLC	
	Semi overlay concealed, 90 degree	SOLC90	
	Semi overlay knife	SOLK	
	Semi overlay knife, lipped door	SOLKLIP	
	Pie cut, hinges door to frame	PIECUT170	
	Pie cut, hinges door to door	PIECUT60	
	Black inset	INSBLK	
	Polished brass inset	INSPBR	
	Nickel inset	INSNIC(ball)	
	Sterling Nickel inset	INSSTNIC(minaret)	
	Oil rubbed bronze inset	INSOLRBBZ	
	Wrought iron inset	INSWRTIRN	
	Antique English inset	INSANENG	
	Concealed inset with soft close	CONCINSET	
DOOR STAY, LOOSE Supports a door hinged to the top of Priced per piece Will not fit frame opening less than ? Shipped loose for field install		ADSTAY-LOOSE	

SPICE RACK

Wood rack with fixed shelves mounted on cabinet door. Approximately 2" less than door size.



ASROD

WOOD KNOBS

Only available in Maple, Red Oak and Cherry



AKNOBM (maple) AKNOBC (cherry) AKNOBO (red oak)



PRODUCT CODE

ADPLO

LIST PRICE


DRAWER PLATE ORGANIZER

Maple pegboard used to store plates, bowls, etc. in deep drawers.

Priced per drawer.

Includes adjustable posts. See chart for quantity shipped with specific cabinet widths.


Cabinet Width	# posts
27" wide and under	9
Larger than 27" thru 33" wide	12
Larger than 33" thru 42" wide	16



HAMPER BASKET ROLLOUTS

Add to cabinet price.

White epoxy coated steel wire basket. Glides mounted to bottom of cabinet.




AROHB

UTILITY BIN PULLOUT

Available in 15" thru 21" wide cabinets only. 10" deep box, scooped.

1/2" bottom.

Blumotion undermount glides



AUB

KNIFE BLOCK

Block made of maple and will fit in top drawer of B15 and smaller. Or if the cabinet has two side-by-side top drawers, fits a single drawer of a 30" wide cabinet or smaller.





HANGING FILE RAILS

One pair hanging file rails installed in drawer. Front to back rails illustrated.

Standard guidelines for file rail direction:

Cabinets with a *frame opening* of less than 15" wide will have file rails that run side to side. Cabinets with a 15" wide *frame opening* or greater will have file rails that run front to back. Specify direction of file rails only if different from standard. (15" wide cabinets cannot accept front to back file rails.)

Cannot fit most standard cabinet configurations (needs a 10" deep box to accommodate, MFC will be needed on cabinet to make this change)

AHANGINGFILE



LOOSE ROLLOUT LADDERS

Sold per individual piece, not per set.

ALAD




PRODUCT LIST PRICE CODE LOOSE SHELF-STANDARD **SHELF** Specify dimensions (width X length) 3/4" UV Birch veneer plywood with one length edge banded. LOOSE MATCHING WOOD SHELF FINISHED MWISHELF Specify dimensions (width X length) Specify specie and stain, both sides finished. 3/4" plywood with one length edge banded. Specie and finish charges apply. LOOSE BOOKCASE SHELF **BCSHELF** Specify dimensions (width X length) Specify specie and stain, both sides finished. 1 1/2" frame stock add to one long edge. Specie and finish charges apply. WOOD FRAMED GLASS SHELF **AWFGSHELF** 3/4" thick x 1 1/2" wide wood frame with routed lip to hold 1/4" thick clear glass. Glass will not be secured in frame. Wood frame will match the interior of the cabinet. If the cabinet does not have a finished interior, the frame will be Maple/Natural unless otherwise specified. Add to any 13" or 16" deep cabinet. 1/4" GLASS SHELF AGLASSSHELF14 1/4" thick glass shelf with penciled edge If ordered loose, specify dimensions (width X length) Includes cushioned shelf pegs WINE RACK BOTTLE SHELF WRBS SHELF Price per square foot. 4 1/2" centers on rail holders. Specie and finish charges apply. **SHELF PEGS** SHELF PEGS Priced per 100 MULTI-FOOD STORAGE SHELF CLIPS MFS CLIP Used for Multi Food Storage Shelves Can be used for shelves up to 5/16" thick. Specify if for shelves over 5/16" thick. **GLASS SHELF PEGS GLS PEGS** Cushioned shelf pegs designed for use with glass shelves Priced for a set of four pegs. TV PULLOUT SWIVEL **ATVS** 180 lb. capacity. 360 degree swivel. Hardware mechanism with wood shelf attached.



PRODUCT CODE LIST PRICE

WOOD SHELF SUPPORT, ANGLED

1 1/2" thick solid wood 90 degree triangular shape with angled front edge Provide a sketch if special design is require WSSA9 WSSA12 WSSA15



WOOD SHELF SUPPORT, RADIUS

1 1/2" thick solid wood 90 degree triangular shape with radius front edge Provide a sketch if special design is required. WSSR9 WSSR12 WSSR15



WOOD SHELF SUPPORTS, DECORATIVE

1 1/2" thick solid wood 90 degree triangular shape with radius front edge Provide a sketch if special design is required. Routed on both sides with rosette Front, 1 1/2" radius edge, is fluted. See photo at bottom of page. WSSD9 WSSD12 WSSD15





Close up view of fluting on front radius edge.



PRODUCT CODE LIST PRICE

WOOD SHELF SUPPORT, ANGLED WITH BRACKET

3" wide, 3/4" thick solid wood bracket attached to 1 1/2" wide shelf supports. Bracket extends 3/4" beyond all edges of the support. Example: WSSAB9 will have overall finished dimensions of 3"W x 9"H x 9"D. 90° triangular shape with angled front edge, attached to bracket. Provide a sketch if special design is required.

WSSAB9 WSSAB12 WSSAB15





WOOD SHELF SUPPORT, RADIUS WITH BRACKET

3" wide, 3/4" thick solid wood bracket attached to 1 1/2" wide shelf supports. Bracket extends 3/4" beyond all edges of the support. Example: WSSRB9 will have overall finished dimensions of 3"W x 9"H x 9"D. 90° triangular shape with radius front edge, attached to bracket. Provide a sketch if special design is required.

WSSRB9 WSSRB12 WSSRB15





WOOD SHELF SUPPORTS, DECORATIVE WITH BRACKET

3" wide, 3/4" thick solid wood bracket attached to 1 1/2" wide shelf supports. Bracket extends 3/4" beyond all edges of the support. Example: WSSDB9 will have overall finished dimensions of 3"W x 9"H x 9"D. 90° triangular shape with radius front edge, attached to bracket. Provide a sketch if special design is required Routed on both sides with rosette

Front, 1 1/2" radius edge, is fluted. See photo at bottom of page. Fluted on all 3/4" edges of brackets. See photo at bottom of page.

WSSDB9 WSSDB12 WSSDB15





Close up view of fluting on front radius edge.




Close up view of fluted edge of bracket



	PRODUCT CODE	LIST PRICE
BUN FEET Loose will ship at 4 1/2" tall. Installed will take up the 4 1/2" H toe space and will increase the toe space depth. 5" diameter Stem is 1/2" tall. For loose installation: It is recommended that the toe kick depth of the cabinet be increased. Blocking (not provided) is required to attach the foot in the field.		
FRENCH LEG Loose will be 6" tall. Installed will take up the 4 1/2" H toe space. Only available in Maple, Cherry, and Red Oak	AFRLGL (Loose) // AFRLGI (Installed)	
TAPERED FEET Loose will be 6" tall. Installed will take up the 4 1/2" H toe space. Flushed Finished Ends should be used when installed in the Factory. Top View 21 Top View	ATAFTL (Loose) ATAFTI (Installed) $1\frac{3}{4}$ "	
SQUARE FOOT Offered at 2" x 2" or 2 1/2" x 2 1/2" widths. Loose will be 6" tall. Installed will take up the 4 1/2" H toe space. Flushed Finished Ends should be used when installed in the factory.	ASQFTL-2 ASQFTL-2.5 (Loose) ASQFTI-2 ASQFTI-2.5 (Installed)	
COUNTRY FRENCH FEET Loose will be 5" tall. Installed will take up the 4 1/2" H toe space and will increase the toe space depth. 4" diameter For loose installation: It is recommended that the toe kick depth of the cabinet be increased. Blocking (not provided) is required to attach the foot in the field.	ACFFTL (Loose) ACFFTI (Installed)	



TURNPOST DESIGNS



NOTE: Most of the sketches shown above depict a turned post from 3" to 4" wide. When the width of the post is reduced or enlarged, the appearance may slightly change. You may request a CAD drawing prior to placing your order to determine if the required dimensions result in a desirable appearance. For base applications it is recommended that the post be ordered at a taller height for exact field trimming.



		PRODUCT CODE	LIST PRICE
TURNED POST—See illustration page for selection Maximum height is 48", maximum width is 6", if a larger post is required, please send for a quote. Please specify overall dimensions of post and specific post design number as shown on illustration page. Custom designs at these sizes are available. Quote prior to order is recommended for availability, include drawing. SQUARE LEG - All wood, square post	less than and equal to 3" wide	ATPST330 ATPST334.5 ATPST336 ATPST342 ATPST348 ATPST430 ATPST434.5 ATPST436 ATPST442	
Use ATPST and specify post design SQL TAPERED LEG - See Illustration 2 sided leg use ATPST and specify post design TL2S 4 sided leg use ATPST and specify post design TL4S	larger than 4" and equal to 5" wide	ATPST442 ATPST448 ATPST530 ATPST534.5 ATPST536	
TL2S g" Taper 2 Sides TL4S g" Taper 4 Sides	larger than 5" and equal to 6" wide	ATPST542 ATPST548 ATPST630 ATPST634.5 ATPST636	
TL2S top view 2-1/4" TL4S top view		ATPST642 ATPST648	
REEDS ON TURNPOST (3" to 6" diameter)	TOP VIEW	MTPR	
FLUTES ON TURNPOST (3" to 6" diameter)	TOP VIEW	MTPF	
 SPLIT POST Add this modification charge to Turn Post selected. 2-half posts will be shipped. 		MSPLPST	



		PRODUCT CODE	LIST PRICE
SQUARE PILASTER COLUMN	1 side	ASQPC1	
5" wide x 5" deep square hollow column. 34 1/2' high.			
Mortise and tenon construction with 1 1/2" stiles. Wide top and bottom rails to closely match a wainscot panel look.	2 side	ASQPC2	
When available the inside frame bead will match the door style on the order. When a matching frame bead cannot be used, the Square frame bead will be	3 side	ASQPC3	
used instead. Available as 1-side, 2-side, 3-side, 4-side with decorative panels.	4 side	ASQPC4	
This item can be shipped in two halves, prepped with biscuit joints, for field assembly. Select MSPLPST , split post, for this modification.			
1 sided-1S 2 sided-2S			
3 sided-3S 4 sided-4S			
SQUARE HOLLOW COLUMN 6" wide x 6" deep plywood, square hollow column. Priced per linear foot of column height. Shipped in two halves, prepped with biscuit joints for field assembly.		ASHC	



NOTES



Cabinetry	_	PRODUCT CODE	LIST PRICE
HALF SHAKER FOOT STYLE A	2 1 1 1 2	ASHFTAL (Loose)	
Specify left [L] or right [R] end. Any changes to size will require a quote.	23,3,8,1,1,1,2,1	ASHFTAI (Installed)	
HALF SHAKER FOOT STYLE B	== +	ASHFTBL (Loose)	
Specify left [L] or right [R] end. Any changes to size will require a quote.	72 7	ASHFTBI (Installed)	
HALF SHAKER FOOT STYLE C		ASHFTCL (Loose)	
Specify left [L] or right [R] end. Any changes to size will require a quote.	9" - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ASHFTCI (Installed)	
HALF SHAKER FOOT STYLE D		ASHFTDL	
Specify left [L] or right [R] end. Any changes to size will require a quote.	67 1-44 	(Loose) ASHFTDI (Installed)	
CORNER SHAKER FOOT STYLE A		ASCFTAL (Loose)	
Each face will measure 6 3/8" W x 4 1/2" H		ASCFTAI (Installed)	
CORNER SHAKER FOOT STYLE B		ASCFTBL (Loose)	
Each face will measure 7 1/2" W x 4 1/2" H		ASCFTBI (Installed)	
CORNER SHAKER FOOT STYLE C		ASCFTCL (Loose)	
Each face will measure 9" W x 4 1/2" H		ASCFTCI (Installed)	
CORNER SHAKER FOOT STYLE D		ASCFTDL (Loose)	
Each face will measure 6 1/2" W x 4 1/2" H		ASCFTDI (Installed)	



Caometry	PRODUCT CODE	LIST PRICE
PANEL CUT TO SIZE	Width up	o to 48"
 Specify dimensions, (width) X (length). Grain will run with the length (or height) of the panel. Maximum height of any panel is 96" provided the width of the panel does not exceed 48". If the width exceeds 48" the 	PCZ14 PCZ12 PCZ2S12 PCZ34 PCZ2S34	
maximum height of any panel cannot exceed 48", except for panel designated by † which has a maximum height of 47" and width of 95".	Width @ 4 PCZ14	8" to 95"
 Maximum width for 1/2" and 3/4" PCZ is 120". Additional charges for shipment of panels over 8' long may apply. (If needing something beyond the sizes specified in this catalog, a custom quote must be submitted for approval.) 	PCZ12 † PCZ2S12 †* PCZ34 † PCZ2S34 †**	
 For finished edges, edge banding must be applied - please specify edges. Separate pricing does <u>not</u> need added for edge banding when added to PCZ. 	† Designates panel with mar of 47" and maximum allows *PCZ2S12 (48"-95" wide) a approximately 3/8"	able width of 95".
 PCZ not available as Rustic Alder or Rustic Hickory, stan- dard grade will be substituted. 	** PCZ2S34 (48"-95" wide approximately 5/8") actual thickness is
• All panels are finished on one face side only unless the two sided panel option is selected. "2S" in the panel nomenclature determines two-sided finish. NOTE: 1/4" panels cannot be finished on two sides.	Width over 9 PCZ14	5" to 120"
• Hickory and Rustic Hickory has a strong and varied wood grain with color ranging widely, from white to dark chocolate brown, and is considered desirable. This wide variation is especially prevalent when ordering large veneered panels such as PCZ's and will not be considered a defect for replacement under warranty.	PCZ12 PCZ2S12 PCZ34 PCZ2S34	
EDGE BANDING, LOOSE	ЕВ	
 Loose edge banding for field application Price per linear foot Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted. 		
 FALSE DOOR(S) ON PANEL Modification to add false door(s) attached to PCZ at the factory. Priced per square foot Standard maximum door width = 24" wide. Equal sized, multiple doors will be applied when over 24" wide. Not recommended for use with Inset. Please use wainscoting instead of false doors applied to panels for the most consistent look. 	MFDP	



† WTOPs and butcher block surfaces that are exposed to heat and/or moisture can discolor or develop imperfections and are not cause for replacement under warranty.

PRODUCT CODE LIST PRICE

WOOD TOP (PLYWOOD) †

*Not FDA approved as food safe.

WTOP (PLYWOOD)

- 3/4" plywood top with a 3/4" wide X 1 1/2" high, solid wood edge.
- Specify edge(s) to be finished and profile.
- Available profiles include C2, PRS2, L149, V2, L059, MACHINE, LC2, E2, 297, and Ogee. See the door edge profile pages in the Introduction for representations of the shapes.



- Top is figured per square foot: includes all finished edges specified and profile routed on top edge(s) specified. Routing for bottom edge is additional.
- Bottom, underside of wood top is not finished as standard. A quote must be requested in advance if finished bottom is required.
- Maximum size for 1 piece = 120". Due to material availability, some species may have smaller maximum sizes available. Any top ordered larger than maximum size available will be shipped in multiple pieces with hardware to combine in the field. Wood tops with brushed glaze finishes cannot be supplied in multiple pieces. Additional charges for shipment of wood tops over 7' long may apply.

WOOD TOP (SOLID) †

*Not FDA approved as food safe.

WTOP (SOLID)

- 3/4" solid wood top with a 3/4" wide X 1 1/2" high, solid wood edge.
- Specify edge(s) to be finished and profile.
- Available profiles include C2, PRS2, L149, V2, L059, MACHINE, LC2, E2, 297, and Ogee. See the door edge profile pages in the Introduction for representations of the shapes.



- Top is figured per square foot: includes all finished edges specified and profile routed on top edge(s) specified. Routing for bottom edge is additional.
- Bottom, underside of wood top is not finished as standard. A quote must be requested in advance if finished bottom is required.
- Maximum size for 1 piece = 120". Due to material availability, some species may have smaller maximum sizes available. Any top ordered larger than maximum size available will be shipped in multiple pieces with hardware to combine in the field. Additional charges for shipment of wood tops over 7' long may apply.

BUTCHER BLOCK TOPS †

ABBCT

QUOTE

- At your specified dimensions. Additional charges for shipment of tops over 8' long may apply.
- Only oiled butcher block surfaces should be used for food preparations.
- Made from Hard Rock Maple. Also available in Red Oak. Call for availability of other species.
- A bottle of Mystery Oil for retreating the cutting board will be included.

CUTTING BOARD LOOSE †

ACB-LOOSE

- Butcher block cutting boards are 1 1/2" thick, 25" wide and 18"deep.
- Only oiled butcher block surfaces should be used for food preparations.
- Other dimensions are available, please send for a quote.
- These are not installed in cabinets.
- A bottle of Mystery Oil for retreating the cutting board will be included.

BOTTLE OF MYSTERY OIL

15oz. bottle

ABMYOIL

For periodic re-oiling of cutting boards to preserve the beauty and durability of the natural wood surface.

OVAL GROMMET

- Installed in wood top.
- Grommet measures 6 1/2" X 3"
- Specify exact location (Include sketch)
- Available in Black or White.



AGRMT



PRODUCT CODE LIST PRICE

WAINSCOT PANEL (LOOSE)

ALBWP (base)

ALWWP (wall)

- Not available for mitered door styles.
- Selection made for base or wall specific configuration.
- List = \$per square foot with one square ft minimum charge.
- *Add \$to square foot price for additional center panel.
- Level 2+ would be added per each center panel.

• Maximum width or height of 120".

(2-

• Additional charges for shipment of wainscot panels over 8' long may apply.

A furniture end route modification for loose, field applied base panels may be added for one or both ends of the base wainscot panel. The route will be a locking miter and the piece that will be joined with the base in the field must also have the furniture end route modification added to the appropriate side. A locking strip will be attached to the routed end at the factory and must be removed before field installation.

MLFERL

Loose furniture end route, Left

MLFERR

Loose furniture end route, Right

MLFERB


Loose furniture end route, Both

1/2" BEAD BOARD LOOSE

- Standard bead board does not match our grooved doors.
- Other beaded board designs to match grooved doors are available upon request.
- 3 1/8" face is visible after installation
- 8' lengths cut to size and installed in field

ABDBD L

ABDBD



BEADBOARD PANEL

- Standard bead board does not match our grooved doors.
- Other beaded board designs to match grooved doors are available upon request.
- 1/2" beadboard attached to 1/4" backer in the factory
- Specify dimensions W x L, maximum 120" width
- For finished edges, edgebanding must be applied. See EB accessory for pricing.
- Additional charges for shipment of wainscot panels over 8' long may apply.

*

1/4" GROOVED PANEL CUT TO SIZE

AGPCZ14

- Specify dimensions (width X length). Cannot exceed 48" in width or 96" in length as one panel. Multiple panels will need to be used in the field if a larger area is to be covered.
- Loose 1/4" veneered panel with MDF core with 1/8" wide, vertical 'V' grooves, spaced 1 1/2" apart. Other designs to match grooved doors are available upon request.
- Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.
- Not available for any wear sanded finish.



4' X 8' GROOVED PANEL

AGP48

- 4' X 8', 1/4" veneered panel with MDF core with 1/8" wide, vertical 'V' grooves, spaced 1 1/2" apart. Other designs to match grooved doors are available upon request.
- Grain runs with the panel height (8')
- Not available in Rustic Alder or Rustic Hickory: standard grade wood will be substituted.
- Not available for any wear sanded finish.



Cabinetry		PRODUCT LIST CODE PRICE
WALL PLATESWood plates for light switches, st.	andard outlets, and GFI outlets provided	ASWITCHPLATE1 ASWITCHPLATE2
in specie / finish to match the ordeStandard offerings for single andShipped with metal backing.		AOUTLET1 AOUTLET2
		AGFIPLATE1 AGFIPLATE2
ASWITCHPLATE1	AOUTLET1	AGFIPLATE1 (also for toggle switch)
ASWITCHPLATE2	AOUTLET2	AGFIPLATE2 (also for toggle switch)
N. W. W.		



Cove edge



	PRODUCT	LIST
	CODE	PRICE
UNFINISHED EXTERIOR	UNFIN	
PRIMED EXTERIOR	PRIMED	

- Interiors are UV Birch veneer.
- Surfaces to be finished will be primed for paint unless otherwise specified as Unfinished.
- Modifications for Finished ends, Flush finished ends, and Matching Wood interior must still be applied.
- Immediately before painting, all surfaces must be sanded in the field to insure adhesion.

TOUCH UP KIT

Contains one putty stick, one felt tip marker, and one ounce of clear top coat.
Glaze may also be included when applicable.

QUART OF PAINT

QUART OF STAIN

QTSTAIN

- Finishing materials to match the order. The materials provided are the same as those used in the factory setting and require the use of HVLP spray gun technology for application.
- Clear top coat is not supplied with finish materials unless the finish color ordered is Natural. Must be ordered as a separate quart and specified as clear top coat.
- Not available for amounts less than one quart.
- Some components may only be able to ship through common carrier such as UPS. Hazardous Material charges apply when shipped via common carrier. For finishes requiring multiple components, each component must be packaged separately and incur Haz-Mat shipping fees when applicable.

NOTE: Multiple materials may be used to achieve the end finish color and may require a variety of application techniques. Please reference the pages for Finish Process Information and Field Application of Finishes located in the Introduction of the product catalog. The materials provided are the same as those used in the factory setting and require the use of HVLP spray gun technology for application.

	PRODUCT CODE	Level 1	Level 2
REFRIGERATOR PANELS	ARDP36		
• 3/4" door attached to 1/4" panel matching specie and finish of order.	ARDP42		
 Panels are priced by corresponding appliance width. Provide sketch with overall panel dimensions and door reveals on all sides of each panel. Indicate dimensions of all notching, handle setback reveals, breaks in double panel etc. Some configurations may not be available with mitered door styles. 	ARDP48		
 If side edges or areas on the back will be visible and need edge banding or finished you must specify on the order. Not finished is our standard. 			
SUB-ZERO REFRIGERATOR PANELS	SUBZERO36		
• 3/4" door attached to 3/8" luaun panel.	SUBZERO42		
 Panels are priced by corresponding appliance width. Provide sketch with overall panel dimensions and door reveals on all sides of each panel. Indicate dimensions of all notching, handle setback reveals, breaks in double panel etc. 	SUBZERO48		
 Some configurations may not be available with mitered door styles. If side edges or areas on the back will be visible and need edge banding or finished you must specify on the order. Not finished is our standard. 			
CUSTOM DISHWASHER PANELS	ACDP		
• 3/4" door attached to 1/4" panel matching specie and finish of order.			

Provide sketch including overall panel width and height and door reveals on all sides.



SALES AIDS


PRODUCT LIST **CODE PRICE BROCHURES BROCH** Pocketed brochure with door/accessory insert **DRSMP** STANDARD DOOR SAMPLES Working door and false drawer head, attached to 15" x 30" frame. Non-working door when ordered as Inset with concealed hinges unless specified otherwise. Price for non-standard door samples may require additional charges. Overlay, specie and finish upcharges apply. 5 piece drawer front and Level 2+ door charges apply. STAIN BLOCKS SET **STBLST** Complete set of solid wood blocks (approx. size=4 1/2" x 9 3/4") in all standard finish colors. **STBLEA** STAIN BLOCK SINGLES Solid wood block (4 1/2" x 9 3/4") must specify color needed. Specie and finish upcharges apply. DOOR DISPLAY BOARD **DRDSPBD** (48" x 48") 1/2" panel with 6" x 6" corner sections of standard door styles (unfinished) mounted on it. MOULDING CHAIN MLDGCHN-1 6" Sample of all Brighton miscellaneous trim items. (Not listed below on a chain.) 6" Sample of all Brighton crown moldings and crown inserts on a chain. MLDGCHN-2 6" Sample of all Brighton base moldings, all case moldings and all light rail MLDGCHN-3 moldings on a chain. **DISPLAY UNIT DSPUT** Free standing unit Unit includes base section with accessories added, exact configuration determined by Brighton Cabinetry. Top section includes door samples determined by Brighton Cabinetry. SHEEN SAMPLE DISPLAYS **SHNSMP** HINGE DISPLAY BOARD **HGDSPBD** 3/4" x 14" x 16 1/2" board displaying the standard hinge options **SAMPLEGLASS** GLASS SAMPLE SET One set of standard glass pattern samples **CRWNDSPBD CROWN DISPLAY BOARD** Wall mount display of crown moldings on backer board Approximately 14" wide x 48" high. **BRSIGN18 BRIGHTON LOGO SIGN** Acrylic signage with Brighton Cabinetry logo. Available in two standard sizes, approximately 18" wide x 9" high or 36" BRSIGN36 wide x 18" high. Contact Customer Service for custom size or configuration.



PRODUCT LIST CODE PRICE


NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.

SMALL ROUND MAPLE ACANTHUS ORNAMENT SMALL ROUND CHERRY ACANTHUS ORNAMENT




AMSRAO ACSRAO

LARGE ROUND MAPLE ACANTHUS ORNAMENT LARGE ROUND CHERRY ACANTHUS ORNAMENT




AMLRAO ACLRAO

SMALL MAPLE SQUARE ACANTHUS ORNAMENT SMALL CHERRY SQUARE ACANTHUS ORNAMENT




LARGE MAPLE SQUARE ACANTHUS ORNAMENT LARGE CHERRY SQUARE ACANTHUS ORNAMENT





PRODUCT LIST CODE PRICE

NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.






PRODUCT LIST CODE PRICE


NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.

SMALL MAPLE SHELL ORNAMENT SMALL CHERRY SHELL ORNAMENT



AMSSO ACSSO


LARGE MAPLE SHELL ORNAMENT LARGE CHERRY SHELL ORNAMENT



AMLSO ACLSO

MAPLE CORNER ACANTHUS ORNAMENT


AVAILABLE IN MAPLE ONLY



AMACO

MAPLE BULLSEYE CORNER ORNAMENT

AVAILABLE IN MAPLE ONLY




AMBCO



PRODUCT CODE LIST PRICE


NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.

SMALL MAPLE ACANTHUS CARVING SMALL CHERRY ACANTHUS CARVING




AMSCA ACSCA

LARGE MAPLE ACANTHUS CARVING LARGE CHERRY ACANTHUS CARVING




AMLCA ACLCA

SMALL MAPLE ACANTHUS CORBEL SMALL CHERRY ACANTHUS CORBEL



AMSAC ACSAC

LARGE MAPLE ACANTHUS CORBEL LARGE CHERRY ACANTHUS CORBEL




AMLAC ACLAC



PRODUCT LIST CODE PRICE

NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.






NOTES



PRODUCT LIST CODE PRICE


NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.





PRODUCT LIST CODE PRICE

NOTE: The items shown on this page are hand carved and hand sanded. Differences may occur between multiples of the same item even when ordered at the same time due to the hand processes involved. The sizes shown are close approximations only, final dimensions may vary slightly. Some variation in the finish appearance may also occur. These variations should be expected and will not be considered defective.





Custom Idea Section

The following section contains ideas for customized items that can be quoted by Brighton as needed. These are only suggested ideas. Variations of these items may be requested during the quote process. We recommend that a new quote be obtained for these pieces per order. Quotes are valid for 60 days from the date listed on the quote and are based on Brighton's current pricing. When wanting a quote for one of the examples shown in the custom idea section, please reference the specific BCI#### shown by that listing.

Browse through the following collection of ideas, and if these do not suit your needs, they may inspire a unique design for your upcoming project. Please do no hesitate to ask for a quote on any cabinetry or accessory not found within the catalog.

Quotes are processed as first in / first out. Please allow three business days for the typical quote process time. While Brighton strives to return quotes promptly, custom items require that specific details are worked out to achieve the most accurate design and pricing. Your patience is greatly appreciated during this process.

Brighton reserves the right to require a quote when an order is placed with a customized item that falls outside the range of standard product offerings. Be aware this will cause a delay in order lead time. To ensure a smooth flow through our order entry process and to avoid delays, please have a quote finalized and approved prior to placing your actual order.



Brighton Cabinetry Custom Unit and Modification Quote Process

Brighton Cabinetry has developed a specific process designed for Custom Units and Modifications (Any units or modifications not included in our catalog.) Following these steps should ensure that our customers receive exactly what they anticipate.

- 1. Detailed information from the customer/salesperson is necessary prior to receiving the order. (Customer Name, Drawings, Species, Overlay, Color, Door Style, Drawer Front Style, etc.) The best way for this information to be communicated efficiently is by using the order form in the front of our catalog. **Please remember to check the box at the top of the form for quote.**
- 2. Please send all quotes via e-mail to quotes@brightoncabinetry.com. This email address is now up and working and the quotes will be forwarded to the appropriate people. Otherwise fax them to (217)895-3005 and put, ATTN: Quotes Dept. at the top of the page.
- 3. A Quote Number will be given to each unit to be quoted.
- 4. If necessary, our design team will go over the quote and decide what materials and construction methods will be used.
- 5. Once a plan has been approved, a CAD drawing, specifications, and pricing will be developed for each unit. Pricing for the quoted items will not include Specie, Stain, or Overlay up charges because when you add the custom units into 20/20, it will automatically figure those percentages from the list price of the quote.
- 6. When the specifications are complete, a copy of the finalized quote will be emailed to the salesperson for approval.
- 7. If changes are to be made, now is the time. Make the appropriate changes on the quote received. Once all changes have been made, resubmit the CAD drawing with the correct changes annotated. (If changes are not made at this time, it could result in delayed lead time of the quoted item, or incurred price increases.)
- 8. The changes will be updated to the existing quote, and an updated CAD drawing with the changes will be re-emailed to the salesperson for approval.
- 9. When ordering the Custom Unit, the Custom cabinet from the drag and drop list must be picked in 20/20 and the salesperson must reference the Quote Number for each item. Enter the price from the Quote for this cabinet into 20/20. Also, include a signed copy of the quote for Brighton's production paperwork.
- 10. During the order entry process we will pull the file referenced by the Quoted Number and process the custom item accordingly.
- 11. There will be a minimum of 1 day lead time on a quote. All quotes should be returned to salesperson within 3 days from placing the quote.



1095 Industrial Park Ave. Neoga, Il 62447 Ph. 217-895-3000 Fax. 217-895-3005

Quote (completed	Quote		
drawing and price)		PAGE	OF

DEALER		Submit to Quotes@brightoncabinetry.com								
Name: *On a "Price Only" Quote, Brighton is not										
			nsible for deta							
City/State/Zip:		this quoting procedure. Also, orders including a quote of this kind, may have extended lead times d								
Phone Fax			need to detail							
Email		order	is placed.							
JOB NAME:				Quote Subn	nittal Date:					
SALESPERSON:										
Reference Original BCI Sales Order Number:			Order Processi Preference:	ing	Wood Spec					
Hinge-reveal: SOL-CONCEALED SOL-KNIFE SOL-KNIFE LIPPED FOL-CONCEALED FRAMED FULL-ACCESS (FFA) INSET STANDARD FRAME W/ EXPOSED BARREL HINGE **	Select wood grade for doors, if applicable: Standard doors Premium doors (Upcharge a	ge applies) Standard Expedite (Requires 30% Upcharge) Warranty Sales Aid / Display CHERRY CLEAR ALI HICKORY MAPLE MDF (Doors WHITE OAI RED BIRCH		Standard Expedite (Requires 30% Upcharge) Warranty Sales Aid / Display CLEAR A HICKORY MAPLE MDF (Doo QUARTEI WHITE O RED BIRC		Standard Expedite (Requires 30% Upcharge) Warranty Sales Aid / Display CLEAR A HICKOR MAPLE MDF (Do QUARTE WHITE (RED BIR RED OAI		Standard Expedite (Requires 30% Upcharge) Warranty Sales Aid / Display CLEAR A HICKORY MAPLE MDF (Doc QUARTE WHITE O RED BIRG RED OAK		ALDER ORY Doors) TER SAWN OOAK RCH
■ INSET BEADED FRAME W/ EXPOSED BARREL HINGE ** INSET STANDARD FRAME W/ CONCEALED HINGE INSET BEADED FRAME W/ CONCEALED HINGE	Base door style:			C HICKORY UT HERED						
**Inset Barrel Hinge Color:	Wall door style:		Finish color:							
Drawer front type: □SLAB	□1" SLAB	<u></u>	PIECE FLAT		5-PIECE RAI	SED				
COMPLETE THE FOLLOWING FO	OR NON-STANDARD SELECTION	S:	Outside Edge:							
Center Panel:			Inside Frame Beac	l:						
SPECIAL INSTRUCTIONS:										
ITEM # QTY PRODUCT COI	DE DESCR	IPTION		HINGE	FIN ENDS	PRICE				

Brighton is not responsible for any details that are not requested during this quoting procedure. Submitted orders containing a quoted item may have extended lead times for production if revisions to the quote are not made prior to the actual order being placed.



1095 Industrial Park Ave. Neoga, Il 62447 Ph. 217-895-3000 Fax. 217-895-3005


QUOTE FORM

PAGE OF


ITEM#	QTY	PRODUCT CODE	DESCRIPTION	HINGE	FIN ENDS	PRICE
				тотат	LICT	
СНЕСКІ	ED BV		DATE	TOTAL :		
CHECKI			DATE	NET	LIEK	
CHECKI	נט טו:		DATE	INET		



BCI0001 Custom Hood




BCI0002 Custom Hood






BCI0003 Custom Hood




BCI0004 Custom Hood






BCI0005 Custom Hood




BCI0006 Custom Hood






BCI0007 Custom Hood




BCI0008 Custom Hood






BCI0009 Custom Pediment




BCI0010 Custom Valance






BCI0011 Custom Valance




BCI0012 Custom Mirror






BCI0013 Custom Wall with Applique






BCI0015 Custom Wine




BCI0016 Custom Wine Base






BCI0017 Custom Wine




BCI0018 Custom Passthrough






BCI0019 Custom Entertainment Center




BCI0020 Custom Entertainment Center






BCI0021 Custom Entertainment Center




BCI0022 Custom File






BCI0023 Custom Hutch




BCI0024 Custom Angle






BCI0025 Custom Rolltop Desk




BCI0026 Custom Table






BCI0027 Custom Table






BCI0029 Custom Pie Cut






BCI0031 Custom End Shelf




BCI0032 Custom Bench Seat






BCI0033 Custom Fireplace



BCI0034 Custom Fireplace





Household Storage and Organization

Over the years, Brighton Cabinetry has offered a variety of accessories that add value to your cabinets. We have access to a wide range of well known suppliers in the cabinet industry. Among those brands are Rev-A-Shelf, Hafele, Broan, CH Briggs, Enkeboll, Outwater, plus many others. While you will find a number of enhancements throughout our catalog, there are still many items not specifically listed here. Please feel free to contact us for a quote on any accessory for your cabinet that you do not see within our pages. You may also contact our customer service department with any questions regarding accessory products.



Index

1/4" GLASS SHELF	A12	ACGA	A26
1-INSLAB	B69, I36, T48, W83	ACLAC	A24
5-PDWHD	B69, I35, T48, W83	ACLCA	A24
		ACLFO	A22
A		ACLGC	A25
A86ARC	A10	ACLGO	A22
AARV	W72	ACLRAO	A21
AARVLB	W75	ACLSAO	A21
ABATTEN	A2	ACLSC	A25
ABBCT	A18	ACLSO	A23
ABBL	B59	ACM	A6
ABCR	B58	ACR	T35
ABDBD	A18A	ACROWN	A6A - 6D
ABDBDL	A18A	ACSA	A26
ABM	A5	ACSAC	A24
ABMYOIL	A18, B58	ACSCA	A24
ABNFTI	A13	ACSGC	A25
ABNFTL	A13	ACSGO	A22
ABP	B62	ACSRAO	A21
ABPPC	B62	ACSSAO	A21
ABSKIN	B62	ACSSC	A25
ABTD	B62	ACSSO	A23
ABVLR	A7	ADBM	A2
ABWRS	B62A	ADD	B59
AC-16##	A6C	ADIK	A9
ACAA	A26	ADM	A2
ACAV	W72	ADMCM	A6C
ACAVLB	W75	ADPLO	A11
ACB-BD	B58	ADPR	W76
ACB-LOOSE	A18	ADSR	B59
ACB-OD	B58	ADSTAY-LOOSE	A10B
ACD	B59	ADUAROS	B60, T37
ACDP	A19	AEAV	W72
ACDST	B60B	AEAVLB	W75
ACDUT	B60B	AEDCM	A6C
ACFFTI	A13	AEDM	A2
ACFFTL	A13	AFDG	B58, T35, W77



AFINGERPULL	A10	AMLGO	A22
AFRLGI	A13	AMLRAO	A21
AFRLGL	A13	AMLSAO	A21
AFUV	W72	AMLSC	A25
AFUVLB	W75	AMLSO	A23
AGFIPLATE	A18B	AMM	A3
AGLASSSHELF14	A12	AMMACC	A24A
AGP48	A18A	AMR	T35
AGPCZ14	A18A	AMSA	A26
AGRMT	A18	AMSAC	A24
AHANGINGFILE	A11, B59, T35	AMSCA	A24
AHND	A9	AMSFO	A22
AKB	A11, B60B	AMSGC	A25
AKNOB	A10B	AMSGO	A22
ALAD	A11	AMSRAO	A21
ALBDP	A10	AMSSAO	A21
ALBWP	A18A	AMSSC	A25
ALCACC	A24A	AMSSO	A23
ALDF	A10	AMTK	A3
ALDM	A6C	AMUL	139-42
ALEDM	A6C	AOC	A3
ALFDG	B58, T35, W77	AOUTLET	A18B
ALMACC	A24A	APBM	A9
ALR	A7	APM	A8
ALRM	A6C	AQTRND	A3
ALTDP	A10	ARDP	A19
ALUMS	B62	ARISER	A6B
ALWDP	A10	ARL	T34A
ALWWP	A18A	ARLS	T34
AMAA	A26	ARM	A4
AMACO	A23	ARMCM	A6C
AMBCO	A23	AROHB	A11, B62
AMCACC	A24A	ARPV	W74
AMESBURY DOOR	I16	ASBDT	B62A
AMESBURY VFP DOOR	I34A	ASC	A4
AMGA	A26	ASCACC	A24A
AMLAC	A24	ASCDA	B58, T23, W77
AMLCA	A24	ASCDP	A10
AMLFO	A22	ASCFTAI	A16
AMLGC	A25		



ASCFTAL	A16B	ATR	B62
ASCFTBI	A16B	ATSD	T35
ASCFTBL	A16B	ATSKIN	T35
ASCFTCI	A16B	ATSTP KIT	B59
ASCFTCL	A16B	ATSTP	B59
ASCFTDI	A16B	ATSTS KIT	B59
ASCFTDL	A16B	ATSTS	B59
ASCRIBE	A4	ATTD	T35
ASHAV	W72	ATUK	A19
ASHC	A16	ATVS	A12
ASHCV	W72	AUAMTK	A3
ASHFTAI	A16	AUB	A11
ASHFTAL	A16B	AUTKB	B60B
ASHFTBI	A16B	AVTF	B56
ASHFTBL	A16B	AWBAD	B58
ASHFTCI	A16B	AWBAS	B58
ASHFTCL	A16B	AWFGSHELF	A12
ASHFTDI	A16B	AWP	W76
ASHFTDL	A16B	AWSKIN	W76
ASHOE	A4	AWSTBIN	A10B
ASMACC	A24A	AWTD	W76
ASMLR	A7	AWWRS	W76
ASO	W76		
ASPEN DOOR	I16		
ASQLR	A7		
ASQM	A9		
ASQPC	A16		
ASROD	A10B, B58, W77		
ASTKB	B60B		В
ASTV	W72	B1D1D	B8
ASTVLB	W75	B1D1D+RO1	B15
ASWITCHPLATE	A18B	B1D1D+RO2	B15
ATAFTI	A13	B1D2D	B8
ATAFTL	A13	B1D2D+RO1	B15
ATKD	B61, T39, V26	B1D2D+RO2	B15
ATL-I	A10	B2AF	B55
ATL-L	A10	B2AFR	B55
ATP	T35	B2D2D	B8
ATPST	A15	B2D2D+RO1	B16



B2D2D-RO2	B16	BCI0001	C5
B2ED	B19	BCI0002	C5
B2SD	B19	BCI0003	C6
B2T4D	B21	BCI0004	C6
B3D	B20	BCI0005	C7
B3D3D	B8	BCI0006	C7
B3DF	R7	BCI0007	C8
B4D	B20	BCI0008	C8
B4DF	R7	BCI0009	C9
BAC-1	B42	BCI0010	C9
BAC-2	B42	BCI0011	C10
BACA	B43	BCI0012	C10
BACR	B43	BCI0013	C11
BAD	B47	BCI0015	C12
BAF	B55	BCI0016	C12
BAFC	B40	BCI0017	C13
BAFR	B55	BCI0018	C13
BAIC	B39	BCI0019	C14
BAOC	B39	BCI0020	C14
BAPD	B29	BCI0021	C15
BASF	B25	BCI0022	C15
BASFFLOOR	B25	BCI0023	C16
BATP	B29	BCI0024	C16
BBC	B9	BCI0025	C17
BBSOW	B10	BCI0026	C17
BBSP	B10	BCI0027	C18
BBU	R8	BCI0029	C19
BC0	A14	BCI0031	C20
BCC2D	B34A	BCI0032	C20
BCC3D	B33	BCI0033	C21
BCC4D	B34A	BCI0034	C21
BCD	B44	BCSHELF	A12
BCF	B53		
BCGS	B45		



BDCA	.B24
BDDC	.B31
BDS	.B27
BDSFD	.B27
BDW	.B17
BDWFD	.B17
BELLA DOOR	.I16A
BES	.B52
BF	.B53
BFD	.B4-6
BFDTD	.B7
BFR	.B54
BFRB	.B54
BFS	.B10B
BFSP	.B54
BI1D	.B9
BIRON	.B44
BM	.R3
BM2D	.R3
BM2DF	.R4
BM2ED	.R4
BM3D	.R5
BM3DF	.R5
BMC	.V24
BMET	.V24
BMF	.R27
BMFD	.R2
BMFS	.B45
BMOC	.B30, 31
BMOFS	.R27
BMOT-FEUG	.B59
BNS	.R22
BNS1D	.R22
BNS2D	.R22
BOC	.B28, 29
BOFS	.B53
BPCA	.B23
BPS	.B52
BPSC	.B35
DDSCED	D25

BRCS	B27
BRDP	B23
BROCH	A20
BRSIGN	A20
BRT	B34
BRYANT DOOR	I16A
BRYANT VFP DOOR	I34A
BS	B10B
BS1D	B10B
BSCC	B14
BSCC1D	B14
BSCS	B26
BSFD	B11
BSPN	B13
BSPN1D	B13
BSW	B17
BSWFD	B17
BTPC	B7
BUMPER	A10
BUOC	B10A
BUSD	B24
BUSP	B23
BVLDEDGE	A10A
BWBS	B48
BWCV	B48-48A
BWDC	B32, 33
BWL	B48
BWS1D24	R23
BWS2D36	R23
BWSFSD	R23
BWSL	B48
BWSOPEN	R23



C	F	
CABINET CARE145	FAIRFIELD DOOR	I19
CAFÉ DOORI16B	FAIRFIELD VFP DOOR	I34C
CASCADE DOOR116B	FAIRHAVEN DOOR	I19
CASCADE VFP DOOR134B	FEG150	B59
CFFPB57, V27	FFDWEP	B54
CFPUR26	FFPU	R25
CHURCHILL DOOR117	FI	B49
CLGLSA10A	FINISH AGREEMENT	I5-6A
COMBINEB62B, T42, W78	FOLC	A10B, I7, I8C
CONCINSETA10B	FOLC90	A10B
COTTAGE DOORI18	FROSTGLS	A10A
CRAFTSMAN DOORI18	FS	A9
CRKLGLSA10A	FVTF	B56
CRSRDGLSA10A		
CRWNDSPBDA20	G	
CTBUR10	GLASS SHELF PEGS	A12
CUMBERLAND DOOR118A	GLENDALE DOOR	I20
CUSTOM COLOR REQUEST FORM112A		
CUSTOM DOOR REQUEST FORM114B-15	Н	
	HAMILTON DOOR	I20A
	HAMPTON DOOR	I20B
	HAMPTON VFP DOOR	I34C
D	HANOVER DOOR	I20C
DOOR & DRAWER PROFILES114-14A	HEARTLAND DOOR	I21
DOOR, LooseA10	HEARTLAND MDF DOOR	I22
DRAWER FRONT UPGRADES135-37	HEARTLAND VFP DOOR	I34D
DRDSPBDA20	HERITAGE DOOR	I22
DRSMPA20	HERITAGE VFP DOOR	I34D
DSPUTA20	HGDSPBD	A20
DU4DR21	HH1M	W62
	HH2M	
	ННРК	W62
E	HIGHLAND DOOR	I22A
EBA17	HILLSBRAD	I22B
ECLIPSE DOORI18B	HOMELAND DOOR	I23
ECLIPSE VFP DOOR	HOMELAND VFP DOOR	I34E



I		MAMC	A2, B62B, T42, W78
IEPFD	B49	MARQUIS DOOR	I26
IEPWP	B49	MB90DEG	B69
INPLANT LEAD TIMES	I4B-4C	MBADD	B69
INSANENG	A10B	MBADS	B69
INSBLK	A10B	MBAE	B67
INSET HINGE DOOR SPEC	I8B	MBAF	B67
INSNIC	A10B	MBBCF	B67
INSOLRBBZ	A10B	MBBDE	B64
INSPBR	A10B	MBCC	B68
INSSTNIC	A10B	MBDCO	B68
INSWRTIRN	A10B	MBDIB	B64, T45, W79
		MBEE	B67
K		MBES	B65
KPD	B51	MBFBS	B9, B67
KPDM	B51, R6	MBFDE	B64
		MBFE	B64
		MBFFE	B64
L		MBFLUTE	B68
LAKELAND DOOR	I24	MBFRO	B62B
LAPORTE DOOR	I24	MBFURN	B63
LASALLE DOOR	I24A	MBGP	B64
LFPRGLS	A10A	MBGPBAH	B64
LINCOLN DOOR	I24B	MBGPIB	B64
LOCKS	A10	MBLRTK	B67, T46
LUNA DOOR	I25	MBLTK	B67, T46
		MBRS	B65
M		MBRTK	B67, T46
MACRB	B62B	MBSA	B67
MACRT	T42	MBTK	B67, T46
MACRW	W78	MBWEP	B64
MACSB	B62B	MDE	B67, T46, W82
MACST	T42	MDSDF	B69
MACSW	W78	MEADOWVIEW DOOR	I26A
MADRID DOOR	I25	MEADOWVIEW VFP DOOR	I34E



MEBRD	W80	MTADS	T48
MEBRU	B65, T41, W80	MTAE	T46
METRD	B65, T41, W80	MTAF	T46
METRU	B65, T41, W80	MTBDE	T45
MFBAH	B64, T45, W79	MTCC	T47
MFC	B62B, T42, W78	MTDCO	T47
MFDDS	B69, T48, W84	MTEE	T46
MFDP	A17	MTES	T41
MFS CLIP	A12	MTFDE	T45
MFTK	B67, T46	MTFE	T45
MFUDS	T48, W84	MTFFE	T45
MFURNARL	T34	MTFLUTE	T47
MICDIM	B62B, T42, W78	MTFRO	T42
MIM	A2	MTFURN	T44
MINTTK	T46	MTGP	T45
MIRR18	A10A	MTGPBAH	T45
MLDGCHN	A20	MTGPIB	T45
MLFER	B63	MTKAW	W78
MLRTK	B67, T46	MTPF	A15
MLSTK	B67, T46	MTPR	A15
MLTK	B67, T46	MTRS	T41
MMWI	B62B, T42, W78	MTSA	T46
MNTLSH	R24	MTWEP	T45
MOBRF	W78	MUDRBOX	B69, T47, W82
MOD	B62B, T42, W78	MUATOE	B68, T47
MONROE DOOR	I26C	MVBR	B65, T41, W80
MONROE VFP DOOR	I34F	MVTR	B65, T41, W80
MOODB	B69, T48	MW90DEG	W84
MPFFB	W79	MWADD	W83
MPFFT	B64, T45, W79	MWADS	W83
MROSETTE	B68, T48, W83	MWAE	W82
MRPC	B68	MWAF	W82
MRTK	B67, T46	MWBDE	W79
MSDS	B69, T48	MWCC	W83
MSPLPST	A15	MWDCO	W83
MSSCO	B68		
MT90DEG	T48		
MTADD	T48		



Calmery		
MWEEW82	PB1D	B36-37
MWESBW80	PBB	B35
MWESIW80	PBFD	B36
MWESOW80	PCZ	A17
MWFBW79	PD	B50, V9
MWFBSW15,16	PDL	B50
MWFDEW79	PDLM	R6
MWFEW79	PDM	B50, R6, V9
MWFFEW79	PH	W56
MWFLUTEW83	PIECUT170	A10B
MWFROW78	PIECUT60	A10B
MWFURNW78B	PLAINFIELD DOOR	I28A
MWGPW79	PLAINFIELD MDF DOOR	I28B
MWGPBAHW79	PLASTIC INSERT	A10
MWGPIBW79	PRAIRIE DOOR	128B
MWISHELFA12	PREP	139
MWRBW80	PREPSP	140
MWRSW80	PRIMED	A19
MWSAW82	PW	W17-18
MWWEPW79		
	Q	
N	QTSTAIN	A19
NEOGA RIDGE ARCHED DOOR127	QUICK SHIP GUIDELINES	I4C
NEOGA RIDGE ARCHED VFP DOOR134F	QUOTE PROCESS	I4A, C2
NEOGA RIDGE DOOR128		
NEOGA RIDGE VFP DOOR134G		
NEWPORT DOOR128A		
NOTKB67, T46	R	
	RAMSEY DOOR	129
0	RCMET	V23
ORDER FORM143, 144	RCMMC	V23
	REEDGLS	A10A
P	RODERA DOOR	I29
P62GLSA10A	RODERA VFP DOOR	I34G
PBB36-37	ROUTING	



S		T3DUC	T13-14
SAMPLEGLASS	A20	TAC-1	T17
SARDINIA DOOR		TAC-2	T17
SAXONY DOOR		TAF	Т33
SDMC	V23	TAFC	T17
SDMET	V23	TAFP	B57, V27
SEEDGLS	A10A	TAFR	Т33
SFM	V25	TBU	R11-13
SHAKER DOOR	I30A	TBUFD-1	R14
SHAKER MDF DOOR	I30A	TBU1D	R15
SHAKER VFP DOOR		TBUFD-2	R14
SH-MEDIUM DOOR	I30B	TBUI	R16
SH-MEDIUM VFP DOOR		TCGS	T15
SHELDON DOOR	I30B	TDBU	R17
SHELF PEGS	A12	TEMPERED (glass)	A10A
SHELF	A12	TERMS & CONDITIONS	I3-4
SHNSMP	A20	TF	T30
SHV	V12	TFR	T31-32
SHVBH	V22	TFRB	Т32А-32В
SOLC	A10B, I7, I8C	THINRDGLASS	A10A
SOLC90	A10B	THOMPSON DOOR	I32B
SOLK	A10B, I7	THOMPSON VFP DOOR	ІЗ4Ј
SOLKLIP	A10B, I7	THTC	R24
SQL	A15	TKSS	B61
SRDWEP	B54	TL2S	A15
STBLEA	A20	TL4S	A15
STBLST	A20	TMC	V24
SUBZERO	A19	TMET	V24
SUMMIT DOOR	I31	TMFS	T16
SUMMIT MDF DOOR	I32	TMOC	T26-27
SUMMIT VFP DOOR	I34I	TOC	T18-19
SUNRISE DOOR	I32A	TOFS	Т30
SUNRISE MDF DOOR	I32B	TRS	T8A
SUNRISE VFP DOOR	I34I	TUC+RO4	Т7-8
		TUC	Т3-6
		T_VS	Т9-12
T		TWDOC	T28-29
T1DOC	T20-21	TWCV	T16
T2DOC	T22-23	U	
T3DOC	T24-25	UNFIN	A19



V		VSB1D1D-BH	V13
V2DB	V6	VSB1D2D	V3
V2DB-BH	V15	VSB1D2D-BH	V13
V3DB	V6	VSB2D2D	V3
V3DB-BH	V16	VSB2D2D-BH	V13
V4DB	V7	VSB3D	V10
V4DB-BH	V16	VSB3D-BH	V19
VALLETTA DOOR	I32C	VSBC3D	V11
VB1D1D	V4B	VSBC3D-BH	V20
VB1D1D-BH	V14B	VSBC4D	V11
VB1D2D	V4B	VSBC4D-BH	V20
VB1D2D-BH	V14B	VSBC6D	V11
VB2D2D	V4B	VSBC6D-BH	V20
VB2D2D-BH	V14B		
VBCD	V10		
VBCD-BH	V19	VSFD	V4
VBCF	V28	VSFD-BH	V14
VBF	V28	VSFLT	V12C-F
VBFR	V28	VSPA-BH	V20A-C
VBFRB	V28	VTLC-BH	V22A
VBI1D	V8	VTUC	V12A
VBI1D-BH	V17	VTUC-BH	V21
VBSW	V12	VTUC1D	V12B
VBSW-BH	V20D	VTUC1D-BH	V20F
VERONA DOOR	I32C	VW1D	V24A
VENEER FLAT PANEL DOORS	I34A-J	VW2D	V24B
VFD	V5	VW3D	V24C
VFD-BH	V15	VWC	V25
VHAP	V5	VWOSC	V24D
VHAP-BH	V14A		
VHB	V7		W
VHB-BH	V16	W12VS	W12-14A
VIRON	V8B	W15VS	W12-14A
VIRON-BH	V18	W18VS	W12-14A
VOC-BH	V18	W1D	W4-8
VOFS	V28	W1D1D	W42
VPDLA	V9	W1D2D	W43
VPDLB	V9	W21VS	W12-14A
		W2AF	W71
		W2AFR	W71
VSB1D1D	V3	W2D	W4-8, 10



W2D1D	W45	WDRLG	W37
W2D2D	W45	WDRT	W34
W2DM	W44	WDTCO	W35
W3D	W8B-9	WES	W53
W3D1D	W46	WESA	W53
W3D2D	W46	WESAT	W53
WABASH DOOR	I32D	WESB	W54
WAC-1	W27	WESBT	W54
WAC-2	W27	WESCC	W54
WADH	W57	WEST	W53
WADV	W57	WESTCC	W54
WAF	W71	WF	W68
WAFR	W71	WFR	W70
WAGC	W40	WFR-B	W70
WAIC	W28	WFSHELF	W52B
WAOC	W28	WHSA	W58
WARRANTY	I2-2A	WHV	W59
WATERGLS	A10A	WHVA	W60
WBC	W 14E-16	WHVS	W60
WBU	R9	WIDE RAIL SHAKER DOOR	I32D
WCAD	W19	WIDE RAIL SHAKER VFP DOOR	I34J
WCF	W68	WLAG	W41
WCPH	W19	WMWC	W49
WCWBS	W20	WMSG	W52A
WCWCH	W20	WOFS	W69
WCWWL	W21	WOHC	W11
WCWWLS	W21	WOOD CHARACTERISTICS	I4D
WDAAG	W36	WOODRIDGE DOOR	I33
WDAG	W35	WORC	W11
WDALG	W37	WOSC	W48
WDAT	W34	WOTSC	W47
WDCA	W14D, 32	WPCA	W14B, 29
WDCR	W14D, 32	WPCA3D	
WDPA	,	WPCR	,
WDPR		WPPA	
WDRAG		WPPR	-
		WPRC	W26



WPSW55
WPSTW55
WRBSSHELFA12
WSAGW39
WSHM
WSMCW50
WSPW24B, W25
WSSAA12A
WSSABA12B
WSSDA12A
WSSDBA12B
WSSRA12A
WSSRBA12B
WSTCOW39
WSWRAW76
WSWRLW76
WTCW38
WTOPA18
WUCCSW52
WUCSW52
WUSCW51
WWBSW23
WWCHW23
WWCVW23
WWLW22
WWRDW24
WWSLW22
WWXSLW24A
W_VSW14A-F
Z

ZENITH DOOR133



NOTES